


SCIENTIFIC

You're in

Control-Line

Buy it today...fly it tomorrow. They're almost ready to fly!



- Only the finest grade balsa and plywood used throughout
- Every kit specially designed for engines .020 to .049 by the world's leading modelers
- Complete, easy-to-follow assembly instructions included
- Precision die-cut and formed parts for perfect fit and easy construction

One look will tell you these Scientific kits are designed to get you flying F-A-S-T! That's because each one features our exclusive precarved balsa body and shaped one-piece wing construction (except Kit #72). All include the necessary formed metal parts and many include a control handle, windshield, formed plastic cowl, canopy and pilot.

\$395

STUNTMASTER KIT #25. One of America's most popular models for sport or competition stunt flying. 18" wingspan.

the air fast



HyingModels

21 popular models to choose from at one low price. \$2,95



KIT 20 LITTLE STINKER, 18",



KIT 26 LITTLE MERCURY, 18". Easy to build and fly.



Kit 70 F-51 MUSTANG, 21". Famous WW II fighter.



MIT 72 SUPER STUNTMASTER 20". A built-up wing stunt sensation.



KIL 74 MESSERSCHMITT ME-108.



KIT SO STUKA DIVE BOMBER 18"



Kit 95 PIPER CUB TRAINER 18"



Kit 48 GOLDEN HAWK 18". A great model for fun flying





Kit 59 P-40 FLYING TIGER 18" Kit 30 RED DEVIL 18" Great trainframous W.W. II fighter ing model for beginners





KIT 54 CESSNA BIRD DOG 18" Scale KIT 54 CESSNA "182" TRI-CYCLE model U. S. "Flying Jeep" High performance private plane



popular tri-cycle landing gear



to fly, great performer



Kit 14 PIPER TRI-PACER 18" with Kit 28 LITTLE DEVIL 18" Fast, same Kit 7 CESSNA "180" 18" Model has good looks, great spead



Kit 53 NED FLASH 18" Model has sleek looks, good control





Kit 8 PIPER END CRUISER 18" Kit 65 ZIG ZAG 18" A stunt meman. Kit 18 LITTLE MUSTANG 18" Fast tion, great looks the



easy to fly semi-scale model



KIT 29 LITTLE BIPE Big 70 sq. in. wing area, 2 preshaped wings

HERE'S THE COUNTRY'S HOTTEST

rubber flying mode Sky Master BIG 36 INCH WINGSPAN

Featured In the Movie "THE LONG FLIGHT"

YOU FLY IT A MILE . . . with truly amazing perperformance like you never thought possible. Big deluxe kit includes Hi-Thrust Propeller, Formed Leading and Trailing Edges, Formed Wire Parts, Pure Contest Rubber Drive, Colorful Decals and Full Size (44")

KIT 160 Easy to Follow Plans.

Send for our big colorful catalog . . . only 25¢

SEE YOUR DEALER. If kits are not available at dealer, you may under direct from factory adding 50¢ for postage and handling, pustaine U.S.A. add \$1.00.

Billing Boats

DENMARK'S FINEST

For Serious Model Builders



Excellent quality construction klt. $22\frac{1}{2}$ " long by $19\frac{1}{2}$ " high. Includes ribs, planking, Brass fittings, cloth for sails. Complete kit. \$14.00



WARSHIP WASA, original built in 1628. Sunk on maiden voyage. Located and lifted in 1960, now a museum piece. Beautiful model—23" long, 23" high. All wood kit with fine, precision brass fittings. Complete kit. \$44.00



VIKING SHIP Exciting, authentic reproduction, scaled down to 26" by 61/2", Complete Kit.....\$17.00

All Billing Boats scaled from originals. Planked hull construction with hardwoods. Turned Brass Fittings. Authentic Replicas.

588 Your Hobby Dealer...Or send 25 cents for illustrated catalog. If dealer does not stock, send check or money order for direct prompt shipment. California orders must add 5% sales tax. Satisfaction guaranteed.

KAYEFF, INC. 511 Campesina Road Arcadia, Calif. 91006

Distributed in Canada by Habby Industries 24 Ronson Orive, Rexdale, Ontario

aircraft modeler



Cover Photo: The sporty Quarter Pint gets an enthusiastic taunch by Sandy Denson. Look to page 26 for this Tenderfoot feature model. Photo by author Paul Denson.

WILLIAM J. WINTER — PUBLISHER EDWARD C. SWEENEY, JR.—EDITOR
Thomas L. Murphy, Art Director Joseph R. Wright, Circulation
Anna Maria Nunez, Editorial Assistant

VOLUME 74, NUMBER 4	APRIL 197
Articles:	
FLYING WING CONTEST, D. Walter Clark	
QUARTER PINT, Paul Denson	20
TIGER MOTH, Don Berliner	
RCX4, Milton Schmidt	
SQUEEZE-BANGER, Wayne Petrevan	40
DRAGONETTE, Jerry Parker	
AAM COMMANDER, PART I, Frank Pierce	50
Features:	
ON THE SCENE: THIRD SOUTHWEST MODEL HOBBY F	FAIR—A
FAMILY AFFAIR, Joe Wright	
1971 ROAR NATS WINNING CAR, THORP McLAREN	IS DRIVEN WITH
THE 100mw JEROBEE RADIO, Wendel Green	
GETTING STARTED IN RC, Howard McEntee	
SCALE TECHNIQUES FOR THE PLASTIC MODELER: LA	
MIGHTY, Ben Millspaugh	
1936 ROSE PARRAKEET, Three-view drawing, by Bio	
WHERE THE ACTION IS	
Academy of Model Aeronautics:	
RC PLANE HELPS BUILD POWER LINE	97
RC AEROBATICS TEAM PROGRAM	
PRESIDENT'S MEMO, FAI MEETING REPORT	
CHARTERED CLUBS (Cont. from March)	
CONTEST CALENDAR	
OFFICER DIRECTORY	104
Departments:	
EDITORIAL-STRAIGHT AND LEVEL, William	m J. Winter 8
MODELER MAIL-LETTERS TO THE EDITOR	
NEW PRODUCTS CHECK LIST 44 CLASSIFIED	
QUALITY SHOPS	106

Published monthly by Potomac Aviation Publications, Inc. 723 Fifteenth Street, N. W., Washington, D. C. 20005. William J. Winter, Publisher; Edward C. Sweney, Jr., President; American Aircraft Modeler Business Manager & Secretary, Harvey E. Cantrell.

ADVERTISING DEPARTMENT

733 15th St., N. W., Washington, D.C. 20005 (202) 737-4288

Western Advertising Representative: Auron D. Viller & Associates, 5311 Venice Blvd., Los Angeles, California 80019, Tel; (213) 239-1161.

Eastern & Midwestern Advertising Representative: Bernen and Associates, P.O. Box 551, Barrington, III. BRILL. Tel: (312) 381-7726; offices also at 438 E. Washneron St., Chagrin Falls, Ohio. Tel: (216) 247-7094. Subscription Bates: In U. S., Possessions and Casada. 1 Year, 87.50; 2 Years, \$14.00; 3 Years, \$20.00. Elsewhere, \$9.50 for one year. Payable in advance. Single copies, 75 cents. Six weeks are required for change of address. In ordering a change, write to American Alicenft Modeler, 753 Fifteenth Street. N. W., Washington, D.C. 20005. Give both new and old address as printed on last label.

We cannot accept responsibility for unselleited manuscripts or artwork. Any material submitted must include man postage. When writing the editors address letters; Editorial Office, American Alroraft Modeler, 733 Fifteenth Street, N.W., Washingon, D.C. 20005.

Second class postage paid at Washington, D.C. and at additional mailing offices.

(a) Potomac Aviation Publications, Inc. 1871. All rights reserved. Printed in the U. S. A. Postmaster: Send Form 3579 to American Aircraft Modeler, 733 Fifteenth St., N. W., Washington, D.C. 20005.

BROCHURE.



LOG GIROL

SALES AND SERVICE CENTERS ... TO SERVE YOU AND OUR DEALERS BETTER

Northwest Area MINICRAFT* HOBBIES (206)-SH 6-0769 13, 165th Ave. N.E.

Bellevue, Washington 98004 Chicago Area

RADIO CONTROL CENTRAL Box 449, Elmhurst, III. 60126 Service (312) 545-9815 Sales (312) 832-4908

Southeast Area TATES MODEL ELECTRONICS 2530 Warwick Circle, N. E. Atlanta, Georgia 30345 (404) 633-6652 Kansas City Area KEN'S R/C (913) 631-3158 10915 W. 59th Terrace Shownee, Kansas 66203

Northeast Area NORTHEAST R/C, INC. (617) 343-4827 P. O. Box 947 Leominester, Mass. 01453

Mid-Atlantic-Area Leon Shulman & Associates

1114 Raritan Rd. P. O. Box 955 Clark, N. J. 07066 Service: (Don/Lee) (201) 381-1441 Sales: (201) 381-1440 In Conada LOGICTROL OF CANADA 544 Ellice Ave.

Winnipeg 2, Manitoba
In Mexico
AFROMODELISMO
Catz, Guadalupe 602-A
Mexico 14, D.F.

In Sweden BORG'S HOBBY Apotekaregaten 7 Linkoping, Sweden

For Benelux C.C.1./ TENCO Ave. de la Couronne, 358-362 B-1050-Brussels, Belgium Phone (02) 49.91.40

In France C.C.I./ TENCO Place de Stalingrad, 7-9 F-75-Paris- 10eme, France Phone (1) 205-8545

SALE PRICES GOOD UNTIL APRIL



Get ready now for the new fair weather flying season with special sale prices from Hobby People

WORLD ENGINES 'BLUE MAX'

MARK II IC Assem.

RS-5 mini-servos, fectory assembled and tested System Specifications: TX Voltage (12 volts) Airborns weight (11%oz.) Rx sensitivity (4uv)



FULL KIT (For Experts)



THIS IS A COMPLETE 4CH. FET. RADIO KIT WITH TRANSMITTER, RECEIVER, NICADS, 4 SERVOS AND CHARGER. Please note that the

and FOX 15



WWII SEMI SCALE / 33" Span .15-.19 Disp. P-63 King Cobre / P-51 Mustang / P-40 Warhawk or the ME-109 Regularly \$7.95 each Ideal stunt trainer that will do AMA stunt purish with ease — YOUR CHOICE, ONE PLANE

Plus the Fox 16 \$17.90VALUE **≦** sale \$12∞

Goldhead



SPECIAL

YOU GET BOTH THE KRAFT KP-2B RADIO AND THE CANYON GLIDER SCHWEIZER 1-26 IN THIS SPECIAL



brick. REGULARLYS119.95 * SUMMER SCHWEIZER 1-26, Aluminum tube molded in the fuselage, Holes for push rods are molded through the fuselar

SPECIAL

Cherokee Babe & Fox 36XR/C





Super Tigers 60R/C engine for idle and top end! Reg. \$46.98 \$96.93 SUMMER Lil'Esquire & O.S. 099R/C



power and is rather easy to handle, how ever the big feature on this engine is economy. Reg. \$10.98

\$21.93 × Value SUMMER REGULARLY \$29.95 **RCM Trainer &** Fox 40R/C



Oon Dewey & Joe Bridi design for a great trainer #8% "span Reg.\$44.95 Fox 40R/C Perfect! Reg. \$25.95

\$70.90% SUMMER value

Sky Squire & McCoy 35R/C



57" SPAN. This Plane is a stable multi-trainer, REGULARLY \$31.96



TOP ELITE R/C NOBLER

* SUMMER 51" SPAN 5-,45 DISP REG. \$29.95

70" SPAN

SPECIAL \$1976

STERLING SCHWEIZER 1-26D



51299

REG. \$39.95

FOR THE BEGINNER 99

MIDWEST

II PLANE SET INCLUDES (1) R.O.G. (1) CABIN MODEL AND (2) GLIDERS+ALL MATERIAL Midwest

STERLING SCHWEIZER 1-34

8'2%" SPAN SC ALE 2"11" REG. \$28.96

* SUMMER SPECIAL **519**99 TOP FLITE CONTENDER



54" SPAN 29- 60 DISP

* SUMMER SPECIAL 52387

MIDWEST FLE FLID 10 *19-23 Diat 51888

REG. \$24.85 TOP FLITE 32" SPAN .020-.049 DISF REG. \$7.95 ***\$6**47

GOLDBERG SKYLANE 62 62" SPAN 35-50 DISP REG. \$34.95 2699

STERLING RINGMASTER REG.\$7.95 \$5 67 42" Span .19-.35 Disp

MIDWEST MAGICIAN .18 REG \$6.96

\$537 34" Wing Span 15 To .19 Disp.

NAVAJO 4" SPAN .40 .61 DISP. **29**99

300 Sq. in, wing area for .049 power Regularly \$8.95 627 GOLDBERG SR FALCON

69" SPAN .35-.45 DISP. REG. \$34.95 52699

SUPER SNIFFER

GOLDBERG * 56" SPAN .15-.19 DISP. REG. \$18.95 \$1399

MIDWEST LIL' 'T' glide 74" WING SPAN **512**99

REG. \$16.96

SEA BIRD 60 DISP **548**88 REG. \$59.95 MIDWEST DAS LITTLE STIK





HOBBY PEOPLE DEPOT /In The Valley Located in: KARLS TOY STORE / Mezzanine floor SEARS FALLBROOK WHOPPING CENTER- 6741 Fallbrook Ave

S2995

\$2995

\$16 95

SVENSON

Centerfold RCM April Issue



The FOX 15 is the ideal engine for the easy to fly, great trainer 'SNORKY'. THIS COMBINA-TION WILL GIVE YOU HOUR AFTER HOUR

TOGETHER \$19.90 VALUE **SALE \$13**00

COMPLETE SELECTION FOR MODEL BOATING IN OUR GIANT HOBBY CATALOG Send Today

MODELERS' TAP & DRILL SET Every modeling shop should have these four basic tap and drill sizes. You get four taps of the highest quality English Etest with the StZES 2-56, 3-48, 4-40, and 6-32 appropiate



exact high speed steel twist drill and an easy to use adjustable top wreach. Only

799

AIRTRONICS

OLYMPIC 88 88"Span, 695 sq.in. arms

OLYMPIC 98

99"Span, 790 sq.in. area. MINI-OLYMPIC

42"Span, 240 sq.in. area.

SEND MI POSTAGE WHEN ORDERING OYLMPIC KITS.

WE WILL AIRMAIL THESE KITS TO YOU AT MI CHARGE



HOBBY PEOPLE HEYWOOK INDUSTRIAL ESTATE PILEWORTH HOAD HEYWOOD LANCS, ENGLAND

ENGLAND

* COMBINATION

SALE 88



Phoenix

Quiet-Tone

DWINED FOR ERAC!

THE MUFFLER WAS ENGINEERED FOR TOTAL PERFORMANCE, PLUS Regularly \$10.00

99 EACH

Now available: VECO 19 K&B 40 VECO 61

E CHANNEL SYSTEM WITH 4 SERVOS A complete 4 channel system with nickel cadmium setteries for both the transmitter and services and shorger. If RS-5 mini-servos, switch harness and ervo trays. Includes metar and buddy box plug.

REG. \$30000

PHOENIX REGULAR

The PHOENIX regular is a 4 channel transmitter and receiver with 2 serves - This model is for the economy minded modeler looking for the best quality for the least expense. You get a 4 channel transmitter utilizing a dry 8 volt inexpensive battery, 2 RS-5 mini-servos nickel cadmium airborne batteries and charger, switchharness and saws trays. Less meter and buddy box memoration. Expand at a later date by purchasing the

99


KAOS & GLASKIN

WING COMBINATION KIT *

KAOS FUSELAGE KIT-The popular, fast SPECIAL building, fully prefabricated kit. Complete detailed plans and accessories. All hardware included plus the highest quality balise.

GLASKIN WING KIT-epoxy glass covered ===== strong and light weight, mirror like surface ready for paint. Complete with alle-rons, gear blocks and glass tape.

WANKEL .30 R/C w/MUFFLER



The new O.S. Wankel is one of the most talked about engines today. The Wankel is not only a rem-arkable collectors item, but elso very pretolible for A/C model sirplenes. Regularly \$87.50

\$6999

53688

RUBBER

BANDS

No.64 3½X¼

Regularly \$1.25

BY LINK TRAINER COMPANY BALSA WOOD FRAMED-UP RCM **NEW ERA**

Perfect for 9v.

Comes in kit form except for the Eveready 500ma battery which comes assembled. Kit contains all hardware, wire leads, charger seck and plug, complete instruc-

R/C transmitters!

CONSTANT CURRENT CHARG. CONSTANT CURRENT CHARGER for all 500/600ms batteries. Designed to charge 1-18 cells at a time without any adjustment. The charger is short-proof and has an indicator light guaranteed for five thousand hours. Completely guaranteed and comes with UL approved line cord. Can be used with above KSV battery kit.

R/C TANK

FILTER

ONLY 88 ONLY

DuBro

KWIK 4

GLOW

HOBBY PEOPLE

OVER 200 PAGE **FULLY ILLUSTRATED**

THE FINEST ALL-IN-ONE HOBBY CATALOG FEATURING SECTIONS OF MODEL AIRPLANES-ENGINES RADIO CONTROLED, PLANES-CARS BOATS-WOODEN SHIP MODELS-'O' HO-N-RAILROADING-PLASTIC-MODELS-EDUCATION SCIENCE!!

Majl oday

I enclose 50¢ for HOBBY PEOPLES mexical hobby catalog. Please rush it to me today I

HOBBY PEOPLE

130 EAST 33RD STREET LOS ANGELES, CALIFORNIA 90011

NAME ADDRESS.

POSTAGE & HANDLING

\$2,75

\$3.00

...60¢ \$15.01 TO \$20.00 ADD \$1.50

HOW TO ORDER

TO \$5.00 ADD \$20.01 TO \$30.01 ADD \$5.01 TO \$8.00 ADD . . . 80¢ \$30.01 TO \$50.00 ADD \$8.01 TO \$15.00 ADD ORDERS OVER \$50.00 PLEASE ADD

AREA CODE (213) 233-4484

CALIFORNIA RESIDENTS ADD 5% SALES TAX HOBBY PEOPLES WAREHOUSE STORE

OPEN TO THE PUBLIC: MON .- FRI, 8a.m. to 4p.m. OPEN SAT, 9a.m. to 5p.s 130 EAST 33rd STREET, LOS ANGELES, CALIFORNIA 90011



LINKS

(Nylon)

Regularly \$3,48

12 Links

NYLON HINGES

Easy installation package of 15

* \$187

REG.\$2.26

*

91¢

SCOTCH SPRAYMENT

> **3M** NEII. \$3.10 For foam wing covering (Large Can)

CALL FOR FAST C.O.D. SERVICE SERVICE / / (213) 233-4484

DEVCON SILICONE 5-MIN. **FUEL LINE EPOXY** (3 feet)

5199

REG. 5 .89 * 59¢

EACH III Now 3 For Only

S248

CLIP holds firmly ! 76¢ Regularly\$2.00 weight and gas filter. Regularly \$1.00 CANT WAIT?

straight and level



CONSIDER THE LOWLY WORK-SHOP. IS IT SERVANT OR MASTER? IT, RATHER THAN PLANES, MAY BE YOUR SECRET HOBBY.

Workshop. There must be one in your life too. What's it like? Small? Large? Clean, or we must ask, you understand, as messy as a weed patch? Have you ever wondered if you took up this hobby to build model airplanes, or to put screws and things in plastic boxes, to store balsa so it would not warp, to sweep up shavings, to scrape hard glue lumps off the workbench, to hang up tools in their proper places, to supervise the scrap box. You probably have a radio-with a disc jockey flying up a storm while you solder some joint with the help of a magnifying glass. Or a symphony vying with a jig saw. (The Skaters Waltz is ideal for a long sanding

Long ago we stopped naming airplanes. It makes more sense, and will contribute to the rapport you have with the place you work, if instead you name the workshop. If you must keep track of the crates you build, scribble a number somewhere. There's an art in naming the workshop. The name must have character, and express your joy or suffering. The military comes to mind. Project North Pole describes one shop we had. Operation Dust Bowl, another. How about "The Pit?" Why not El Tyrant?

You gotta be organized to operate a workshop. But who could possibly write that direly needed book: How to Use a Workshop? So you think it is a place where you go to build airplanes and boats? Oh, no. It's got mersonality, even if you haven't noticed it. It's sly, just maybe your master. And it has personality because of a condition known as "workshop syndrome."

Once we had the shop to end all workshops, Having built models in closets, attics and basements, on tables, workbenches and handy boards, in places where fingers were stiff with cold, or perspiration ran off the forehead like Victoria Falls, a moratorium was declared until there was at long last a civilized place to work. It took three weeks to build a room. Wide benches ran down two sides. There were enough shelves for a supermarket. Peg board on the walls, tools neatly hanging in place, electrical outlets along the fronts of both benches, shielded florescent fixtures overhead-and a door with a real lock! You don't build ROG's in a place like that, anymore than you'd collect gems in the high school auditorium. The super shop is a super challenge. Big crates, lots of balsa sheeting. Scraps, shavings and balsa dust to match the Mount Rushmorian scale.

Cause and effect, that's what it is. You keep hanging up tools, then save time by allowing them to lie on the bench. You put away wood constantly, then let it lie with the tools. A whisk broom to swish away chips? The hand seems quicker and better-until some porcupine shoots it full of used pins. So you form a pin posse with a magnet. Sweeping? Let it go until one day a week. Then it doesn't get done. How about when the crate is finished, then sweep and clean. That's a day's work postponed for months! The chips are nice to walk on! Then you drop a precious part. Do you go to the store for another or organize a search? So you divide the floor into a grid and call the family. Rob, you take squares one to four, Dave you take four to eight! So how about a ready-to-fly plane? Now you discover the shop has ESP. It whispers: "Use me, build something." There's this cuckoo clock kit downtown, wooden gears, gillions of little parts. Let's see now. One servo would run the cuckoo in and out. Oh, heck, it's Sunday. Let's go watch the guys fly. Seventy-three crates waiting to fly. And everyone came from some workshop. Boggles the mind, it does.

Howard G. McEntee, who as so many of you already know, passed away on January 13, commanded so much respect as a man, achieved so much in a quiet way, and contributed so much to the hobby we all enjoy, that one feels constrained to only a few humble words. To AAM readers of two generations he was an institution. From about 1950 on he prepared dozens of Blue Ribbon Reviews, created designs for planes and radio equipment, conducted the Radio Control section for many years, and lately was a main-stay contributor to "Where the Action Is." All this is but a fractional part of a long and illustrious career.

Howard, only just recently the overdue recipient of a Hall of Fame Award. was Mr. Radio Control. In the shaky days of radio, most hobbyists had used his equipment. When nothing else worked properly, one knew that a McEntee transmitter was dependable. It would be difficult indeed to recount all that he did in this field alone-and he was active in other related fields. He knew the frustrations of being a man far ahead of his time. As editor of Model Airplane News in the forties, he published many articles and designs on radio control. And that was before the FCC had even considered providing us frequencies. He pioneered pulse and proportional control. Howard was a crackerjack machinist and his projects frequently appeared in a wide range of science and electronic magazines, He was II "ham" whose call letters went back long before WW II,

His bit recently had been RC gliders—at which he excelled as always. He had a way with little models—tiny RC jobs, Jetex and CO-2. About 40 years ago he did a series of rubber-powered scale models for MAN—a Cessna, an SE-5 and, we believe, a Polish Fighter. The Cessna was a genuine classic which older hobbyists never fail to recall in any conversation. Always young-minded Howard was a dean of the oldtimers, yet contemporary as any young reader of JAM. His editorial career went back into the twenties, when he worked for Gernsback who published, among others, Radio News.

Unassuming, quiet, steadfast and immensely productive, Howard never had an unkind word for anyone, a quality which endeared him to countless friends all over the world, and commanded the respect of all who ever met him. The Memorial fund being established, to be applied to the advancement of things that interested him, is certainly fitting. But the memory of what he stood for will always remain green in the minds of those fortunate enough to have known him.

MONOKOTE GETS LETTERS... LOTS AND LOTS OF LETTERS!

fil've never taken the opportunity to thank a manufacturer before, but I do want to express my opinion on your Super Monokote. I've just covered five new wings and stabs with it, and it is great!


Chuck Broadhurst Sacramento, Calif. MONOKOTE IS THE GREATEST!! I've experimented with most of "them" and always go back to Monokote.

Dan Rhoads Newington Con.

FINISHES

I'm a fairly new modeler and thought Monokote was too expensive until I saw your ads comparing Silk & Dope costs to Monokote. I tried Monokote . . . and you're right-Monokote's cheaper than Silk & Dope, and holds better too!

Marc Hoit Michigan City, Ind.



The ship came in 250 ft. straight down in a radio failure and thou was only a small tear or

derside of one panel Har

26" WIDE CLEAR PAINTABLE \$1.35 FOOT FOOT FOOT FOOT PLUMB CRAZY PLUMB CRAZY (METALLIC PURPLE) (METALLIC PURPLE)

NOW THERE ARE 16

89¢

TRIM SHEETS 1/2" 5Q. CHROME CHECKER BOARDS \$1.19 RED ON WHITE 1.19 RED ON CLEAR BLACK ON WHITE 1.19 BLACK ON CLEAR 1.19

me Rubel

Torrance, Calif.

aired the damage and recovwith a fresh section of trans-Super Monokote. Only a eye would ever spot the The good old days of and wait, then steam it again to make adjustgone forever if Super is used.

Richard A. Lape Dewitt, Mich.

In these days q tising it's a rea into a product everything clair

MAKE THAT 18 FINISHES IN ALL

OLIVE DRAB & DOVE GRAY FOR TRUE-TO-LIFE MILITARY MODELS

I have not "silked" a \$1.35 RUNNING Monokote became availa-Monokote job was regular sinon an Antic, since then have covered 14 models of my own. 3 Bikes, 1 Tripe & 4 Kwik Fli were included in this total.

Don Johnson Denver, Colorado

Waterbury Center, Vt.

I've been showing it to everyone I know demonstrating how hard it is to damage and the ease with which it can be repaired. Believe me it's all the ad says and more. Winston Hockenberry

I have found that Super Monokote works easier than any other covering that I have ever used. Super Monokote surprised me at how smoothly it covers curved areas like wing tips.

Brian McAvov Greenock, Pa. It's the prettiest finish I've ever had.

ositio

the mos

Dr. Walter Good Bethesda, Md.



Even Naomi, my wife, loves Monokote because it is odorless, and also I have been able to stop getting paint all over my clothes. I am sold on this item and intend to trade in all of my paint brushes for a new "iron."

Donald Rothbaum Silver Spring, Maryland

THESE ARE JUST A FEW OF THE MANY, MANY LETTERS WE RECEIVE EACH MONTH ABOUT SUPER MONOKOTE. TAKE A TIP FROM OUR USERS - SUPER MONOKOTE WILL CUT YOUR COVERING TIME TO A FRACTION AND IT'S MORE ECONOMICAL THAN THE OLD SILK AND DOPE METHOD. IT'S BEEN PROVEN . . . MONOKOTING GETS YOU FLYING, FASTER!

*Pat. No. 3,388,651



TOP FLITE MODELS, INC.

2635 South Wabash Avenue Chicago, Illinois 60616

You'd expect to pay four hundred dollars for such a radio

RCM Magazine says (November 1971 issue Product Report): "As a conclusion to our tests of the Hobby Lobby 4 radio, one would expect that a digital proportional system with a price tag of \$200 could not possibly equal the "higher priced systems". Nothing could be further from the truth. The Hobby Lobby 4 proportional system equalled in performance and quality any of the radios we have tested to date and, in fact, surpassed a number of them"

The control sticks have adjustable tension and will center perfectly even when adjusted for only 2 ounces of control pressure.

It's a complete 4 channel outfit with transmitter, receiver, 4 servos, nickel-cadmium batteries

for transmitter and receiver, and built-in charger.

Its tiny servos have the highest resolution and tightest centering of any servo made.

Replacement servos

only cost \$12.00



The total airborne weight is only 11½ ounces and this includes a big 500 ma. battery pack.

The servo electronics are housed in the receiver case - there's less chance of shock damage that way.

HOBBY LOBBY 4

Digital Proportional 27mc...\$199., 72 - 75mc...\$209.





INTERNATIONAL

Route 3, Franklin Pike Circle, Brentwood, Tennessee 37027 24 Hour Telephone Ordering Service – 615/834-2323

modeler mail

More literature on rigid airships

The book, The Millionth Chance, Prof. Caxton C. Foster mentions in his letter (February 1972 AAM) was written by James Leasor and published by Reynal & Co., Inc. in 1957. It was printed by Stratford Press, Inc. of New York.

The History of Airships by Basit Clarke, published by St. Martin's Press in 1961, devotes a chapter to the R-100 and 101 and includes profile and cross-section sketches of R-101. For general airship information, I would also mention Ships in the Sky, by John Toland, published in 1957 by Henry Holt & Co., New York, and Graf Zeppelin, written by J. Gordon Vaeth and published in 1958 by Harper & Co. Copies of The Aircraft Yearbook for the early 1930's, if you can find them, are excellent sources, as are some old issues of The London Illustrated News and The National Geographic. The National Geographic of January, 1925, for example, contains some 40 photographs and cutaway sketches of the "Shenandoah."

I am grateful to Prof. Foster for his precise mathematics. As a mathematical moron, I have been operating on a hunch that available lift would be a major probelm in construction of a rigid airship model. (It was, in fact, a problem with the original R-101, which had to be chopped in half and extended to provide more lift.) Apart from the weight of engines and RC equipment, I believe it would be necessary to compartment the model or employ interior gas containers to keep the lift evenly distributed in flight. Even with barn-door control surfaces, I would imagine control would be a headache on anything but an absolutely windless day.

Certainly the rigid airship is a temptation to the model builder. As a boy, I used to rush into the street to stare up at those magnificent ships and I can testify that nothing more beautiful has ever flown.

Allen R. Dodd, Jr., Thomaston, Maine

Praise for "Pay-Up"

Nice to see the "Pay-Up" payload job in the January issue—author Bill Tracy and others who built the ship hoped to enter the Nats Payload Event sponsored (for the fifth time running) by the National Free Flight Society at the Glenview Nats. It is an unofficial event.

Dave Linstrum, Hanover Park, III.

Aviation movie aficionado

I am a modeler, aviation buff, and lover of motion pictures. I am combining these interests by doing research on the history of aviation motion pictures. I am wondering if any of your readers would be kind enough to write me if they know where any information of this type can be obtained.

Stephen Pendo, 91 Tremont St., Barre, Vt. 05641

Old-Time Cardinal

Your article in the February 1972 issue entitled "Cardinal," written by Dan Santich, brought to mind another model of the same name which was designed by Maxwell B. Bassett and kitted by Megow Models at least 25 or 30 years ago. This old-timer is a nice little cabin job with a 481/2-in, wingspan and 291/2-in, length. I am sure there are many of us who would appreciate AAM printing the plans to Bassett's Cardinal and other oldies.

Robert P. Greiner, Rockville, Md.

Thoughts on power sources

"Straight and Level" for February 1972 was a good one. However, in the musty recesses of my mind, special "boing" sounded forth. Springs? We've had 'em in my time.

The December, 1942 issue of Air Trails Magazine carried an advertisement for the "SKY-KOIL 32!" Manufactured by Rokwell Industries in St. Louis, it weighed less than 14 oz., and gave 200 turns to the propeller. Appeared to have had a 4-1 (or so) gear box on the business end. Price, ready to install-\$1.29, (Remember, 1942 and we college students couldn't afford a \$1.00 kit just

any old month.) As an engineer devoted to the application of energy for various purposes, I looked again at both springs and rubber as power sources. It appears that our search for performance killed off the spring drive! Consider the following: A superb spring of fine steel wire, properly formed, heat treated and stress relieved, can store approximately 130 ft.-lb. of energy per zone of spring active weight. Lubricated and wound rubber strands will store about 270 ft.-lb. per zone of active rubber. The parasitic weight for holding the spring will further handicap the metal power source. Gears are mandatory on spring drive, as is a spring guide to keep it properly aligned. Neither of these are a necessity on a rubber motor.

Therefore, while a spring drive is certainly possible, the results are likely to be disappointing. (An easy way to find out is the 1937 test technique of making a rubber motor in two halves separated by a ring. A pin through the fuselage and the ring will inactivate half of the motor without affecting CG. This yields appropriate torque, but reduced duration. It will closely approximate a spring drive of equal weight if some weight is added further to simulate guider and gears.

Some parting shots on my way back to a private belfry: Parachutes were tested in man-carrying tests 1884....The basic description of dynamic soaring was written clearly in 1881....If the exponential law of reinvention holds true, the spring will arise-and rightly so-in 1977 for consideration as a power source.

Thanks for **I** fine magazine and for your appreciation of "the modeler's" desires.

> W. L. Kincheloe, Monte Sereno, Calif.



Blue Max 4 CHANNEL DIGITAL PROPOR-TIONAL

SEMI KIT

\$149.00



1. When you get finished (about 8 working hours) you'll have a reliable, long range, complete 4 channel, 4 servo, all ni-cad digital propo that performs as well as any factory assembled outfit.

2. Our incidence of complaints about the Blue Max Semi kit is as low as any assembled outfit, and we get a LOT of expressions of pleasant surprise about the outfit.

3. By building a SEMI-kit you are saving at least \$50 and as much as \$150 compared to buying an assembled radio. 4. If the idea of building a kit radio scares you, you should know that the SEMI kit is EASY to build and requires NO technical knowledge. 5. The SEMI kit has a full warranty on the electronic



Airtronics MINI-OLYMPIC GLIDER KIT \$19.95 42" span Goldberg foam wing with balsa fuselage, complete hardware. Another beautifully made Airtronics kit.

One evening construction.

NEW! R/C Models CUTLASS SUPREME KIT \$79.95

This kit includes a nearly ready-to-use wing and stab, and a very light weight carefully made fiberglass fuselage. With Kraft mount, balsa control surfaces, tip blocks, landing gear, this is

the most nearly complete of the fiberglass-foam kits we've seen.

(Price increases have been announced on these two products. Until March 30, 1972 you can buy them



Weller 30 SECOND **AUTOMATIC GLUE** \$10.95 GUN (new price will be \$11.95)



(new price will be \$12.95)



carts.

SPECIAL! J&J "J-Craft" TRAINER

List Price \$45.95 Special Price \$29.97

The J-Craft Trainer has ■ big 65" wing span, 600 square inch wing area. Assembly is very easy-the balsa and plywood parts are pre-cut

and sanded. Plans are very clear and informative for the novice. A very complete hardware package is included: rudder horns, steerable nose gear, formed main gear, aluminum engine mounts, aileron horns-a veritable goldmine of a kit. Fly it on 2, 3, or 4 channels and a .29 to .50 size engine. Order quickly because this price cannot be extended beyond April 30, 1972.

KDH INSIDE **BLIND NUTS** 75¢ Set

Small size for up to .60. Large size for .60 and over.



World Engines S-4 SERV Mechanics Kit \$2.95 Includes case, screws, gears.

AEROPICCOLA ELECTRIC \$5.95



TRY US OUT: MELVIN H. DID: "At last-a mail order house that fulfills their Melvin, H. promise. Thanks for the prompt delivery ... "


St. Louis, Mo.





ROUTE 3. FRANKLIN PIKE CIRCLE, BRENTWOOD, TENNESSEE 37207

DROP YOUR ORDER IN THE MAIL BOX, THEN JUMP BACK BECAUSE WE SHIP FAST! We pay postage on all orders accompanied by check or money order. Satisfaction guaranteed or money refunded. Phone 615/834-2323 Store hours: 9 a. m. - 5 p. m, except Sundays.



THIRD SOUTHWEST MODEL HOBBY FAIR-A FAMILY AFFAIR

It was 9:00 a,m. on a dreary Saturday morning with manufacturers' exhibitors running around making last minute preparations for the Third Annual Southwest Model Hobby Fair in Oklahoma City. The schedule said that the gates were to open to the general public at noon. However, people started pouring in at 9:15 and didn't stop till the show closed Sunday afternoon. This was indicative of the whole show. The sponsors optimistically predicted a crowd of 3500. When it was all over more than 5500 people had paid to see the Fair.

The Oklahoma Science and Arts Foundation, sponsors of the show, tried to make the show appealing to the general public rather than just to us mad fanatical modelers. An entire room was set aside for films-two of the most impressive concerning the operation of railroads. Another room was devoted to a swap shop-one of the most active areas. One hundred and fifty modelers from Texas, Oklahoma, Kansas and Arkansas entered nearly 500 models in the static award competition. Of these 500, almost half were in the Junior (age 12 and under) category. The models included planes, boats, cars, trains, rockets, and a couple of weird flying saucers. Manufacturers' representatives vied with modelers to demonstrate their models. At almost any given moment

the buzzing of airplanes and the squealing of tires in the RC car pit could be heard.

A real eye-catching exhibit was the scale scenic railroad. This display ran for the whole show and I noticed more than one father with itchy fingers. I wonder how many boys in Oklahoma City got trains for Christmas this year?

Of course the reason why all the models were there was to win prizes and the contestants were not disappointed. Awards were plentiful, with 50 given for craftmanship plus

Best in Show trophy. The Oklahoma Radio Kontrol Society (Torks) donated the trophies for all RC categories.

We were just in time at the show to display our magazine JUNIOR AMERICAN MODELER. Bright and early Saturday morning, armed with glue, pins, cardboard and 1000 Delta Darts, I waited for the gates to open at noon. I was going to run workshop with two or three boys and girls at . time. After all, I thought, kids don't want to spend an hour putting together model when they could be elsewhere looking at all the exhibits. This is what I thought at 9:00. At 10:00 a.m. thought I was going to run out of Delta Darts by noon. The response was fantastic. It started out with four kids at one table and ended up with eight kids at two tables and another four building

by JOE WRIGHT

on the floor. There was no particular age group in evidence. I saw a five-yearold boy who couldn't read building his plane by watching the girl next to him. At the same table there was a 35-yearold "kid" getting instructions from his 12-year-old son on such foreign words "dihedral," By closing time on Sunday we had put together over 900 Delta Darts. I saw only one that did not fly and that was because, in the excitement, the boy sat on it. The simple rubber-powered plane teaches the modeler much of what he has to know to build the bigger models. One of the Czolowski boys, member of the American organization for the old Polish Air Force, wondered how he could improve on the Delta Dart. By putting our heads together you can see what we came up with-a rubberpowered P-38 that really flies.

Potomac Aviation was at the show to commercialize on our new magazine, but, at the same time, we were very much interested in boys and girls and their "experiences." We know that modeling is a good hobby and if your parents understand this, then more kids will have good experiences. The show ended on I happy note with many awards and door prizes. The show was judged as a success by the sponsors and I must agree, It was a show that was of interest, to the whole family.

interest to the whole family.

CARL GOLDBERG

THE BEST ACCESSORIES YOU CAN BUY!

PROVEN IN PERFORMANCE

USED BY THE **EXPERTS!**

NEW! CG RETRACT

FORSET THE LOW PRICE. When you want dependable retract performance, find out why the leaders CG Retracts. People like Terry Prather (current FAI record 1:48), Jack Stafford, Nick Ziroli, Peta Reed, record 1:48), Jack Stafford, Nick Ziroli, Pete Reed, Garry Korpi, Bud Atkinson, and many others use Carl Goldberg Retracts.

LOWEST PROFILE-Main Gears are only 1" high. LIGHTEST—Nose Gear, 2 Mains, and 3 Struts, only | oz. for best stress distribution.


TOURN-Rugged vibration absorbing nylon moldings, Large bearing surfaces.

SHORTEST TANK COMPARTMENT—Nose Gear needs only 51/2" to 6". SIMPLEST-Main Gear has only

molded parts.

EASY-Installation or Strut Removal. Low actuating force—one retract servo can easily actuate all three

Pair of Main Gear Retracts—\$ 9.95 Set of Nose Gear ■ Mains—\$19.95



KLETT NYLON HINGES THE NEW BREAKTHROUGH

Designed and Manufactured by Roy Klett, Originator of the World-Famous RK Hinges!

An exclusive with Carl Goldberg, here is an extremely strong smaller hinge constructed with exceptional care and attention to detail. So thin that all you need is a knife slit. Top quality, yet only cost \$1.95 for 15 and \$1.10 for 7.

UNIQUE SNAP-LINK! Patent Pending. I for the first time-you can buy a truly safe link-the SNAP-Link!

Tiny 45° shoulder snaps through arm, prevents accidental opening. So unique it's Patent Pending!
One-piece design—no separate pieces that might come apart.

Proven tough nylon molding—takes tremendous stress

orevents metal electrical noise.

Self-friction fit on threads—no need of a nut to prevent change of adjustment or vibration wear




you want a SAFE link . . . for SNAP-LINK! Snap-Link, Regular, with roll 29¢ each Mini-Snap-Link, with rod Snap-Link or Mini-Snap, ₽ for 40¢



STEERABLE MINI GEAR

Versatile-steering arm can be to either side, or slightly up an down, or mounted on bottom with extra collar in slot Steering som is nylon, stiff enough for good control, yet can flex under shock to protect servo. Collar is hardened steel-won't strip like brass Screw is hardened steel, too. You is really torque I will get good grip music wire strut without a flat. Complete steerable nose gear with nylon bearing, ½," plated music wire strut, extra collar, blind nuts, screws and washers-\$2.50.



NOW from Roy Klett the NEW KLETT SAFETY DRIVER SOCKETS IN ONTO SCREW HEAD—CAN'T SLIP OFF AND DAMAGE YOUR

One end takes Round Head Screws, other end takes Binder

KLETT SAFETY DRIVER Large for Nylon Screws Small for 98¢ each. =10 Nylon Screws



NEW-MAJOR R/C FITTINGS SETS

Here's the economical way to buy the major fittings for your multi-ship. In one set, you get all the horns, links, keepers, bellcranks, or strip alleron linkage, and hinge material—and at a saving.

strip ailerons-\$3.50

BEARING

One-piece design mounts to firewall without alignment problems, includes blind nuts, screws and washers-75¢.




CONTROL HORNS

Our new horns have the upright part rising from the center of the base for maximum stability. Holes are right size for %4" wire; nut plate for simplest mounting. Long horns or short horns, with screws-50¢ for 2.





AILERON BELLCRANK Bellcrank has steel bushing of proper size, so crank can be screwed firmly in place without binding. No electri-cal noise—all metal parts are screwed tightly together-50¢ for #



SNAP'R KEEPER

Quickest, handlest way to secure pushrod wire and to servos, horns, etc. Works on wire % to %" diam-



NYLON STEERING Hardened steel collar and screw-75¢.



REPLACEMENT FOAM WINGS, ETC. To go with your own design fuselage. Proven efficient Ranger 42 foam wing gets you in the air quickly—\$3.95. Stab and vertical fin, set \$1.95. Assembled Ranger 42 fuselage, plus bearers, nosegear, etc.,

NYLON REINFORCING TAPE

This nylon reinforcing tape is extremely tough when applied with epoxy around the center when joining wing halves. 2½" wide 1 5 ft.—50¢. 3½" wide 1 1 ft.—25¢.





1/2 A BELLCRANK and HORN Made of nylon, this new set pro-vides smooth 1/2A control line operation. Easy on dacron lines, too



SHEET METAL SCREWS

threeds, hard and strong. Excellent for mounting servos, etc. Includes washers—#2 x %-30¢ for 10; =4 x %-30¢ for 8.

P.S. For best service, see your dealer for items you want. If not available, write direct; add 35¢ per item (75¢ outside U.S.). Minimum order \$1.

MANUFACTURERS-All and accessories are available at excellent O.E.M. bulk prices.

AVATIABLE ACAPAS BE

Carl Goldberg Models Inc. W, Germak Rd., Chicago, Ilf.

I am sending 200 for II pg. Illustrated Catalog with. "Recommendations in Starting in R/G." Basic Explanation of R/C Equipment

and Radio Control	Definitions.
Name	
Address	
City	
State	Zip

FINAL ROAD



1971 ROAR NATS WINNING CAR, THORP McLAREN IS DRIVEN WITH THE 100mw JEROBEE RADIO.



by WENDEL GREEN

The Thorp RC Car is a pure racing machine without frills, without gimmicks. The car is built by John Thorp, who machines the parts, builds the car and races it. It is produced like a racing machine, each part machined and matched; not stamped out by giant automated cookie cutters.

When the box containing the Thorp RC Car kit is opened, the first thing obvious is the large chassis pan. This is piece of 6061-T6 alum. 0.10 thick with tapped holes, machined stots and smooth edges. Contained in a number of plastic bags are a clutch assembly, the front suspension assembly, the rear axle blocks and ball bearings, and a multitude of socket head cap screws.

The kit contains everything you need except a Veco 19 engine, a radio, see tools and some paint. Thorp holds exclusive rights for packaging Velcro as body mount from the holder of patent No. 3,464,153; R. W. Small.

The rear tires that came with the car tested were the capped tires like those Mr. Thorp used while winning the 1971 ROAR Nationals. The tires packaged with the kits being shipped after January 1, 1972 of uncapped sponge.

The kit instructions not elaborate, but are clear and concise. The specific assembly details will not be repeated here. However, some comments are in order.

The first is: Do not force anything machined to close tolerances. If a part won't fit, read the instructions again because something has been done wrong. It cannot be emphasized enough that this is a racing machine, and like all racing machines of all scales, including one to one, the difference between great and mediocre is only a small amount of careful attention to detail.

The instructions specify removal of the casting flashes from the front bearing housing of the Veco 19. This must be done with care. Take off too little and a front engine bearing gets wiped out; take off too much and the mount will not hold the engine snug. It is also important to match the numbers stamped on the top and bottom of the front engine mount.

During initial assembly, do not snug everything down tight. Measure the entire car (except for radio installation) and get a straight edge, a small draftsman's triangle and a good rule and set up the car accurately. Scribe a centerline on the chassis. Make sure both rear wheels the same distance from the centerline. Make sure the front wheels (dead ahead position) are also equally distant from the centerline. Use a triangle to ensure that the kingpins are vertical. When all of this is completed, employ Loctite to tighten everything except the motor mounts.

(Continued on page 66)





Carl says, "If we don't have it, you really don't need it!"

ENGINES 1-OS 35 RC, \$24.50, stacked to ceiling. Plenty, Sale. \$16.66 2-OS - 50RC, \$42.98 Net. \$30.00 3-New OS 10RC, \$14.98. You pay: \$10.00 4—OS Wankle, \$87.50. Sale. \$65.55 5—Webra 61RC, EH, \$93.00. Sale \$62,22 6-Webra 40RC, Blackhead, \$63.40 Sale, \$44,44 7-Webra 201 RC, \$28.98. Sale Special \$21.00 8—ST 60RC SR lightweight 60. \$46.98 retail. Net. \$38.00 8—ST 60mc 5... \$46.98 retail. Net. \$35.00 9—ST 46RC, \$29.98, Sale. \$23.33 10—ST, 40RC, ABC, \$45.00. Yours for: \$32.00 11-Enya 09RC, \$14.95 Yours for: \$11.00 12-Enya 15RC, \$16.50. Yours for: \$12.00 13-Enya 19RC, \$18.98. You pay: \$14.00 14-McCoy 19RC, \$14.95. Net to you. \$10.00 15-McGoy 29RC, \$15.96 Sale. \$11.00 16--McCoy 40RC, \$17.95. Sala \$12.50 17-USED FOX 19 workhouse engine. Sale. 18-Fox 35, \$16.95. You pay: \$12.00 19--- Merco 49RC, \$44.95. Sale, \$33.33 20-For engine collector, 6 assorted ignition antique engines \$100.00 Dubro sportsman Veco Oubro sportsman and Veco 61RC, combo special, \$125.00 value. Net. \$85.00 Testors =4900 Cosmic Wind UC/o49 engine, list \$12.95, net \$9.50-#4901, \$14.95 Sale \$11.00 23-K&B 40RC, rear and front rotary. \$35.00 Net. \$23.95 24—Tatone No. 030454 custom migine mt for RR 40RC (K&B), \$4.95 net. Sale \$3.25 25—Black Ross 60RC, twin, \$145.00. Sale. \$125.00 101-Du-Bro Seabird CLOSEOUT. Sale. Special! \$40.00 102—Final new prices on Dubro Skymaster Sportsman Bill \$40.00 1972. Cherokee Arrow, list Sale, \$27.00 -Dubro \$39.95. 104-Dubro Aero Commander, \$39.95 105-Topflite P-51 Scale Mustang Kits, ell you want, \$39.95 List. Sale. \$30.00 106—Skylark 56" kit, low wing RC trainer. \$17.50 trainer. \$1: 107—Kwik Fii-III kit, list \$39.95. Sale. \$26.50 108-SE5A-TF Kit, \$44.50 list. Sale \$28.50 109-Sig Clipped Wing Cub J-3 Net \$18.00 110-Sig Citabria Kit, \$32.95

111-Sig Zlin Akrobat kit \$39.95 112-T-34 Mentor Sig kit. \$36.95 113-Sig Ryan STA Special kit. 114-Yak-18P Sig. kit, list \$49.95. 115-Piper J-3-72" kit. Sig Mfg Co. 116-VK Nieuport Bipe \$44.95. Sale 117---VK Fokker Triplane, \$47.50. Sale, \$34.00 118-Special VK Cherokee \$27.95 kit 119-Navaho VK kit, \$39.95. 120-J. Stafford Chipmunk kit. \$45.95 121—J. Stafford Minnow or Supe Midget scale Pylon kit. \$39.95 Sale. You pay: \$30.00 122-Midwest Trisquire, \$16.95 kit. 123-Midwest Flea Fli - 10, kd Sale. \$16.00 124—Midwest Super Snifer FF, \$8.95 kit. Sale \$6.50 125-Sterling P-51 Mustang, \$39.95 Net. \$30.00 126—Sterling Ringmaster, \$7.95 kit \$31e \$27—Laurer Ket 127-Lancer Kit. 128-Berkeley navion, kit, 68" wingspan, mem scate, 2" 129-Berkeley Buster III Scale 130-Berkeley Super 15 Privateer kit 131--Guillow P-47D, \$11.95 kit. 132-CG Falcon, 56 RC. \$18.95. Sale \$1 133—Royal Products P-38, \$69.95 134-DeBolt World Champion Perigee -pattern kit. Rare. 135-J&J Eyeball kit, \$59.59. 136-Scale Joy Jenny kit, WW-1 Bipe 137-Groupner, Middle Stik. \$66.95. 138-Buzzard Bombshell, old time FF. 139-CG Skylane 62, \$34.95. 201-MRC710, 5 channel, mm 27 204-Orbit Hawk 3 channel for gliders channel \$219.95.

Sale. \$48.00 RC GEAR NEW -MRC710, 5 channel, on 72MC, retail \$340.00. Sale \$250.00 retail \$320.00. Sale. \$235.00 -MRC713, 3 channel, with two =2 servos, \$180.00. Sale \$144 00 with 2 NEW serves, pak and Net \$140.00 205-Extra serve for Hawk, list \$40.00.

Sale \$29.50 Sale, \$40.00 Sale \$40.00 \$28.88 Sale. \$18.00 Sale \$27.50 Sale. \$11.50 Net. \$19.50 Sale. \$75.00 Net \$12.00 Sale \$10.00 \$14.00 Sale \$57.50 Sale \$40.00 Sale. \$45.00 Net. \$17.00 Sale. \$26.66 206-Blue Max. # channel, 2 with 4 s4a servos, built, \$300.00 Sale. \$195.00 207—New OS, 3 channel, 3 servos. nicad pak & charger, \$179.95 Special Sale. \$133.00 New 1971, OS-2 Channel, complete with Airborne nicad pak B Chn., retail \$139.95. Sale: \$100.00 209-New EK Logictro) II Channel set. list \$119.95. Sale. \$88.00 210—EK Regular 5 channel 2 stick, 27MC = 72MC. Sale. \$280.00 -Extra servo, EK, Hst \$40.00. Net. \$32.00

BUILT-UP AIRPLANES

301—Jack Stafford Midget Mustang New. \$100.00



303—Commanche, built-up, with flaps



304—Original Eindecker E-111, 60" wing. all managem. Veco 35RC \$85.00



305-All new, beautiful Fleet Bige for 60RC, blue and yellow, silk fin-ish, with E cyl. dummy motor. \$150.00

CASH = TRADE-IN for . Built-Up Scale RC Aircraft • Used Proportional Sets • Mule Transmitters • III Ignitian Engines * Old Time Free Flight Kits • III US Gold Coins WHAT HAVE YOU?

306-Bristol Bullet, built-up, deluxe, WW-I, Bipe \$300.00



307-64" Aero 150 for 60RC, fiber glass fuselage, foam wing, new. sheeted



308-DeBolt Colera, hobby paxi finish, vary cloan.

309-J. Stafford scale ercoupe, deluxe, very clean, professional workmanship. \$200.00



310-Built-up scale Sterling Nieuport Bipe for u-control with McCoy engine. \$ -TF SE 5A WW-1 Bipe all \$35.00

new. brown and tan, average silked \$100.00

Model Saulner -Majow Monoplane, very clean, silked, rods, wheels, sharp, Hobby Poxl

313-Miss Bikini, -Miss Bikini, low wing sport plane, high gloss finish, white and blue tom, silked and very \$75.00 clean.



-VK Nieuport Bipe, built-up, all light cream and white, light trim, WW-1. \$100.00

RADIO CONTROL, U-CONTROL, FREE FLIGHT(and old time free flight) CAPITOL of the U.S.

EST. 1951 \$\display 903\$ Church Street, Nashville, Tennessee 37203 Phone 615 - 255-9209

315—Airomaster Bipe, wheels, rods, monocoated white and trim. Very clean. Sale, \$125.00 316-Original Striker, wheel brakes,

rods, Poxi finish. \$175.00 CG Skylane 62" for 35.45 engine, no allerons, all yellow with red trim, silked R new. \$75.00

318-2" scale Tony with merco 60 plus retracks and flaps. \$195.00



320-Qwik Fli-III with retractable gear. tapered wing.



-Wing Mfg. Co., Zero with retract \$175.00 gear, new.



322-Very deluxe TF, P-51, flaps, rods \$250.00 wheels, spinner.



Sea Fury, built by Dave Plate. flaps, retract gear, folding wings-very scale finish \$400.00 very scale finish



324—Very high gloss finish, olive drab and light blue, TF, P.51B, fibre glass finish, fillets and bottom cowl.

325—Built-up and ready to fly, CG Shoestring, with Johnson Com-bat Special 35RC, rods installed. Sale, \$75.00



319-Defexe Sopwith pup scale, WW-I Bipe, very new, detailed, \$500.00 labor Sale, \$250.00

-All Lanier Kits in stock at low-BEE Drices





Beautiful, original built Fokker D.8, 60" wing span, camouflage and detail, machine guns, alle-\$200.00 WW-L scale

328-Cessna Skylane 62, silked. Alle rons. 329-Breezy B , very clean and silked

\$60.00 330-Nelson Quick Silver, low wing, steerable www gear, a good small stunt ship. \$75.00 small stunt ship.

331-Shoestring scale pylon racer for K840 side mount, very deluxe, silked, yellow # black trim. \$135.00 332-Deluxe C-Goldbarg, Skylane 62 allerons, flaps, OS, 50RC, scale shock, steerable nose gear, a very stable flyer. \$225.00



333-Major Model Saulner, been flown

334-Andrews Trainermaster, silked.



-Major Model Saulner, ailerons WW-1. Stable. Good Trainer.

Lowest Discount Prices on NEW Pro-portional Sets Up to 50%. Trade-in for any Elf Ignition Engine or M-5 Igni-tion Engine or any NEW Proportional Set on the Market

336—Sterling P-51, flaps, racing red color, deluxe clean, professional workmanship, built light and strong, a scale finish. \$175.00



337—Berkeley Rudderbug, 62" 19RC, silked. \$4 \$40.00

338—Groupner Viking, 60", low wing, new, sifked and new. \$40.00 339—Veco Explorer cabin type trainer, fuselage, rudder and elevator.

Only \$35.00 340—Dragon Fil, been flown, mans-coated, wheels, rods trimmed.

\$80,00 341—Sterling, built-up SE-5 Bips with OS-30RC installed, WW-1 colors, wheels, rods. \$80.00

342-VK, Nieuport Bipe, silked, above VK, Nieuport Gipe, very clean, average, silver, very \$145.00

343—CG, Shoestring, just built, yellow and orange, very clean. \$125.00 344—Original Class II, pylon racer, very nice, 600 sq. in, for 40 engine.

345—DeBolt Cobra, built-up, silked, for 60RC. Sale, \$125.00

for 60RC. Sale. \$125.00
346—Sterling, very, very nice, camouflaged spitfire for 60RC. Deluxe.
Built-up, silked = very clean. \$200.00

347—Deluxe, hand-bullt P-51 with re-tractable landing gear, with Dave Platt firmsh, Perfect Scale, Mounts for 60RC engine, \$225.00 348—Consolidated Spirit, high wing rainer, 54" wing for 19 - 25 en-gine, very clean, sliked, \$65.00 349—Sterling Wizard Bipe, a good sport biplane, clean, about 62". Sale, \$80.00

350-NEW Topflite P-51-B, Enya 45RC, EK 6.Ch. II servos, flaps, aile-rons, all new, all installed, wheels, just gas up and fly. Sale. \$550.00



351—Built-up Tiger Moth Biplane 18" with new Enya 35RC. \$125.00 352—Williams Brothers La Jollita for

40RC, very clean. \$125,00
353—Built-up TF Taurl trainer, ailerons. Sale. \$55,00
354—Absolutely immaculate Falcon
56, silked, scaletike paint finish.

USED RADIO GEAR-PROPORTIONAL 401—Used, very clean, like new Heath-kit, GDA, \$7-1, 3 channel with 3 KFS, #9 servos, complete working set.

RADIO CONTROL, U-CONTROL, FREE FLIGHT (and old time free flight) CAPITOL of the U.S.

EST. 1951 \$\D2009 903 Church Street, Nashville, Tennessee 37203 Phone 615 - 255-9209

402—C'Ship 5 Channel with ■ plastic case servos, working on 26:995-MC, very clean complete set. \$160.00 -C'Ship, 5 channel on 72:400MC, with 4 servos, like new working set. \$155.00 Channel, EK, single working. \$150.00 Orbit, 4 channel Anniog, 2 servos, no batteries, TX, REC. \$40.00 parts. 5 channel with 4 servos, complete working set, all mounted in a Red Dragon Fli, rods, wheels, Yours for: \$250.00 Bonner Digimite, 4 channel set with 4 servos, needs servicing \$100.00 408-F ■ M, I channel with 2 servos, needs servicing, complete \$75.00 -Complete I channel, work Bonner '8', like new with servos, on 53 MC. \$155 working \$155.00 410-4 channel digitrio, 4 servos, dual charger. \$140.00 ■ channel, on 72,400, clean, complete, working, like new. \$180.00 412-Sonner Digimite, 4 channel servos, working, clean. \$145.00 -3 channel Sankyo Digital, 3 servos, needs servicing. \$70.00 Log 5, I stick, 4 servas, Ing. \$150.00 USED RADIO GEAR-MISC. -10 channel, C'Aire reed set, 5 servos, nicad pak, neads Franchis Servicing. \$50.00 servicing. \$50.00 servicing. \$50.00 servicing. TX & Rec., 5 transmites, nicad pak, all wired, like new, but needs a -C-Aire, 10 channer, 12, transmites, pak, all working. \$80.00 504—Ford GT electric powered with 6 channel, C'Aire reed SH, anno RL servos, all mounted Used transmites always in stock Alwaysi 507-Old Kraft Ace, 12 channel trans mitter.

and working with charger, \$99.99 Each: \$10.00 Tone transmitter moniters, used \$5.00 \$10.00 -C'Ship CNT, 10 channel trans mitter. \$12.00 -Used escopements, single 📖 📾 compound, assorted brands. \$2.00 or 5 for \$7.50 510-MRC Tone Monitor (Rec. Sale. \$10.00 speaker). -Futaba TX, Rec. 2 servos, In needs servicing. \$25.00 Citizenship DP-T-1, TX, Rec. servo \$25.00 and pak, like new. 513—Min-X Polse, TX, \$18.00 Send 25g for large brochure. PROPORTIONAL SETS MOS hure. USED MOST OF PROPORTIONAL SETS MOST OF THESE SETS HAVE POWERFUL SER-VOS AND THEIR DESIGNS HAVE BEEN WELL PROVEN. WE TRADE, SEND IN IGNITION MO-TORS AND USED PROPORTIONAL SETS FOR ESIMATES AND HIGH CASH OFFER! ALL PRICES SUBJECT TO RECENT NEW PRICE INCREASES BY MANU-FACTURERS.

CASH \$\$\$ for your BUILT-UP RC AIR

\$35.00

CRAFT or IGNITION MOTORS 514—Jansson Triple, Treat TX, Rec., like new, Rand LR-3 and pak

needs work.

515-Digit Migit, complete TX. servo, needs service. MISCELLANEOUS \$38.00 601-Miller Sprayer #2016, \$44.95 Net. \$36.00 602-Miller 2017 Sprayer, \$49.95. \$40.00 603-MG, mirror finish, nylon hub wheels, Scale like 3' Sale. \$2.00 pr. Sale. \$1.85 pr. Scale like 21/4" Scale like 21/4" Sale. \$1.65 pr Law Bounce 3" Sale. \$1.65 pr Law Bounce 2%" Sale \$1.50 pr Law Bounce 2%" Sale, \$1.40 pr 604-Dramel moto tool set =280. tail \$39.95. Net \$32.00 -Moto tool dremel set #260, tail \$24.95 Sale. \$20.00
-Williams Brothers, 31/2" diameter for P-51, Spinner =121, \$5.45.

Sale. \$9.00
608—CG Retract handing gear, II in set. \$19.95. Sale. Net. \$14.00
609—Aero Gloss. \$2.29 pt.. 3 for . \$4.60
610—Aero Gloss, quarts \$3.69—any color, 611—AG Pactra Plastic Balsa, 39: tube. 25c
612—PACTRA Aero Gloss Dope in \$100.00 net lots, 40% off intelli. FOB Freight Collect.

607-Electric Fuel Pump, \$10.95

tail. FOB Freight Collect.

613—12 Sheets SGM heavy silk-span.
Net. \$1.25
614—Protec-A-Pac-Sonic-Tronics, ideal
for installing rec and pak. 89e
615—Adjusto Jig. \$35.00 Net. \$30.00
616—New Dynamic race car, wide
tires, clutch, differential, new.
\$119.95. Sale. \$75.00
617—Midwest 1/16 x 8 x 36"—20
sheets balsa, \$7.00. Net \$5.00
618—Super Monocoat—still \$6.10 a
roll, 3 for \$17.77 and 10 for

619—\$2.25 Devcon cement tube.
Sale. \$1.65
620—All TF wooden props #25%
off list price.

621—Perry Carbs for 60 engines, \$11.95. Sale, \$9.75 622—Topflight RCN-1, \$9.95 trigger kit. Net, \$7.50 623—deMeco RC-9/8, \$6.95 Steerable gear. Net, \$5.00 624—Penford M-1 m CS-1, aircplane on car, electric starter, \$24.95 net. \$18.00 625—Selector Heat Sealing from, \$10.95. Sale \$9.50

626—X.Acto Tools B Sets — 25% off retai) — huge stock! 627—DuBro Universal Motor Mt.MM-1. net. \$1.50 628—Tatone #30454 Mt for 40RV net.

629—Perry Air Cleaners, large. Sale \$1.50

630—Cushion-Aire Knee-Action Steerable nose gear for that added scale, \$12.95 list Sale, \$10.00 631—5" or 41/2" Dia. Balloon Wheels, \$7.00. Sale, \$5.50

532—Oubro Wheels—any Mil at — 1/3 OFF 633—New Tatone Fwister Wooden Props 10-6, 11-6, 11-8 all 25%

off retail sale. 634—Fox Conventional Spinners, 2" Net. \$5.00 635—1940 thru 1950 M.A.N. ■ FM ■

Air Trails Magazines. 100 for \$50.00 IN STOCK FOR
IMMEDIATE DELIVERY:
We have these stocked to the ceiling
....no waiting!

MORE MOTORS
MOST ANY BRAND AT 20% OFF
RETAIL
SALE IGNITION ENGINES 100 ASSORTED GOOD TO START COLLECTION AND FOR SPARES \$1,000.00
SEND US YOUR OLD IGNITION MOTORS FOR CASH.
IMMEDIATE CASH FOR YOUR USED
PROPORTIONAL SETS AND OLD PREWARD IGNITION ENGINES SEND IN-

IMMEDIATE CASH FOR YOUR USED PROPORTIONAL SETS AND OLD PREWAR IGNITION ENGINES. SEND US A LIST WHAT YOU HAVE AND YOUR PRICE AND WILL AIR MAIL YOU THE MONEY. UP TO \$300.00 TRADE FOR M-5 OR ELF ENGINES

NEW SHIPPING POLICY EFFECTIVE 15T. WE WILL PREPAY ALL \$100.00 ORDERS OF USED RC OR NEW RC SETS. AIRMAIL IS EXTRA. ALL BUILT-UP PLANES ARE FREIGHT COLLECT. PLEASE INCLUDE \$3.00 FOR ANY ORDER OVER \$30.00. WE WILL DO OUR VERY BEST TO USE THE MOST ECONOMICAL METHOD OF SHIPPING, MOST OF OUR ORDERS LEAVE HERE THE SAME DAY RECEIVED — ABOUT 75% IS BY U.P.S. PLEASE ENCLOSE ENOUGH FOR POSTAGE — BALANCE REFUNDED.

Came on Fellows, let's Help your Buddles get in the Airl Send us your list of unwanted airplanes and ignition motors, and trade up to PRO-PORTIONAL real quick. Up to \$200.00 Trade-in allowed for your old proportional set.



RADIO CONTROL, U-CONTROL, FREE FLIGHT(and old time free flight) CAPITOL of the U.S.

HULL CAPITOI A.

WE ARE NO. TO0!

Now you why we are the magazine for you. All that's left for you to do now is to fill out the subscription card and send it in today (give the other card to a friend you both can enjoy the magazine). You'll be saving money and time by subscribing to JUNIOR AMERICAN MODELER and you won't be missing out on the best modeling magazine around for you.

Junior American Modeler is endorsed by the National Aerospace Education Council for use in school libraries and classrooms. Hey Kids! We ARE number one, and number two, three, four, five... But before you head for your math teacher wait minute. We are number one, two, three, four, five, because we are the ONLY modeling magazine written just for you. See, now it's possible! Why should we be the only one to publish modeling magazine just for you? We guess we're the only one that saw what was happening to the hobby. It has been getting too fancy and expensive for your liking. So now we are going to give you magazine that is not complicated, or expensive, Look at what we did in the last issue.

FIRST SARGEANT—a plastic model B-24 that was painted with dots and wild colors to draw the formation together.

SWAMP SKIMMER—a crazy swamp boat with full size plans!

HOT CANARY—this all-balsa profile model of a famous racer makes a sturdy control-liner.

KNOW YOUR BALSA—a good basic article on balsa, what it is and how to use it.

And look at what's in this issue of JUNIOR AMERICAN MODELER.

AHOY—a small sailboat that is easy to build, sails, and returns to you as faithfully as a boomerang!

BLUE FLAME—a jetex powered model of the world's fastest car.

HINTS AND TIPS—a feature every issue giving you all types of helpful hints.

You don't want to keep missing things like this. The only way to be absolutely sure that you won't miss anything is to fill out the subscription blank today. Don't hesitate! Get the only modeling magazine covering just about every kind of modeling!

JR MODELER 733 15th Street, N.W., Washington, D.C. 20005

GENTLEMEN: I've enclosed the amount checked below for a subscription to JR. AMERICAN MODELER magazine, to begin immediately:

[\$3.00 (6 issues) [INTRODUCTORY OFFER] \$6.00 (12 issues) (SPECIAL TO NEW SUBSCRIBERS ONLY)
NAME	AGE
ADDRESS	
CITY,STATE,ZIP	

Note: The rates quoted above pertain to the U.S.A., Canada, APO's & FPO's. For foreign, add \$1.00 for ■ issues and \$2.00 for 12 issues.

We have mentioned throttle linkages in several past parts of this series, but here we'll gather all the info together and add a few new suggestions. The throttle linkage is not as "vital" as control surface lineages. If the throttle fails to operate it's a distinct nuisance—but doesn't usually lead to II crash, as is almost always the case with defective control surface linkages. Still, a reliable and smooth-working throttle is a real joy—and below are a few hints to attain this end. We'll not include data on setting the engine throttle—this varies too much among engines and is covered in the instructions for each.

The throttle is linked to its servo with either a flexible metal wire or a small plastic tube; in both cases the pushrod casing is larger plastic tubing. These are commercial items sold at most hobby shops. If your linkage requires one or more sharp turns, the flexible metal rod is the best bet. If it's fairly straight, either metal or plastic will do nicely. A common setup at the throttle is seen at A. If the throttle arm is metal (virtually always the case) most fliers prefer to um a nylon clevis at this point. Always use a "safety ring" on the clevis, no matter if it is nylon or metal. Vibration is very high here and the ring, which comes packed with some clevises (or a piece of rubber fuel tubing can be used), helps assure that the clevis won't open during flight. The forward end of the pushrod casing should be attached to the firewall (or other solid component) and the rear end of the casing must be fastened near the servo, "Adapters" threaded to screw into the clevis are readily available for either style of pushrod. Adjustment of the throttle clevis at this point is vital to setting up the throttle operation; adjustments are made here much more easily than would be the case at a clevis on the throttle

The most important point in setting up a throttle linkage is to avoid having the servo pull up against a solid stop at all costs. This could happen at either wide-open throttle or at full idle, but is more usual in the latter case. The safest way to insure against a stalled servo (such a servo draws very high current, leading to servo damage and rapid battery drain) is to unscrew the idle stop on the carb, then adjust the proper idle setting by adjusting the clevis at the throttle arm, and by proper setting of the throttle trim lever at the transmitter (such trim is normally available only on two-stick transmitters). Modern propo equipment is so accurate in operation that the touchy idle setting will hold for long periods. Once the idle is set, make sure the throttle rotor doesn't come up solid against the stop screw at the high speed position. The idle screw should not be removed on most carbs, as it retains the throttle barrel in the body. If the throttle is brought up against the stop screw at either extreme, you will have to reduce total movement of the throttle lever. Put the clevis in a hole farther from the pivot point of the throttle arm and readjust high and low positions.

It is possible to use the idle stop on your carb if you insert a spring link in the linkage. This would normally go close to the serve. A homemade link is shown in B. The rod to serve is soldered firmly to the tube, while the rod to throttle is a sliding fit and is held so the rod ends touch by pull of the spring. Spring tension need only be strong enough to assure that the throttle arm is pulled reliably against the idle stop when the serve is in idle position.

getting started in RC

THROTTLE PUSHROD SYSTEMS


by HOWARD McENTEE

It will take some servo current to maintain this situation, but if the linkage is properly adjusted the current will not be high. It increases as spring tension is raised, of course, If you don't want to go to the trouble of making such megadget, there are several commercial units available which fit right on the servo, and which prevent the latter from pulling against a solid stop.

One should in all cases be sure the throttle itself works smoothly and without sticking or drag. Most intake throttles have exhaust throttles coupled to them, and the whole setup must be checked occasionally to be sure dirt hasn't gotten into the closely fitted parts, to cause sticky operation.

An odd factor connected with throttle linkage is the matter of fuel and oil passing back through the pushrod casing. There is always | lot of oil in the engine compartment,

of course, and there is positive pressure there from prop blast and movement of the plane. Thus oil moves rearward between pushrod and its casing, helped along by movement of the pushrod. We have heard of instances where such oil has traveled back along the pushrod until it reached the rear end, and then dripped down into the servo to render it inoperative. Such oil can make a mess of your fuselage interior. One way to reduce the flow is to put a tube over the front end of the pushrod casing, as seen in C. The tube should be a reasonably snug fit on the casing, and must be closed at the front end. For a metal pushrod it can just be soldered in place. With a plastic pushrod (D), a nut may be utilized to hold the tube. Even with this gadget, you will probably still find some oil getting through the casing, but it should be greatly reduced over the amount that can get through an unprotected casing.



CARL GOLDBERG RANGER 42 The Versatile Almost-Ready-To-Fly Fun Model For Single or Multi-Channel Radio Control; Also Free-Flight Spon 31" Longth 240 sq. in. Area Weight 26-36 oz. For .049 to .10 Engines Can be flown 6 ways: Single Channel Radio, Rudder Only Single Channel Radio, Galloping Ghost 3. Two Channels, Rudder and Elevator 4. Three Channels; Rudder, Elevator, Engine Throttle 5. Four Channels; Rudder, Elevator, Engine Throttle, and Ailerons Radio Control Flying is Fun! You can actually feel the thrill of Free Flight full explanation of each method given on plan. controlling an airplane in flight - doing stunts, loops and rolls - and making it come back to you and land where you want. FEATURES: And the shortest way to success is with the unique new RANGER One-piece molded Wing, high-lift One-piece molded Stabilizer Ons-piece molded Vertical Fin Molded Fusalage, completely assembled with firewall, nose gear, plywood floor, side rails, and main landing gear block already installed Complete fittings — nylon links, horns and keepers; nylon hinge material, screws, blind nuts, washers, cyalets, retaining springs, etc. Complete plans, with step-by-step illustrations Instructions on Operating Radio Control Medels 42. This model has been carefully engineered, leaving only the simplest final assembly steps, all clearly illustrated. Flight stability is exceptional, well response to control. All you have to do is add your engine, wheels, and radio control — only II to ■ hours work — and you're ready to FLYING! Just ask your hobby dealer - he'll be glad to show you the features. PAMOUS FALCON SKYLANE 62 The Design That Makes The Simplest, Sound. Attractive Airplane Semi-Scale Beauty in A Great Flying Model! SR. FALCON \$3695 Sr. Falcon Shown



1/2 A SKYLANE 1985

For Single Channel — Escapement, Hervo or Pulse Span 42" Area 244 sq. in. Length 35" Weight 22 oz. For .049 Engines

Tough, roomy cabin im front end, takes single to 10 channels m proportional.
Steerable nose gear.

SPAN 62" LENGTH 50"

DESCRIPTION 540 sq. in. WEIGHT 41/2-5 lbs.

FOR ENGINES FROM .19 to .35

World's FIRST Single or Twin Engine R/C Models

SKYLARK Skylark 56 Shown DELUXE - Includes New Fittings

SKYZARK 56 \$ 22 %

Takes Single to 10 Channels or Proportional Span 56" Area 528 sq. In.
Length 44" Weight 3½ - 4½ lbs.
For Single Eng. .09, .15, or .19
For Twin Eng. Use Two .09's or .15's Span 56"

JR. SKYZARK : 8 95

For Single Channel — Escapement, Servo m Pulse Span 37" Area 235 sq. in, Length 29" Weight III oz. For Single Engine Use .049 For Twin Eng. Use Two .01's m .02's

For best service, see your dealer for kits you want. If not available, write direct; add 35c per kit in U.S., 75c outside U.S. Minimum order \$1

DELUXE — Includes Will Fittings.
For M Channels m Proportional Span 69" Area 810 Sq. In. Length 53" Weight 644 Lbs. For .35 to .45 Engines

FALCON 56 11993

- Includes New Fittings. Takes Single to 10 Channels or Proportional Proportional
Rudder-Only or Multi-Training
an 56" Area 558 sq. in.
agth 43" Weight 3½ lbs.
For .09-.15-,19 Engines Length 43"

Junior FALCON \$ 795

DELUXE — Includes New Fittings.
For Single Channel —
Escapement, Servo or Pulse
Spm 37"
Length 28" Weight mor. Length 28" For .049 Engines

The Goodyear Racer with Enough Wing Area and Stability W YOU Can Fly It!

\$ 29 95

DELUXE -- Includes ### Fittings

FOR 6, 8, 10 OR PROPORTIONAL

AREA 540 Sq. In. WEIGHT 442 - 5 Lbs. LENGTH 44" .19-.40

Most Beautiful R/C **Ever Kitted!**

Skoestring

CARL GOLDBERG MODELS INC. 2543 W, Cermak Rd., Chicago, III. 60608 I am sending limit for 8 Illustrated Catatog with "Recommendations in Starting in R/c," Basic Explanation III. R/c, Equipment, and Radio Control Definitions.

ZIP

CITY

STATE

GOLDBERG MODE

CHIERCE ILLINOIS 1000

Flying Wing Entest



AN EVENT IN MANY CATEGORIES WITH BUT ONE RESTRICTION—THE AIRPLANE MUST NOT HAVE A TAIL.







(1) Juan Livotto's father brought this red silk free flight, but did not fly it. It was given to him by a who is building a real glider three times this size. (2) www. Watson flew this tailless helicopter. (3) The Granger third of the Williams Bros. holds a scale 1928 experimental Canova all-wing. Model is 20 years old. (4) By far the most impressive flight was by Bill Walson's behemoth insect. Five mph

Each November the flying wing nuts immerge from their shells to display their highly original designs at Sepulveda Basin near Los Angeles, powered by everything from Jetex to Supertigre 60's. Few contests offer more model airplane categories than the Annual Northrop Flying Wing Contest—free flight-gas, towline, free flight-scale Jetex, rubber, and RC. The only restriction was a big one—the airplane must not have a tail.

A completely original design is a most refreshing sight, and in this meet, unlike most contests, every model airplane was original. As result there were many failures, but to the flying wing builders that risk was well worth the glory of watching a successful flight of an airplane so wonderfully unique, so strange, and yet so beautiful—beautiful because it was all theirs, not Carl Goldberg's or Sig's. They didn't even have to share the glory with a magazine's plans.

The RC section of the contest was dominated by Ron Neal's Gryphon. He

flew a powered version of his very successful stope-soaring stunt and racing glider kit. His son showed him up, however, with a standard Gryphon Kit propelled by a 15 on a power pool. Also flown was an eight-ft. YB-49 which crashed on a low altitude turn; some fast Deltas kept the spectators back where they belonged.

Free flight was broken down into five categories, with each sharing five trophies. Among the winners were Jerry Huban, aerodynamicist at Northrop, and his two sons. Each placed in their category. Brian and Kevin flew towline, and their father, gas. Both boys flew a variation of Jerry's Victory III, whose plans appeared in May Airplane News. The only other Victory III was the winner of the towline event which maxed out all three times. Jerry's powered Victory III had 11/2 min. flights from 15 sec. engine runs, better than any of last year's flights, but not yet competitive with conventional models. According to Jerry, the big problem

by D. WALTER CLARK

with free-flight flying wings is the powered part of the flight.

Flying wings have an incredible glide angle and if you get them up there they will certainly hold their own against any conventionally tailed model. In a tailed model like the Starduster, the tail is in the prop wash and the effects of incidence and downthrust are constant throughout the powered flight, whereas a tailless model under power is only stable in pitch at its peak climb velocity. This means all launches must be thrown, and thrown fairly precisely. Too hard a throw results in a loop; too soft results in too low a climb angle.

For those interested in converting the Victory III to power, Jerry advises the use of an .020 mounted on a pylon above the CG. The thrust line must be 5 in. above centerline and parallel to the root cord.

Nick Linardos is approaching the problem a little differently, as his new plane will have auto-elevons. During the powered part of the flight, the 80 of









RESULTS

Radio Control-Junior, Senior, Open

1. Mitch Neal—a Junior

Ron Neal, Open
 Ed Lewis, Open

4. Arnold Wilcox, Open

Arnold Wilcox, Open
 Bob Serna, Open

Rubber/Jetex—Senior ■ Open

1. William Pardoe, Open

2. Ken Sykora, Open

3. Bill Hanna, Open

4. Walt Mooney, Open 5. William Pardoe, Open

Gas Free Flight-Junior, Senior, Open

1. Walt Mooney, Open

2. Jerry Huben, Open

3. Jim Adams, Open

4. Dan Walton, Junior 5. Tony Nackarato, Open

Towline Glider-Junior, Senior, Open

1. Robert Provart, Open

2. Brian Huben, Junior

3. Ken Suszewieg, Open

4. Jack Headley, Open

5. Keven Huben, Junior

Rogallo Wing-Junior only


1. Joe Rieman

2. Joe Rieman

3. Kent Doyle

Dennis Chadd
 Dennis Chadd

Special Award for Northrop Scale Robert Serna



efficiency, etc.
Flying Wing competition is only three or four years old, so you won't find the exactness of detail or bitter competition in performance. It is a contest more of aerodynamic design than of perfection in reproduction. If you would like an aerodynamic challenge and the total reward of an original endeavor, begin design work on a flying wing now. An AMA sanctioned contest, the competition will again be held in November, so watch for date and time announcement in AAM's "Contest Calendar."

washout will be entirely removed. This more complicated approach has the advantage of not being sensitive to the launch. Nick, also a Northrop engineer, is an expert modeler and an avid flying wing fan. He has entered this competition every year, but somehow fails to place. This year he brought two Sailwing 50's, one of which was actual 1939 Jasco kit. (Frank Zaic, designer of the Sailwing 50 and one of the father's of our hobby, was also in attendance at the meet.)

10-Hi designer, and real Flying Wing test pilot, Johnny Johnson flew a 1953 English design catled the Dactile, which is 6 ft. in span and has a wing loading of 2.5 oz/ft² for a glide angle which he describes as being far flatter than his own 10-Hi. Like many other contestants, the model's first flight was at the contest. However, it survived only the first flight, disqualifying a consistent winner at these contests.

The Flying Wing Contest is a meeting place of persons with unique ideas in aerodynamics. This year, as in the past, there were models that wouldn't fit into any of the categories,

















top speed, but climbs about as fast. (5) Walt top speed, but climbs about as fast. (3) Walt Mooney, free flight correspondent, holds his rubber-powered Yield Sign. (6) This 15 oz. scale XB-35 was built by Tony Naccarato Jr. from photographs. (7) First place in flying scale went to Robert Serna with this YRB-49A. (8) Fear of this result stifles interest in flying wings, and keeps Im number of living wings, and keeps Im number of living wings that the state of the series in flying wings, and keeps Im number of living wings that the series in flying wings. of flying wing enthusiasts rather exclusive. (9) These two models are both Ron Neal's. The prettier one is his daughter Sheri Neal, and the other II his Gryphon, now available in kit form. (10) One of the many fun planes of unorthodox design which did not compete. unorthodox design which did not compete.


Perhaps there will be a category for them next
year. (11) There was a special category for
Rogallo Wings. This one, flown by Joe
Rleman, received first place this year as well
ast year. (12) In the foreground is the
writer's unfinished RC scale YB-49. In the
background is a Delta which brought fourth place in RC for Arnold Wilcox, (13) Frank Culver is describing the lateral control system to be employed on his full-size hang glider which is being built. This model was flown repeatedly the contest. (14) There was event which did not take place for tack of a hift at Sepulveda Basin. This elegant slope was was only on display. (15) Johnny Johnson, designer of 10-Hi, holds a new crea-tion. He was was of the few persons who flew Northrop's N9M Flying Wing. (16) Winner of third place RC was this very fast by Ed Lewis. Beauty is in the eye of the beholder. (17) Mitch Neal, right, first place winner in RC, holds his father's 29-powered Gryphon. Behind his father III Mitch's first place winning

aircraft.



NO MATTER HOW YOU LAUNCH THIS SHRUNKEN OLD-TIMER, IT GETS INTO A RIGHT SPIRAL CLIMB FOLLOWED BY A LONG EASY GLIDE.

Quarter Pint



by PAUL DENSON

White looking for ideas for a sport plane, I recently ran across the article "Famous Free Flights" in the 1964 American Modeler Annual—a concise history book, full of ideas for sport free flight. I first considered Goldberg's "Zipper," but the thought of covering those elliptical wings with tissue caused me to turn pale. Then I saw Lou Garami's "Half Pint," and those lines punched my aesthetic button. Using what I could see from the small side view. I made the original drawings for Quarter Pint. Since it uses a 4A engine, what name could be more appropriate than Quarter Pint? However, considering the proposed change from the English to the Metric system, I thought I might call it .125 Liters (4 pint in the Metric system), but someone might have thought I was talking about the displacement of a foreign sports car.

Quarter Pint is not intended to be exact replica of "Half Pint." It was originally designed as an RC single-channel RO, but I found cramming all that gear into plane this small to be quite a headache. After watching it fly, I was glad I decided to eliminate the RC gear and make it free flight.

I started with side view of the fuselage and made square rather than diamond shape for ease of construction. By rummaging through the extra wings that always seem to survive the crashes, I found the top wing of a bipe that had been built some time previously. This gave the dimensions for the pylon; from there it just naturally fell together.

A hypodermic syringe is useful for putting about one cc. of fuel into the

Big air wheels === 2" in diameter. Balsa equivalents could be made if desired (as these provide low-down drag needed). Don't substitute smaller == thinner wheels.




tank. Crank it up using # 4D-2.5P Cox .02 prop and fling it away in any direction—into the wind is usually best. It flies straight out about 30 to 40 ft., gains speed, then climbs up as if it is going to loop. On top of the loop, it rolls out into # steep right-hand turn and climbs until it runs out of fuel. At this point, it makes a transition to a large left-hand circle and floats flat-out much like a Nordic glider.

I have never used a dethermalizer, because the motor run has been short that it never gets high enough to catch thermal. (I know, famous last words. I heard of fellow who lost a plane OOS at 35 min. on a test glide!) The fuselage could be left uncovered just above the stab and the top longerons used as a stop for a pop-up stab dethermalizer.

Construction

The construction is straightforward and should pose no problems even to the beginner. The wing is built flat in one piece, leaving the two center ribs unglued. Put the bottom sheeting down first and build on it. The leading edge, spar and trailing edge can be cut in half,

(Continued on page 76)



Tiger Moth

by DON BERLINER

One glance at a Spitfire and you can tell why the British get so emotional about it. No matter what the model or condition, the Spit is a beautiful bird. And even if it hadn't helped save the Western World in 1940, it would have attained immortality on its looks alone.

The British also go fluttery about the Tiger Moth, and that isn't quite so easy to figure out. It certainly isn't much to look at. Its flying characteristics leave something to be desired. And there's not even I rumor of one of them having shot down a single German plane in the entire war. Yet, there must be something quite special about this open-cockpit biplane with enough struts and wires to build a couple of Pitts Specials.

Maybe the reason the Tiger Moth has attracted such a loyal following is because it's been in active, daily use longer than just about any other kind of airplane—over 40 years! And you can add to that its versatility: trainer, sport plane, ag plane, aerobatics plane and World War I fighter replica. Versions have been stretched to house four or five people, while others have been made into trim single-seaters.

Just when it started is a little hard to determine, for its ancestors were many. The earliest deHavilland airplane to resemble the Tiger Moth was the DH.51, a low-powered trainer/tourer built in 1925. One of the three completed is now part of the famed Shuttleworth Collection and flown upon occasion in England. The first version called "Moth" was the DH.60, which flew in 1925 and was followed by more than 100, known as the "Cirrus Moth" be-

cause of the upright Cirrus fourcylinder, in-line engine.

In 1927, deHavilland built slick little open-cockpit, low-wing with which they set a World Record of more than 186 mph over a 100-km course. While it used DH.60 Moth parts, its only role in the story of the Tiger Moth was its use, for the very first time, of the name "Tiger Moth."


As production of the DH.60 Cirrus Moth continued at a steady pace, improvements were appearing. The first important one occurred in 1928, when the DH.60G Gipsy Moth entered the arena powered by a 100 hp DH Gipsy in-line engine. A few were modified to use the new inverted in-line Gipsy II engine and were fitted with 190 sweptback wings. While they were still considered DH.60T's (T for trainer), the "T" now stood for "Tiger." The fourth of these modified machines got its lower wing dihedral increased ground clearance and so led to a new standard basic trainer: the DH.82 Tiger Moth. The first one flew in October, 1931 and the thousands of airplanes which followed were all pretty much


Only 135 DH.82's were built from 1931 to 1934, but they had an impact far beyond mere numbers. Most were military trainers, with examples going to some 25 air forces around the globe. A few were sold to private owners, especially traveling air circuses which enabled tens of thousands of people to become familiar with the airplane. In 1933, the DH.82 was further modified with plywood covering for the turtle-

(Continued on page 93)

SECOND ONLY TO THE SPITFIRE IN THE HEART OF AN ENGLISHMAN IS THE deHAVILLAND 82-FOR MORE THAN 40 YEARS ONE OF THE WORLD'S MOST VERSATILE AIRCRAFT.








IF BATMAN AND ROBIN WERE HERE NOW, THIS WOULD
BE THEIR PLANE. UNIQUE SHAPES HAVE PURPOSE,
RESULTING SHAPE IS EYE-CATCHING AND FULL OF ACTION.



RCX4

by MILTON SCHMIDT



The Super Bat wing design is not merely an attempt to concoct a radically different configuration. Every part of its sleek design has aerodynamic improvement in mind. I'll "touch and go"

on a few of the highlights.

First, the front point. This is most essential in providing the exceptionally sharp sweepback. If the leading edge did not go outward and forward first, the whole lifting section would be much too far to the rear. It gives a wider span farther ahead and affords good lateral stability. This in turn gives a very long, sharply swept wing "side" from front point to rear tip-one of the reasons for its exceptional longitudinal stability and smooth flying. The high leverage to center of gravity makes balancing much less critical. Also, wing tip is horizontal to fuselage at rear where there can be no loss in efficiency.

But what about maneuverability? The front point reaching 14 in, ahead of CG, its thickness and V-line of top convex, and flat bottom with sharp leading edges, all combine to give a high degree of response. Another factor is length of wing attachment to fuselage, which locks in almost twice the side pressure on fuselage when making turns. The previous test model (RCX3) with rudder and elevator only, did beautiful banking turns almost as if it had ailerons. (This

also improves rolls.)

The RCX4 was designed with scale-type appearance in mind—long deep fuselage, high fin and rudder, and no dihedral in wing. If neatly marked out and painted as the "Venus Express" or "Moon Cargo Lines" you might convince the judges of actually seeing one and win scale award. It's a bit fast with a 71, but is smooth, graceful, and easy to fly. However, if you use \$\in\$ 60,

Wing shape is intended to control spanwise air flow patterns to produce a very stable flying model. Has mairliner-like fuselage.

Although powered by a 71, a good 60 will dofine. Fuselage is a cavern, anything fits.

select lightweight balsa, fiberglass around front end of fuselage only, using nothing heavier than silk and dope for other areas. The RCX4 weighed 10½ lb. minus fuel, 11½ lb. with fuel. It withstood an emergency landing on a disced field with only slightly bent gear, so it's a very rugged ship.

Construction

With I long, level work top the entire wing can be built with one-piece spars all the way across-no center joining. Use two pieces of 1/16 m 6 x 36 balsa for each bottom. Lay me piece along outside edge as shown by the sheet lines on plan. With I ruler and sharp knife cut straight down the centerline of rib 6 pattern and weight it down in that location. Add 1/16 # 4 balsa sheeting to finish out bottom, and cut down centerline. Glue edges of sheets together. If you lay out the second piece of 1/16 x 6 ■ 36 inside the rib 6 line, you can get two pieces (if you follow the lines as shown). Fill out bottom, and cut down centerline. Block sand edges joining at rib tine, glue together and weight down. Now you have two wing halves roughed out. Trace and cut out on light cardboard a template for wing on one side. Block sand edges to obtain accurate copy of diagram on plan sheet. Lay it on your 1/16 sheet halves to mark and cut both halves exactly the same. Lightly block sand edge of sheeting at center of fuselage line and glue together.


Spars are all 1/4 x 1/2 spruce. Glue down 5-1 and S-2, then 1/4" rib No. 6, and continue with the other spars in their numerical order. Mark out position of 1/8 ribs, notch out and glue in. Piece in 1/4" hard balsa at wing tip, light 1/4" balsa block under rib No. 6 tip, and 1/2" balsa fill around front pocket as shown. With fine rasp and sanding block, round out balsa fills to rib tops, and top edge of ribs to contour of wing.

Cut enough 1/8 m 3/16 balsa strip for leading edge, lay it flat on rib points and mark. Then cut off front tips of ribs and glue in leading edge. Apply some glue on top edges of ribs from leading edge about 2" back. This will keep you from digging in when block sanding leading edge to rib contours. Glue in a 1/2" thick spruce or hard balsa triangle to hold bottom ends of 5-4 spars together. Fill over top of cross spars between No. 1 ribs with 1/2" balsa up to top of ribs, then with 3/8" balsa on bottom end the same way. Lay 1/16" balsa top sheeting in approximately the same direction as on bottom.

A well stocked hobby shop should have 12 x 48" sheets of maple ply. From a 3/32" thick sheet cut out the doublers for the fuselage. Use 1/8" ply mahogany for the formers—it's lighter and you can get a small piece at your lumber yard. Glue 3/16" square balsa around the outside edges if you want more pinning area.

Build the motor mount assembly following detailed diagram on plan

(Continued on page 68)



MINI-PLANES



- AUTHENTIC SCALE
- MOVING PARTS
- SUPERB DETAILING
- HAND DECORATED

P-40 Flying Tiger Messerschmitt ME-109 Fokker DR-1 Russian MtG 21-C F-104 Starfighter French Mirage 4A **B-17 Flying Fortress** Boeing 707 F-105 Thunderchief

P-51 Mustang Spad XIII Convair 880 British Spitfire Japanese Zero-Zen F-4U Corsair Albatross D-111

Boeing 727 Douglas DC-9 P-38 Lightning Huey Copter AH-1G B-25 Spirit of St. Louis Sopwith Camel Junker JU-88


F-4K Phantom Douglas DC-8 YF-12A Lockheed British Lancaster Nieuport 17 Fokker Eindecker Stuka JU-87G-1 P-47D Thunderbolt

Fokker D-VII SE-5A Boeing 747 Kingfisher Boeing F4B-4 Kitty Hawk Jolly Green Giant 2 Shiki Flying Boat

Douglas DC-10 Kawasaki KI-61-2 Saab A/37 Viggen Curtiss P-6E Hawk Ford Tri-Motor PBY-5A Catalina C-119 Flying Box Car B-24D Liberator

Quality Since 1833 PHILADELPHIA, PENNSYLVANIA 19124

Last of the Mighty





The sectioning process.

BEN MILL PHILLIP

The British bombers that
The Nazi

after the war was over The
Lancaster and I

to the post war
evolved into
that Great
Brital to protein aghout the
se world. This evolution
bombe the mighty
Lincoln
tirst flew on dune
per bes were
tly
model powered by four his RAI
in Number

Made by Avro, the Lincoln I the famed B2. The differed the rating I to and maritime named the Lincoln [II evolve I into the Shackleton MR] lecouse I this, we

that we have to two kits in our Languaster and the from the volume No. 1 II Beaufort homber as

Aircraft
bomber as
the modele to mark
the bomber in the ga
well standard
had an
the imum s 290 ft
standard cruise of 230. The side
ras 22 the was
grossed out at
it an bomb.
Lincoln c defend elf in



The wing tips are extended 🕬

the and two 20mm (

Ben Fulcher and Bob Stensvad the models two and marked them separately. One in a striking black and white while the other was a attractive and When

the local meeting, it models immediately oither club members. Some bombers are "so-so" in pearance the Lincoln to stands in a For this

the mi for miles of the for for Force for Force from Lancaster served a suspense from both the Shackletor and Lancaster kits. The reference used for the kincoln the fairtraft and the Directory of RAF Aircraft

Directory of RAF

by William Gre and Dennis
Taken from a Progress

m the

as Green
the windor and
seams. The after all is set and
dry, is cut aft of edge i
the This a section and
plastic used
to fill the The tail
section of the Lancaster is now inselled

Imuin s 190 ti stock A rif must standard cruise of 230. The stock A rif must standard cruise of 230. The stock A rif must steed to the ps on the ras 22 the was Shackleton is the only steed it an steed to the steed it an steed to the steed



A Vac-U-Form is used to make the

landing gear is used and last locating back brace. These to fit.


These to fit.


The mod make the four-bladed prop he can buy. Fro smpest the latter is the lacturate. A radome must be carved from or wood and formed.

te provide t guide
Position the radome must be carved from
the provide t guide
Position the radome finish
phologophs as guising same
method sectioning, move the
guide of the The
nose a from the
forward and filled to
with
work is such
celles; the
bomb bay is insuled; primed with
Rod

While is

While is turret can be finished. Using guid turret from and out Mattell Vac-U-Form used this and extreme care must be exercised that the finished before that and rare sluff nose turret was hobby at tore in the care in the





Squeeze-Banger

by WAYNE PETREVAN

FAI (15) Combat grew in popularity last flying season in our area and it promises to be an even more popular event in the upcoming one. Last summer I decided to design = 15 combat ship to have a good flying plane for this season. I modified the original version five times—some changes being drastic, some only minor. The result of my efforts is the Squeeze-Banger.

I realized method few things were going to be different as compared to the 35 machines, because of the smaller motors. Scaling down wasn't going to work. To perform it had to be light. Smaller engines have less power, so the lighter the airplane, the less speed lost in maneuvers.

I wanted a plane strong enough to hold together under normal circumstances (whatever that is in Combat), but not so strong as to affect the weight. I have used light wood for everything but the leading edge which is medium hard. The completed model without motor should weigh a little over eight ounces. My theory is based on the old saying that the heavier they are the harder they fall. If a light plane hits the ground there is less inertia; instead of penetrating into the earth and shattering Into splinters it just bounces around a little. Fortunately because of its excellent maneuverability it doesn't hit too often. I flew the Squeeze-Banger in a contest last year; in the middle of the match it went straight in, but it held together and I got back up again. And it was only covered with Silkspan!

Most fliers seem to like this model's flying characteristics. Its loops are about eight ft. in diameter and it flies quite fast. I've never clocked it, but I would approximate the Squeeze-Banger's speed to be about 80 to 90 mph. Of course, it

all depends on the motor used.

One good point about 15-size Combat ships is that they are inexpensive to build, mainly because the motors cost less. This enables Juniors to participate in the event. Everything is on a slightly smaller scale, but don't be surprised to find that these smaller planes are just exciting as their bigger brothers. The contest flier can build several of these models in no time at all; because they are faster to build and cheaper, a modeler can take a few more risks that he might not ordinarily take.

Construction


Begin construction by cutting out fourteen 1/16" ribs, two 1/8" center ribs and two 1/16" ply center ribs. Notch them for the 1/8" square spruce spars and cut out leadout holes in seven of them. Make sure the center ribs are 1/8" narrower to allow for the 1/16" center sheeting top and bottom. Pin the bottom trailing edge piece to the plan. Block up the leading edge, so the ribs can be glued to it, and the trailing edge at the same time. The leading edge can be either carved from ■ piece of 3/4" square balsa or purchased preformed approximately to shape. A bit of sanding will get it exactly to what you need-check the cross section with a template. Glue in all ribs except the four center ribs. While this is drying, glue the maple motor mounts to the motor mount block with epoxy, clamp the assembly in a vise and let it set. (Make sure the mounts me firmly clamped, if not, the epoxy will allow the parts to shift giving you a misaligned motor mount assembly.) If the mounts are misaligned and a motor is bolted on them, undue stress is exerted on the which causes excessive crankcase

(Continued on page 78)



OUTSIDE THE U.S., COMBAT IS FLOWN WITH .15's AND SMALLER, LIGHTER, AND PERHAPS MORE MANEUVERABLE PLANES. MODELS ARE SIMILAR TO OURS AND PURPOSE IS THE SAME.





FULL SIZE PLANS AVAILABLE-SEE PAGE 84



Dumas Products, Inc., 790 S. Park Avenue, Tucson, Arizona 85716

new products check list




















Dick Mathis-Aerosport/How to Fiy U-Control. A complete 28-page book especially for U-Control enthusiasts by Dick "Fast Richard" Mathis. Background and history of the sport, flying for the novice, stunting, flying AMA stunt pattern and advanced techniques. By a real winner with seven National U-Control records to his credit. \$1.08. Write Dick Mathis, M III P Enterprises, 1222 Briarcove, Richardson, Tex. 75080

Norco Marinecraft/Boat universat. Model boat universal joint features splined joint system to provide better power transfer and wear characteristics than simple pin-and-slot systems. A Two sizes: 5/16 m 24 and 1/4 m 28, both for 3/16" drive shaft. \$2.95. Norco Marinecraft. 13556 Chase St., Arleta, Calif. 91331

Polk's Hobby/American Flyer Musketeer. 24" U-Control cabin plane in ready-to-fly heavy-duty plastic features variable-ratio control link belicrank, a real benefit for novice fliers when the airspeed gets a bit too high; self-contained 07 glow-plug engine, lots of realistic detail. Complete, \$14.95. Also, launcher for unassisted takeoffs, included in kit, im available separately for \$6.95. Space engines with extra heads, \$7.98, or \$8.98 for super-power 11. Polk's Hobby Dept. Stores, 314 5th Ave., New York, N.Y. 10001

Jerobee/McLaren Mk-88 or Porche 917. 1/12 scale cars without RC equipment available for modelers who already meet radio gear. With glass-filled injection-molded frame, engine with built-in recoit starter, independent front suspension. Ackerman steering, Mag-type wheels. Write Kieve Industries, Box 80324, Attanta, Ga. 30341. Also, Jerobee RC racing team patch, 3 m 3", \$1. Jerobee Racing Team, Dept. AM, Kirkland, Wash. 98033

Cox/F4U Corsair U-Control. Beautifully finished in bright chrome, divitian unlimited racing version of famous WWII Navy fighter makes spectacular ready-to-fly model. Powered by Cox 049 engine with spring starter, kit has left-hand propeller to prevent plane from coming in on filler during takeoff, Control handle and flying lines included, 19" span, \$15, L. M. Cox Manufacturing Co., Inc., 1505 E. Warner Ave., Santa Ana, Calif. 92705


Polk's/Vintage literature. Available are dozens of pamphiets, brochures, texts and plans from WWI! and immediate post-war era. Old-timers will find the reading highly nostalgic, youngsters might even learn ■ thing or two. Shown ■ just some of the titles. Write for complete list and prices. Polk's Hobby Dept. Stores, 314 5th Ave., New York, N.Y. 10001


Krd Products/Heat sink. Gets rid of heat buildup in 049 glow-ptug model racing applications, especially as in Jerobee cars, and provides a smart, trim appearance for the rear end of car. Easily installed. \$1.25. KRD Products, Box 3391, Shawnee, Kan. 66203


by FRANK PIERCE



















Heath/Slotless raceway. Great new technotogical breakthrough in indoor model car racing, MARK IV raceway resembles conventional 1/32-scale race course for four cars, but uses unique low-voltage frequency for control link from operator to vehicle. Cars use separate motor for each rear wheel, brush contacts mounted beneath chassis, Each car has own specific control frequency, same with RC. II x 8' oval track, two race cars and controllers, \$129.95. Extra car and controller, \$21.95. Further information, write Heath Co., Benton Harbor, Mich. 49022

Astro Flite/Electric motor. Producing power comparable to Cox 09, 14-volt electric motor can be used for RC or other models. With rechargable NiCads power is sufficient for 5to 6-minute flight. With 8/4 prop, motor turns about 10,000 rpms. Motor, \$19.95, battery pack additional \$29,95, Astro Flite, 2301 Cheryl Pl., Los Angeles, Calif. 90049

Mini-Flite/Bucker, 4-channel RC version of

world-famous aerobatic championship Filte, 628 W. 6th St., Mankato, Minn. 56001 "Junomeister" aircraft features vacuumformed ABS plastic cowl and wing tips, top quality die-cut balsa, pre-bent cabane and landing gear wire. Recommended for 45 to 60 power, 54" span, biplane weighs 6-1/2 to 7-1/2 lbs. With all non-standard hardware included, \$49.95. The Mini-Flite Co., Princeton St., Red Bank, N.J. 07701 Midwest/1972 series HP40FR engine, New

J Industries/J-graft. Big new RC job is built along nostalgic old lines. High wing 65" span gives 600 sq. in, flying surface. Up to four channel operation on 29 to 50 power, about five lbs. flying weight. Beautiful quality throughout, pre-cut balsa and plywood used exclusively. Aluminum engine mounts, other extras. \$45,95. J industries, Inc., Model Aircraft Dly., Box 202, Oakhurst, N.J. 07755

front-rotor 40-size engine has sufficient power to operate with lighter-weight 60-size aircraft, Rated at .90 hp, engine comes with muffler in standard equipment, \$56,95. Midwest Model Supply Co., 6929 W. 59th St., Chicago, Ill.

Hobby Lobby/Disc Brake, Electromagnetic disc brake operates from 3-volt source, draws 250 ma, 1-1/4" diameter. Complete with necessary mounting hardware, clear illustrations, \$5.95. Hobby Lobby, Route 3, Franklin Pike Circle, Brentwood,

37027

Graylines Express/Sub-miniature camera. May be just the answer for high-quality aerial photographs. Small enough to nestle into fuselage or under wing of # 40-size airplane, ultra-light weight, but rugged enough to take landings and vibration. Not a toy, takes excellent pictures which can be enlarged to # x 7 size easily. Fixed focus f3.5 lens, 1/100-sec. shutter, light shutter release which can easily be triggered by pushrod. 16-mm cartridge loading, Minolta quality, \$29.95. Graylines Express, 8364 Gibbs Rd., Kalamazoo, Mich.

Nobler (shown), Chipmunk, Shark 45,

Skylark, and custom-built, foam/balsa ribbed

wings make a light wing (6 to 7 oz.). With ribs

and cap strips installed, ready for covering,

\$25.95. With balsa ribs drawn to size, num-

bered, and sheet balsa stock as a kit, \$19.95.

Send requirements for custom wing design

and price quote. Add for postage and

handling, \$1.50 extra, Mankato Models, Foam

Orbit/PS-6. Essentially a heavy-duty geared PS-4 but equipped with Orbit's new threewire IC amplifier. Better centering and faster movement, \$40.00. Also 180 version available. Now standard with all systems, PS-3 also available. Orbit Electronics, 17312 Gillette Ave., Santa Ana, Calif. 92705

. For Your R/C Flying Fun!.

commander '72

NEW CONCEPT IN PULSE RUDDER-ONLY



For 1972 the improved Commander has a Drain Brain switching arrangement in the receiver to reduce total battery drain and increase flying time from 50-80% per battery chargel Plugs are wired into the airborne unit which allows you to switch receiver from plane to plane with a minimum of effort. COMPLETE Filte Pak weights, including nicads, run from 2.5 to 4.8 oz. Transmitter has increased output to overcome interference.

Fully Proportional—Rudder follows directly

Versatile—The same receiver and transmitter be used with airplanes from 18-72" span.

Interchangeable—Plug-in-wiring allows switching of receiver from plane to plane.

Lightest-Weights 2,5 to 4.8 oz. include Nicad batteries and are TOTAL weights.

Simple—Easy installation; actuator has only moving part. Minimum maintenance.

inexpensive—Initial cost of system, airplane and engine is low; nickel cadmium airborne pek and charger arm included; transmitter and feceiver can be used for many different planes.

COMMANDER '72 R-O SYSTEMS

Completely wired and tested, with transmitter, receiver, actuator, niced battery sirborns pack and charger, switch and connectors. Transmitter battery not furnished.

10G15-Baby System '72	\$69,95
10G15T-Baby Twin System '72 10G16-Standard System '72	\$72.95 \$71.95
10G17—Stomper System '72 26 999 27 845 27 895 27 146	\$74.95

Please Specify Frequency

R-O PULSE HANDBOOK with UP-TO-DATE CATALOG

Only \$1,00 (Refundable)

New catalog is completely updated. In dudes many items from major majoriac turers

Handbook has expanded data on How Pulsa Works, Irretalistion, How to Fity and much more. Most complete information in Pulsa (IIIIII) Only available anywhere.

Price is \$1.00 via THIRD CLASS BULK MAIL, Refundable on first order over \$10.00. If you wish faster delivery, add 50s for FIRST CLASS

ACTUATOR/BATTERY COMBOS

Here is what makes the '72 Commander so versatile. All you need to put in plane for extra installations. With connectors, so you just plug in receiver.

15K 15-Baby/225 mm Batt.	\$11,95
15K 15T - Baby Twin/225 ma Batt.	\$14.95
15K 16-Standard/500 ma Batt,	\$13.95
15K 17 - Stomper/500 ma Batt.	\$16.95

COMMANDER '72 FLITE PAKS

Our '72 Commander Rudder-Only Flite Paks are available separately for the convenience of our customers who wish to use a complete installation. They include nickel cad batteries, On-Off switch, receiver and actuator--assembled and tested. More expansive than the Actuator/Battery Combos, it does not require a shifting. This offers a convenient and complete way of making an installation in another airplane without removing your receiver.

without removing your receiver. Se sure to specify frequency to match your transmitter,

The Beby and Beby Twin units contain the 225 me 2.4 nickel cad batteries; the Standard and Standard Twin (Stamper) contain 500 mil 2.4 s nickel cad batteries. Charger is not supplied

72G15-'72 Baby R/O Flite Pak	\$39.95
72G 15T-'72 Baby Twin R/O Flite Pak	\$42,95
72G16-'72 Standard R/O Filte Pak	\$41.95
72G 17-'72 Standard Twin Flite Pak	\$44,95
(Stomper)	

26,995, 27,045, 27,095, 27,145, 27,195 MHz (Please specify frequency desired)

Extra chargers, actuators and parts, and batteries available separately-see catalog.



Highly Recommended for Beginners

- 1 34" Foam Wing-Moulded sections
- † Top grade die cut wood parts
- † For .020 engines
- † Commander Baby or Baby Twin
- Owen Kampan design

No. 13L100-Dick's Dream Kit



\$6.95

ACE HIGH GLIDER KIT

- 1 70" Foam Wing Moulded sections
- t Precision Machine cut and sanded wood
- † For .049-Power Pod parts supplied
- † Recommended for Rudder-Only Standard in Stomper Commander
- * Owen Kampen design

No. 13L104-Ace High Glider Kit \$14,95

ADDRESS - STATE ZIP

CITY STOCK D NAME I ITEM PRICE

ACE RADIO CONTROL, INC. . BOX 301 . HIGGINSVILLE, MO. 64837

Add \$1,00 shipping-handling for direct mailorders except catalog



SKAMPY KIT

If you have mastered Rudder-Only pulse proportional flying, and are looking for new ventures, the Skampy III for you. Resambles is stand-off Goodyear Scale Racer, Owen Kampen touches in both the design and kit assures the experienced modeller of a setisfactory RO pulse experience. It is NOT recommended for beginners.

Has 30" span wing cut from Ace miniform tapers. Construction of the fuselage is a bit harder than a box type, but still simple for modellers with experience. Fuselage is 23%", recommended power is Tae Des .020. Recommended radio installation is Commander Baby Twin. This makes total weight of 12 to 13 oz.

Kit contains taper foam wing set, precision band sawed and sanded top grade bales and herdwood parts. Bent landing gear, wire for torque rod and plastic bearing, and hinge material is also supplied. Wheels and engine mounting herdware not included.

ing hardware not included,
Full step by step instructions make this a
simple job for the experienced RO flyer,

No. 13L103-Skampy Foam Wing Airplane Kit \$6.95

To be released April 1972



2T KIT By Ron Jacobsen

Uses two sections of the Ace Mini Foam Taper Wings, and one Constant Chord section for a total span of 50 inches, 262 eq. in. Coupled with == .049, the 2T == designed primarily for the two channel Brick type digitals that are on the market, or two servos of any digital system.

Also, when constructed correctly, it gerforms exceptionally well on Rudder Only using the Commander Standard or Stomper, Motor control is deded to is letter date by using the KRD motor control.

Kit contains three wing panels, ell balsa wood completely band sawed and precision sanded, bent landing mar, and miscellansous parts. Is of the general high callber as previous Ace kits, Hardware for hinges and linkage and wheels is left to the buyer.

No. 13L106-2T Foam Wing Airplane Kit 14.76 No. 13L205-Three Foam Wing Sections 5,00 For 2T



UPSTART 1/2A RACER KIT

- † Midget Racing Just For Fun!
- † 34" span, 6" chord, 200 sq. In. foam wing
- † Top grade band sewed wood
- t .049 to .051 Tee Engine
- 1 Two channel operation
 Owen Kampen design


No. 13L102-Upstart Custom Kit

\$10.95



NEW LOOK FOR 1972

All of the accessories that have been coming from Ace Radio under various names such as More-Craft, Rand, Goodies, and under our own label now will appear with the new card header as shown above. These should on your dealer's shelves soon. If he doesn't have them, advise him that his distributor, who is up to date with the letest in R/C accessories, is stocking them. These are proven accessories, and model buildeverywhere are using them.



GLIDER SUPER SKID

Make Your Glider Safer With ■ "Super Skid"

We've packaged up 4 ft. of 1/8 x 1/2 double sided vinyl tape (3M) and 020 = 1/2 polypropylene which when applied to the nose of your pyiens which when applied to the flore of your glider makes an attractive, quick, and indestructible skid that absorbs shock and protects the plane's beily from hard surfaces. There's enough for two more gliders.

25L 14-GS-Gilder Super Skid

\$1.50



1" REINFORCING STRAPPING TAPE

The one-half inch brand of 3M Reinfording Glass Tape is available at almost any more drug store or hardware store. The inch variety, which is finding increasing usage in strapping, dihedral bracing, and other applications in R/C

Is virtually nonexistent on the consumer market.

Ace R/C is doing something about it, and has it available in 10 yd. rolls I'' wide. This will allow you to buy only what you need instead of having to buy a case!

This is 3M Scotch brand Glass Reinforcing

Tape-the highest quality available.

35L 10—RT1-1" Reinforcing Tape, 10 yds\$1.89 (Glase Strapping Type)



HEAT SHRINK TUBING

Heat Shrink Tubing in convenient sizes. Pre-cut. Use it im plug and connector ends im give you a man and flexible joint, Decreases fatigue. Use with heat from your iron or match or ciga-ratte lighter and shrink to the size of your con-nector. Dimensions I.D.

40L211-HS-.050 Tubing, 4-3" lengths 35L7-HS-5/64" Tubing, 4-3" lengths 40L212-HS-3/32" Tubing, 4-3" lengths 35L8-HS-1/8" Tubing, 8-1%" lengths 35L9-HS-3/16" Tubing, 6-2" lengths 45

45

45



SOPWITH TRIPLANE WING SET

The Sopwith Triplane by Fred Reese, featured in the January issue of R/C Modeler, uses three of limit constant chord foam wings. In order to make it more economical, and also three of them in one box. We're passing the saving on to you.

Full plans available from R/C Modeler (check the January Issue).

No. 13L205-Triplane Wing Set

SOPWITH COWL

No. 16L384-Sopwith ABS Vacuum \$1.35 Formed Cowl



JANSSON THERMAL SENSOR

Here is a commercially produced, crystal controlled, lightweight telemetry sensor for every glider fan. Available me 146,385, 146,565. 146,785, 146,925 and 147,285 MHz.

Transmits under FCC Vol. II Part 97 on 2

meter head ham band, and requires a technician

class license. 1 5/8" diameter x 11/2" long. Weight is 11/2 oz., and drain is 35 milliamps. Uses 4.8 volts, which may im taken from either a separate 250 maH battery, im taken from the airborne receiver battery pack. I connectors furnished.

Jansson Thermal Sensor broadcasts barometric changes (thermal air) by variation in tone - Low Tone: Descending - High Tone: Ascending. The audibly detected tone stabilizes at about 1000 mm and increases (or decreases) 3 ft. per second rate of change. Il will broad-cast thermal activity before the effect of rising air on the airborne glider is visibly detected.

Requires a pocket portable receiver capable of receiving 146-175 MHz. Recommended for this use are either 99-35313L from Lafayette Radio Electronics A-2587 from Ailled These units sell for Radio Corporation. than \$20.00, and also receive broadcast band signals; test proven to be the best available for the money. They not furnished with the Thermal Sensor, but must be pur-Chased separately.

The Thermal Sensor will be drop shipped

from the Jansson factory, Allow 2 weeks for delivery, if airmail is desired, add \$1.00. Also please state frequency preferred.


(Drop shipped from Massachusetts) 11A8-Jansson Thermal Sensor

6 AMPERE WET NICAD BATTERY

We have an unused surplus 6 amp nickel cadmium battery which measures only 4¼"
x 2 1/8" and = only 7/8" thick. These == in a
nylon == and have = new pressure cap; have been completely checked out and refilled, but should charged before they used. This is a husky 6 ampere hour, and at our price is a great bargain for the quality and the amperage involved, 1,25 voits.

Excellent for starting, boats and other heavy duty applications.

No. 38K7-6 Amp Nicad Wet Cell



The pic above m of schleicher K8B-stand off, "sort of", scale. This is a full size plan in our 1972 Handbook-Catalog! FULL SIZE! The Schleicher sort of Glider is made with a set of Ace Mini Taper wings, and with the Baby '72 Commander comes in at about ounces. Strictly | flying machine-for fun.
The design is by Roman Bukolt, whose Cassutt-

Bonzo appeared in RCM last year, and who has several other designs up his drawing board. One is a cute Bipe that is being tested; another is a sort of "pick your side" WWI jobs. You can either make it Allied or German style; and either an .020 m an .049. A very versatile design, and flight tests look most promising.

The photo has Mrs. Bukult holding the models. Pretty, aren't they? All three of them!



You'll be hearing more about the Bipe and the WWI jobs in future Ace newsletters and ads,

Returning to the subject of our catalog-the Schleicher is only one of the many features to be found in our greatly expanded Handbook section. We believe we have gathered more pertinent infor-mation about Pulse Rudder-Only Proportional than has some appeared between two covers. As a matter of fact, the Handbook section is about as large as the catalog section! It will be a real boon for those who are just starting out in pulse; it also presents some new innovations about what can be done with this simple get up for the experienced.

With the high cost of mailing catalogs (prices have just gone up walloping rate m bulk third class) ask you be patient. We must wait for the minimum quantity required by the Post Office, and then unfortunately they take their time to get it to you. To insure getting it more quickly, you might want to add 50¢, then we'll see that it goes out to you by return FIRST CLASS mail.

One final bit of news--we've doubled our floor space and completed the move! Twice in much room to give you better service.

Keep 'em pulsing,



Yours sincerely, Paul F. Runge

Serving R/C **Since 1953**

Dragonette

LIGHT, 40-POWERED .8-SIZE DRAGON FLI AT FOUR POUNDS IS A

REAL PATTERN CONTENDER WITH JUST THE RIGHT MOMENTUM.



by JERRY PARKER

Dragonette is a very good reason to think small. It seems every serious AMA/FAI pattern ship today uses a 60 engine in an eight-lb. airplane covered with twenty dollars worth of MonoKote (or sllk and dope), consumes one gallon of fuel during an average flying day, and has to be disassembled and packed on top of the car in a special stretcher for the ride home. These very reasons prompted me to search for a 3½-lb. airplane, powered by a 40 engine, using an eight-oz. tank, covered for only ten dollars, easily transported (with the wing on) in a VW sedan, and one which will compete with the very best 60 pattern ship.

Phil Kraft's Dragon Fil proved to be just such an airplane when reduced to 8/10 of its full size and the wing and stabilizer construction changed to lighter built-up type structure.

There is only one way to really appreciate the Dragonette and that is to fly it. For those who choose to build this model, you are in store for a pleasant surprise.

There are no sound reasons why a 40-size airplane cannot perform as well as the 60-size variety provided they both have the same "momentum." How

can a four-lb. airplane have the same momentum as a six-lb, one? Simple! It must fly faster. Momentum is the product of the mass, or weight, of the airplane multiplied by its velocity, i.e., M=mv. A four-lb, airplane flying sixty mph and a six-lb, airplane flying at forty mph each have a momentum of 240 lb.-mph. Dragonette not only makes use of this speed compensation, but its design imposes weight restriction to improve its slow speed characteristics. Three and one half to four and one half lbs. is ideal and easily obtained. Dragon Fli has about seven hundred square inches of wing surface. At seven-lbs, its wing loading is 0.160 oz. per square inch. Dragonette has 450 sq. in, of wing surface, and at four-lbs, its wing loading is only 0.142 oz, per square inch. A five-lb. Formula I racer is higher still at 0.178 oz. per square inch and consequently its stall speed is considerably higher.


I am aware I have ignored many other factors—air foil shapes, drag coefficients, etc.—but I have assumed these factors to be the same for each example. In reality the low drag air foils chosen for Formula I racers characteristically exhibit low lift/high

stall speed properties which make them unstable at slow speeds. This is a necessary compromise for racers if they are to fly fast.

As long as weight and speed are kept in proper perspective, any sound airplane will have good rough air characteristics and acceptably low stall speeds. Dragonette II is powered by a modified K&B 40 (thanks to my good friend Ron Earp) and weighs 41/2 lb. The eight-oz. Sullivan SS-8 tank allows a 12 to 15 min. flight time. The plane will apparently climb vertically, from takeoff, for me indefinite period of time. It can be climbed at 45 degrees upright, then inverted using allerons only to continue along the same straight line without further correction, Vertical rolls, such as Top Hat, are precise as the ailerons do not lose their sensitivity. Perfect horizontal rolls are performed with ailerons only. Pitch maneuvers can be made almost square depending on the sensitivity set into the elevator.

Incidentally, Dragonette I was successfully flown with an unmodified Fox 36XRC during some of its first

(Continued on page 86)



YOU CAN MAKE THIS TWO-CHANNEL DIGITAL SYSTEM WHICH OFFERS RELIABILITY, PERFORMANCE, GOOF-RESISTENT ASSEMBLY, AND LOW COST BY EXTENSIVE USE OF INTEGRATED CIRCUITS.

PART I

by FRED M. MARKS

ANN Commander



Using a Tektronix 435 scope, Fred Marks checks encoder pulses. Scope is also capable of showing modulation patterns at 27MHz.

It seemed to us two years ago that our readers would be interested in the presentation of a two-channel digital system that would satisfy the needs of the car, boat, glider and sport power plane fans. AAM asked me to undertake the project and to try to make it as simple and goof-proof as practical. The project is finally complete and we pleased to present the results.

In accordance with the above basic requirements, the following more specific objectives were set. The system should be technically up-to-date possible; have the maximum flexibility; be the utmost in simplicity with no frills added; and, taking advantage of inherent digital system characteristics, it should have a growth factor for those who would wish to expand the system later.

Achieving the first objective is by far the most difficult, for technology is a galloping horse. One must finally decide to jump aboard and go. This process led to several recycles and ultimately to the point that everything in the system, except the transmitter and receiver RF

sections, utilize integrated circuits. The encoder, decoder, and servo amplifiers all composed of integrated circuits. The of bridge-type servo amplifier permits a two-wire power pack for the receiver and three wires for each servo.

The second objective is the most satisfying of all, as the system has been successfully tested in cars, boats, gliders and power planes. The receiver and decoder are compatible with any transmitter on the same frequency, from one to eight channels. The decoder simply decodes the first two channels that it sees, usually aileron and elevator, and ignores the rest. It will operate any servo made today (provisions are made for battery center-tap wiring), including those requiring a negative going pulse. It has been tested with the following: EK MM3: Orbit PS-4: Micro Avionics: all Kraft servos; Controlaire S4b, S4d, 5-5 and S-6; Min-X; Digiace; MRC F-700 and F-710; Royal Electronics; Pro-Line; Heathkit PS-9 and IC servos; Larson, and others.

The servo has not been as extensively tested in other installations, but

thus far has proven to operate satisfactorily with systems using IC decoders and with the Heathkit system which has an SCS decoder.


The transmitter will operate one or two channel receiver/decoders but, obviously, is not designed to provide additional channels at this time. It may be safely operated on from 8 to 12 volts with range dependent on voltage. The nominal design voltage is 9V, which provides out-of-visible-sight range. However, one may operate boats, cars, or small sport airplane models on 8V (seven nickel cadmium cells give 8.4V). The receiving system is designed to operate on 4.8V using four nickel cadmium cells, although alkaline energizers may be used. (Carbon-zinc pen-cells are not recommended for this or any other system.)

Simplicity was achieved by the use of inexpensive IC's. They offer two distinct advantages to the home or kit builder: (a) their use permits a drastic reduction in the number of solder joints required, and (b) every IC is tested by the manufacturer (this is not done for discrete components such as transis-

tors). The transmitter is further simplified by: the elimination of a metering circuit; the use of an external battery charger, if any; the necessity for only one stick assembly; and the need for only two tuning points. The receiver is simplified by relieving it of the normal clock and sync pulse forming functions. These functions are performed, instead, by the IC on the decoder. The use of the two-wire power supply eliminates approximately 10 points for potential failure.

The final objective, i.e., potential growth, is not difficult since any digital system is modular. By building two additional servos, changing to a new decoder board which retains all components except for a new IC, adding a new transmitter encoder board which has one IC, four capacitors, two resistors, and of course, a second stick assembly, a four-channel system is produced.

To insure that the system was designed properly and that performance



was optimized, the following procedure was employed. The basic system was developed by first designing the decoder, interfacing it with a well-known and tested receiver operated by a six-channel transmitter. The transmitter was breadboarded and verified on the bench; p.c. layout was then made and three prototypes constructed. This setup was tested extensively using existing servos.

A considerable amount of effort was expended in the development of a suitable servo amplifier. Center-tap amplifiers using an ML 85 IC were tried and rejected, was a design using a Darlington amplifier in each drive leg. Amplifiers using a Schmitt trigger in each drive leg were tried but we couldn't achieve the goal of placing the servo amplifier on a single board in the smallest servos. Finally, the World Engines IC chip was selected for the servo. This seems to be ideal and only has the disadvantage of requiring an 11 ohm motor.

The final problem attacked was the

receiver design. We first attempted to use the ready-made ACE Micro Gem receiver modified to add AGC. This performs quite satisfactorily in cars and boats but does not provide a sufficient margin of performance for planes. It then became necessary to begin the design of a new receiver which could take advantage of the IC decoder. This done, three prototype units were tested extensively in a two-channel 0.10-powered model called the Flexible Flyer. In order to insure repeatability of the system, artwork and construction instructions were completed and ■ "pilot" run of ten systems was performed by local modelers.

While the preceding cannot absolutely assure that one will never experience a glitch, it is felt that system performance is well verified.

Another important point, not only for this, but for any digital system whether kit or not, is "In case of difficulty..." Except for checks of DC voltage, presence of RC output, and verification of transmitter operation using a monitor, an oscilloscope must be available to the builder of any digital system if he is to perform his own trouble-shooting. Actually, troubleshooting is quite simple if one can use a scope and knows what the traces should look like. Insofar as practical, this information will be presented, not just to help the builder of the AAM Commander, but also means of showing the reader how digital systems work.

It can be hoped that a spark may have been kindled to assemble a complete system (transmitter, receiver, decoder, and two servos) or part of the system for use with an existing system. Here is the planned sequence for the AAM Commander: In this first part of the series, we have described the system in general, and will now present the printed circuit layout, list the components required, describe how they may be obtained, give the drawings for the subassemblies which may be readied for later use, and provide other information useful for getting started. The second of the series will present the schematics, block diagrams, design information, and instructions for assembly of the transmitter and the servo amplifier. The third part of the series will present the schematics, block diagrams, design information, and instructions for assembly of the receiver and decoder. At the completion of these, an entire flyable system will be achieved. To aid in better understanding the system and, as an informative item, the final article will: present system integration procedures; show how parts of the system may with other systems; provide trouble-shooting procedures; and indicate changes required for expandability.

Figure 1 presents a full-size print of the printed circuit layout for the complete system. In order to make the necessary boards, have a film negative made of the p.c. layout. This is done by photographing the p.c. drawing layouts on page 53 and having a film negative of this made to the exact same size as pre-

sented in the magazine. Special arrangement has been made with AAM's plans service to supply the film negatives for \$1.00 per set. These may be ordered by writing to me c/o AAM or directly to the Editor. Purchase one sheet of 6"x6" pre-sensitized p.c. board (Kepro S66G was used to make the pilot systems). Also needed will be one pint of p.c. emulsion developer (trichlorethylene) and etchant. Either ferric chloride or ammonium persulphate may be used. These three chemicals may be purchased from a chemical supply house-perhaps the local druggist can suggest one. One may also purchase the Kepro kit for p.c. boards, which has the necessary chemicals, or purchase them packaged separately from Kepro.

The sensitized p.c. board is not extremely sensitive to light but must not be exposed to direct light. Use a red lamp while working to set up for exposure. Make everything ready (except for actual board exposure) before opening the package of sensitized board. A lamp socket fitted with a 750-watt photoflood bulb, a pane of glass, and two weights will be needed. Pour the developer (not the etchant) into a shallow pie tin. Turn off all lights except the red lamp. Place the p.c. board on a table (copper side up), and lay the p.c. film negative over it-the letters FM must read properly or the boards will be made backwards. Place the pane of glass over the negative and hold in place with weights. Turn on the 750-watt photoflood and expose the board for five minutes from a distance of 7 to 10 in. Place the board in the developer (trichlorethylene) for one minute; agitate while developing. Remove and permit the board to dry for at least 10 minutes. Do not touch and do not blow on the board.

Etch the board in ferric chloride or a solution of 3 oz, of ammonium persulphate per pint of water. (The latter is preferred because the solution is nearly clear, whereas ferric chloride is quite opaque.) The process may be speeded considerably by heating and by agitating the solution. Up to 1800 is adequate—it should not boit. About 15 minutes etching time should suffice. It takes much longer at room temperature. Inspect the boards carefully for unetched material which might cause a short. If patience permits, a check between each land and all adjacent lands with an ohmmeter will insure absolutely against such

The boards are glass epoxy so any attempt to drill with anything less than carbide steel bits is a waste of time. A No. 64 carbide steel drill bit can be used if a very true running collet chuck is used in Dremet or other high-speed tool. However, bit breakage is a problem. It was found that a No. 1 carbide steel, round dental burr fits one of the Dremel collet chucks perfectly and is at least an order of magnitude better than regular drill bits because the shank is about 3/32 in. diameter for excellent stiffness. One bit should drill all the holes needed. Such bits can be obtained from your dentist's supplier. Larger holes will be drilled in the few places

needed during construction.

Shear the boards, if possible, on me shear used for p.c. boards or on me foot shear used for sheet metal. As a last resort, tin shears will do. Work slowly and be sure the outside line is used for cutting. Haste will make a handful of wasted board! File and/or sand carefully to the final shape. This completes the p.c. boards. Set aside in paper toweling or plastic, where they can't be marred, until needed.

Having procured parts for the pilot models, we have an excellent feel for the job of rounding them up. It is asking for trouble to substitute parts even if you think you know what you are doing, particularly in the case of the semiconductors. No matter what anyone says, the general replacement lines of transistors will not work. Don't buy them! The most general source of supply is through the Allied Industrial Catalog, if there is no industrial supplier in your vicinity. Most of the transistors used are made by Motorola, as are the IC's, and are generally available from an electronic wholesale firm.

We are happy to report that arrangements have been made with ACE R/C Inc., Higginsville, Mo. 64037, to kit the system. In addition, ACE will include all

the individual components in their 1972 catalog. While one may procure all parts and build the system from scratch, the chore is made much easier by obtaining the kit units. The OEM manufacturer for items is identified on the parts list for those able to obtain parts directly through a distributor.

The following information may help in obtaining components for any project, and to aid in building kits.

Resistors

The resistors used in the system are 1/4 watt composition types that are 10 percent tolerance. There is only one ex(Continued on page 56)

Part/Manufacturer/ Distributor	Tran	nsmitter	Serv	os (for 2)		Dec	oder	Rece	iver
Tantalum Capacitors: Components Inc. or Sprague.	3	1.0mf6V 47mf35V	6 2 2	4.7mf6V 2.2mf12V .56mf12V		1 1 1 1	.068mf6V 3.3mf6V 1.5mf6V 47mf6V	1 2 2	10mf6V 47mf6V 15mf6V
Disc Capacitors: all 12V CRL or RMC except Erie Redcap*	1 3 4 3 1 1	.02mf .001mf .01mf .05mf 33pf 100pf	2	.22mf*	×	1	.05mf	11 3 1 1 1 1 1	.05mf .001mf .01mf 47pf 15pf 1.5pf 18pf 3.3pf
1/4 Watt Resistors: all 10% any source (**) is 1/8 watt	1 2 1 5 2 1 1 1 2	330ohm 47ohm 470ohm 10k 4.7k 1k 82k 2.7k 390ohm 560ohm 100ohm 10ohm	6 2 2 4 2 2	47k 22k 3.3k 150ohm 100k 120k**		1	33k	1 1 1 9 2 1 1 2	22k 3.3k 470ohm 10k 2.7k 1k 4.7k 100k 100ohm 220ohm
Transistors and diodes: Motorola except those designated F and GE.	1 2 1 1 1	2N4871 2N3646 2N6534 2N6531 or 2N708A (GE) = EN708 (F) 1N283 1N5225	ove	e (there are 30 contained ne IC chip)		1	1N4148	1 3 2 1	2N3646 2N3563 2N4124 1N4148
Integrated Circuits: Motorola except that designated WE	2	MC717P MC885P	2	WE3141 (WE)		1	5N7404 SN74L73N	none	
Inductors:	3	10mHy (ACE) 22mHy (M)	non	е				1 ta	5.1mHy apped (ACI

MISCELLANEOUS

Transmitter: Stick assembly with 5k pots; Case from ACE; Crystal (select desired freq.); Switch DPDT from Switchcraft 46206LH; Coil form CTC 2173-3-3; Trimmer 7-100pf ARCO 424 by Elmenco; 18" length No. 18 enameled wire; 24" length No. 22 enameled wire; P.C. board, see text.


Servo: (Two each of the following): 11ohm Furuichi or Mitsumi 16mm motor from WE; 5k pot element from WE; D-R servomechanism—use either DPS-2 or miniature DPS-3; P.C. board, see text.


Decoder: 3 Deans 4-pin gold-plated connectors; Switch DPDT from Switchcraft 46206LH; P.C. board, see text.


Receiver: 2 coil forms 5/32" OD from Royal Elec.; 30" length No. 26 enameled wire; Yellow IF LLC4827(T1), White IF LLC238(T2), and Black IF LLC4828(T3), by Miller Co. from ACE or Allied; Crystal (same freq. as transmitter); Plastic case from ACE; P.C. board, see text.


ABBREVIATIONS


mHy		4				-						.microHenry
												picofarad
												. microfarad
												hm's X 1000
												Central Lab.
												aterials Corp.
												former Corp.
												Fairchild
												Electric Co.
												Vorld Engines
M	·				+	·	4	4		-	4	Miller
												CE R/C, Inc.
												eans Co., Inc.
IC	r	4	+	4	,	p			İ	11	e	grated circuit






















SIGF SIGE INTRODUCES N

The all New ITABRIA

Designed by Maxey Hester 4 Times Nationals

RC Scale Champion

RE-DESIGNED FOR IMPROVED FLIGHT PERFORMANCE

SCHWE Combination Free Flight:


May be Converted to Ministure 1 SCALE ENG I KIT FF.19

:495

Molded Conopy Authentic Decals Covering Material Mordwore Package Formed Landing Geor

Contro! Molded I Die Cu-Qetoile:

EASY ACCESS TO ENGINE, BELLCRANK AND C



· New Style Molded Plastic Cowling (3-Piece, Authentic Scale Appearance)
Molded Plastic Wheel Pants

- Mylon Control Horns and Bellcranks
- Nylon Wing Attachment Screws Removable Wing Struts
- Full Longth Fuselage Sides
- Aluminum Motor Mounts Formed Aluminum Landing Gear
- Die Cut Windshield
- Authentic Decals
 Full-Size Plans
- Detailed Instruction & Isometric Drawings
 Die Cut SIG Balse and Plywood

EASY TO BUILD - EASY TO FLY

This new version of Maxey Hester's Citabria scale design responds gently to the controls, but will also stunt in the tradition of its full-size lightplane counterpart, Ideal for beginners in Scale R.C flying or Sport Scale competition.



STINSON 1-5 SENTINEL

RUBBER POWERED FLYING SCALE Large Dotacled Plans With Construction Isometries
Special Rubber Power Prop Instructions
Die Cur SIG Bolso and Prywood
Authority Decai Decarations
Formed Landing Gear
Clay Plansic Windshield
Covering Material

> WINGSPA SCALE

KIT EE 17 **# 495**

Maxey Hester's DESIGNED FOR AMA AND FAI AEROBATIC COMPETITION BUT TAME ENDUGH FOR THE AVERAGE SPORT FLYER



Balsa Skin 187.85 Plywood Skin 142.85

A-B-C SCRAMBLER

1971 NATIONALS WINNER

■ Hat Climb With a Good 15, 19 or 23 II Super Hot Climb With a 29 m 35

Easy to Adjust and Fly

Covering Moterial Die-Cut SIG Balsa Easy to Build Full Size Detailed Plans

CHECK THESE KIT FEATURES: Precision-Cut Flite-Foom Wing Precision-Cut Flite-Foom Stabilizer Formed Plastic Fuselage Top Canopy Moided From Tinted Plastic Full Langth Fuselage Sides Nacys Duty Aluminum Engine Mounts Formed Wire Landing Geor Selected Die-Cut SIG Balso and Plyward

in the Kamet, Maxey Hester has created a model that meets the requirements of the most demanding competition flying yet in equally at home at a Sunday afternoon sport flying session. Construction is strong but simple and assembly can be completed quickly. Takes only a short time longer to build than on almost-ready-to-fly model and results in a lighter wing loading and higher performance of lower cost.

A contest proven design. Flies the stant pattern with-out yow, pitch or oscillation. Brecise response for dif-ficult 8 point rolls and knife edge flight.

WING AREA: 570 sq in WEIGHT: 22 28 oz

Mesigned by Jim Clem THE ULTIMAT SPECIALLY DESIGNI

IN CONTROL-LINE, FREE-FLIGHT AND RADIO-CONTROL





STANG 450

NEW RADIO CONTROL PYLON RACER

Designed by Henk Pohlman KIT RC-28 2995

ral Line Bellerank

ed Plastic Cawling

ov SIG Balsa and Plywood iled Plan With Construction Isometrics

e Statt

Heavy-Duty Beilcrank Plated Flap Horn Nylon Elevator Harn Complete Hardware Pack CONTROLS

Decats for Scale Markings Two Big Plans Sheets Isometric Views and Instruction Die-Cut SIG Balsa and Plywood

Formed Plastic Engine Cowling Molded Plastic Canopy Formed Tarsian-Bor Lunding Geor Leadaut Wire

WINGSPAN

MOLDED PLASTIC FUSELAGE TOP TINTED CANOPY

TOP QUALITY SIG BALSA & PLYWOOD MOLDED PLASTIC CARBURETOR AIR TUNNEL

WINGSPAN: 4955" ENGINE: .40 Cu. la.

FORMED ALUMINUM LANDING GEAR

EASI-BUILD CONSTRUCTION MOLDED PLASTIC CHEEK COWLS PRECISION CUT FLITE FOAM WING CORE

COMPLETE PLANS WITH ISOMETRIC CONSTRUCTION VIEWS DETAILED FIBERGLASS RESIN BASE FAST FINISHING INSTRUCTIONS

A sleek-lined speedster that has been flight-proven an the Formula One Competition trail. Simple structural design for low building time. Balsa-based construction provides strength, durability and light weight. Grooves around the racing circuit with precision and style.

KIT CL 16 1485

RUBBER POWERED SEMI SCALED FLYING MODEL

WINGSPAN: 22" WEIGHT: 1 to 2 Oz. DESIGNED BY PAUL MelLRATH FLYING SCALESUPER CADET

Scole KIT FF-18 Wingspan KIT FEATURES: .020 to .049 Engines in Free-Flight .049 to .099 in Control Line

Full-Size Plans Special Rubber Power Prop Instructions Formed Wire Landing Hear

Hardwore Package Control Line Belleronk

Die Cut SIG Balsa and Plywood For Free Flight, Rubber Power or Cantrol Line May be Adopted for Miniature R.C Equipment

Send Only 50: Today for SIG'S BIG NEW CAT The Model Builders' "Bible

POSTAGE REQUIRED WHEN DROERING CATALOG ALONE

THE 1972 SIG CATALOG is the greatest. Model. Austone. Cotolog and Over 221 pages devoted exclusively to murchandise used in the building or freing II model anytones. Features the complete Sig Line plus practically in other times available. Hundreds of models are illustrated including gliders sauplanes, subber powered (fring scale, control line stant and scale, and every type of R C model. Send 50c today for your copy or buy it from vaur local hobby dealer. You will agree it is the best bargain in the model purplane undustry



ORDERING INSTRUCTIONS

SEE YOUR DEALER FIRST! If he will not supply you, then order directly from our plant. We will ship promptly. To Order, please add \$1.00 for postage and handling in the U.S. Canadian orders please add \$1.50. Minimum arder is \$1.00 Please remit by bank droft, check or money order. Print your name and address plantly. Sorry, Na C.O.D. shipmants. All pricers rubbers to change without active. ments. All prices subject to change without notice,

ME MANUFACTURING CO., INC

401 S. FRONT STREET

MONTEZUMA, IOWA 50171



NED FOR THREE CLASSES OF FLYING



AAM Commander

(continued from page 52)

ception—one 1/8 watt resistor is used per servo. There are four colored bands around the bodies of all the resistors. These will be discussed as the first, second, third, and fourth colors. The fourth color is always silver or gold, while the first color is never silver or gold. Thus, the first color band is quite simple to distinguish. In addition, the first color band is usually closer to the end of the resistor body than the fourth color.

The fourth color identifies the tolerance of the resistor; gold is 5 percent and silver is 10 percent. All the resistors used in the AAM Commander have a silver band. The colors of the other three bands are identified by the following resistor color code:

9 103/310/ 00/0	
Color	Number
Black	D
Brown	1
Red	2
Orange	3
Yellow	4
Green	5
Blue	6
Violet	7
Gray	8
White	9

The preceding identify the value of the resistor, in ohm's, as follows: (a) The first band gives the first digit of the resistance value; (b) The second band gives the second digit of the resistance value; (c) The third band gives the multiplier for the value, i.e., the number of zeroes which must be added.

As an example, consider a 270 ohm resistor; the first band is red, for a two, the second is violet, for a seven, and the third is brown for addition of one zero. A 15,000 ohm resistor is identified by brown (one), green (five), and orange (three zeroes). In the schematics, large values may have the multiplier 1000 identified by a k, such as 15k for 15,000 ohms, etc.

Capacitors

The marking of the tantalum capacitors is quite clearly stated; however, disc capacitors may have varying markings. The capacitor will always have two, three, or four digits indicating the value of capacitance. However, there is inconsistency in the characters that follow the digits. For example, a 10 picofarad (10pf), which is the same m 10 micromicro farads, may have only the number 10 printed on the body. A 250pf may be marked "250Z," a 47pf may be marked 47k and a .05 microfarad (mf) may be marked .05. Nevertheless, the basic value is always marked; the difficulty is in determining the multiplier, if any. The following will be useful in determining the value:

Value in pf	Same Value in mf
1000	.001
2200	.0022
4700	.0047
5000	.005

Most of the values which are .01 or larger are simply identified that way. Quite often, disc capacitors will have markings to identify the voltage rating such as 10v or 1kv; do not confuse this with the value of the capacitors.

The physical size of the capacitor will be determined by its capacitance and the voltage rating. It is desirable to stick to the physical sizes to be shown on the overlay drawings, otherwise things won't fit.

Transistors

The basing arrangement for transistors varies. Figure 2 presents the basing for transistors which will be used in the system. It is hoped that the preceding data will be posted above the work bench during construction.

As indicated earlier, the transmitter and servo will be constructed first. There are some preassemblies that can be done before transmitter construction is started. These subassemblies are

shown in Figure 3.

Wind L4 and L5 on the CTC 2173-3-3 coil form as shown in Figure 3. The technique to be used is as follows: Using two pair of pliers, grip the ends of a 24-in, length of No. 22 enameled wire and stretch slightly to straighten and "set" the wire. Scrape 1/4 in, of enamel from one end of the No. 22 enameled wire and solder to terminal No. 1 of the coil form. Strip 1/4 in, of insulation from one end of a 24-in. length of No. 22 stranded hookup wire. Solder to terminal No. 3 of the coil form. Coat the area of the coil form onto which the coils are to be wound with 5-minute epoxy. Wind simultaneously, clockwise viewed from the top, both the enameled and hook-up wire as shown in Figure 1. Note that the hookup wire proceeds 1/2 turn to terminal No. 1 before winding of L4 starts. Wind both until about 8 turns are on the form. Hold the coils in place until the epoxy sets; the wires can be unwound needed with no difficulty.

Working carefully, unwind the hook-up wire until 5-3/4 turns are on the form, i.e., count up 5 turns from terminal No. 3, then on around 3/4 turns to terminal No. 4. Bring the hook-up wire straight down, strip 1/4 in, and tin, then solder to terminal No. 4 to complete L5. Unwind the enameled wire until 6-3/4 turns remain, i.e., count up 6 turns from terminal No. 1, then proceed 3/4 turns more to terminal No. 2 for a total 6-3/4 turns. Bring the wire straight down, scrape 1/4 in. of enamel at the junction to terminal No. 2 and solder. This completes L4. Recheck the completed coils against Figure 3. The epoxy will hold the coils in place.

Wind L7 as shown in Figure 3. The middle size X-acto knife handle is exactly the right size (approximately 1/2 in. diam.) form to wind L7 on. Wind exactly 7 turns of No. 18 enameled or bare wire, bend the ends straight down, and clip to 1/4 in. Remove from the X-acto handle and carefully spread all turns evenly until the coil is exactly 3/4 in, long. Add the tap at 2-1/2 turns

(continued on page 95)

NEW Extuan

HIGH PERFORMANCE GLIDER FOR RADIO CONTROL HUGE 9FT. WINGSPAN

\$2995





NEW NITRO X RACING FORMULA \$月50 gallon

NEW NITRO PLUS





MIDWEST PRODUCTS CO. Hobart, Indiana

NEW "FABULOUS .15 SERIES"

WW II CONTROL LINE FIGHTERS



Hobart, Indiana

MESSERSCHMIDT

Profile control liner.

Wing Span-33"
Wing Area-224 sq. ins.
Engines-.15 to .19
\$795





NEW NITRO I RACING FORMULA

More nitro content Hotter than ever

\$გნ0 gallon



NEW NITRO PLUS ADDITIVE

For those who want even more power and speed \$35 pint

SNORKY TRAINER



Practially Flies by itself!

WIERE THE AGTION IS

RADIO CONTROL

DON LOWE SPORT AND PATTERN

Youth Oriented Club: A news release from Fort Meade, Maryland describes the activities of the Meade Modelers Club. The club, which is open to military and civilian employees of Fort Meade, takes particular interest in attracting and encouraging youngsters to enjoy modeling. President Walt Cisto reports annual Delta Dart Contest for Boy Scouts with free planes and trophies provided by Special Services. He also encourages newcomers with an offer of flight instruction whether they own their own aircraft or not. We commend this very positive civic-minded attitude.



Meade modeler Walt Cislo prepares his PT-19 for flight.

Rockland County RC Club "Flying Circus": The Rockland County Radio Control Club (RCRC) held its first Annual Model Flying Circus and Auction in New City, New York, November 7, 1971.

November 7, 1971.

This event featured a highly successful "auction" of models, engines, and other supplies, in addition to manufacturer participation, static displays, and a "Swap Shop." A demonstration of RC and UC flying created added interest.

RC flying was demonstrated by George Messetler, using a powered glider, Lou Paretti, with his beautiful Spad 13, and Bob De



Swap Shop activity at Rockland County RC Club's First Annual Flying Circus and Auction, Note twin-engined pattern ship.

Grossa, flying his Span-Aero Cub. Bill Simons and Bob Hunt gave terrific demonstrations of UC pattern flying. Extremely gusty wind conditions prevailed throughout the day and forced cancellation of planned RC pattern flights by Jim Martin and Tony Bonetti.

Inside over 1,000 people viewed the many that is displayed among which were Walf


Inside over 1,000 people viewed the many stalic displays, among which were Walt Moucha's Fly Baby and Jenny, Josh Titus' Ensaldo SVA-5 and Sal Gross's beautiful


The auction was the highlight of inside activities with over \$1,500 worth of merchandise exchanging hands.

Due to the success of this first Model Flying Circus and Auction, III appears that it certainly will become an annual project for this active club. Coming as III does just before the Christmas buying season, it gives manufacturers an excellent opportunity to display their wares to IIII active segment of the modeling fraternity and the general public.

Automatic Stickum: From the Twin City R/Cer's Newsletter comes word of a contact give for foam wings which tells you when it's ready to join the skin to the foam. Montgomery Ward's Abrasive Disc Cement No. 84-3209, available for \$1.49 per pint, is a latex material using water and ammonia as solvent. In the can it is gray in color; when spread onto surfaces it turns black in about 10 min., depending and humidity conditions. After color change, it's ready to do its job...convenient, eh?


Super Simple—If You Know How: Have you wondered how to make it Z-shaped bend in the end of music wire for various linkage needs? The problem is getting in short straight section for the bearing since mind the tip of needle nose pilers is too wide. The secret is revealed by the following sequence. The Idea was taken from the Newsletter of the Valley Forge Signal Seekers RC Club.





Nifty wind direction indicator designed and made by Industrial Arts class of Orchard Ridge School for the Madison (Wisc.) area RC group. Clothespin clipped to rod when frequency is in

Strip Flap Mechanism: The construction of this mechanism is relatively simple. First, cut 1/8" OD brass or aluminum tubing for the length of flap desired. The flap will actually make three flap bearings out of 5/32" OD tubing about 1/2" tong. Solder a mounting flange to the bearing and install on the 1/8" tubing. Install a piece of 3/32" music wire inside the 1/8" tubing and cut and bend per



alleron requirements. The flap mechanism can then be installed on the wing. After the mechanism is Installed, the flap, made from alleron stock, can be epoxied to the 1/8" tubing. Occasional lubrication with a little oil will result in exceptional service from this system.

CLAUDE McCULLOUGH SCALE

Meet The RC Scale Team—(1): Bob Wischer has been in familiar face on the RC contest scene since 1956 and has competed in Scale at six Nationals. Before '71 he also always flew in Pattern. Concentrating strictly on RC Scale at Glenview resulted in 2nd place and incoveted spot on the U.S. Team to the Scale World Championships at Toulouse, France, Aug. 2-7. Bob has eight RC scales in his hangar including a Nieuport 17, Bonzo, Sopwith 1½ Strutter, Waco YKS and Cessna OE-2. All have been flown extensively—the Sopwith for example having won eight trophiles, including three 1st places at the Rhinebeck WW-I affair.



Scale team member Bob Wischer.

Bob's experience has led to the development of milogical pet theory—wings should be kept as light me possible, especially near the lip. The Douglas M-2 Mailplane he flew last year is a heavy model as far as total weight goes, but the bulk of the poundage is concentrated in the fuselage and landing gear. Ample wing area also aids performance by providing milogical moderate loading of only 17 ounces per sq. foot.

A product design coordinator at Cutler-Hammer in Milwaukee, Bob lives in nearby Detafield. His wife Dolly is a scale builder also and her Pilatus Porter was featured in a construction article in the Sept./Oct. 1963 American Modeler. Bob did the OE-2 in the July 1962 American Modeler. Next month: Maxey Hester.



Rare Japanese WW-II pusher fighter design modeled by Tom Tjarda, Has Rossi 60 and retracts.

Help Wanted: Don't forget to send in a contripution to the Scale Team Fund, AMA, 806 15th St., N.W., Washington, D. C. 20005. Put your money where your model is! Let's top those other category funds.

1"=1": Hale Wallace, '70 RC Scale Team member, has been bitten by the homebuilt

tever and after getting his pilot's license last fall, started construction on a Steen "Sky-bolt," a new 24-ft, span 2-placer by Laborator bolt," a new 24-ft, span 2-placer by LaMar Steen of Denver, Like many homebuilders, Steen is an ex-RC flier and his aerobatic miplane is set up not unlike a DeBolt RC pattern design.

Since it is difficult to find a really ideal prototype for scale modeling that doesn't have one or more inherent problems, a possible solution comes to mind. Join the homebuilders group, the EAA, Design and build a full-size ship that has lines, areas and shapes tallormade for modeling, wheels and spinner sizes that are even multiples of model sizes, ample space allowed for servos and radio equipment, etc. Take a lot of pictures before test-flying-just in case! Scale down your construction plans and build model of your "prototype." Should be good for the highest scale presentation at the least.



Gerry Fingler of Canada with his WW I Spad. powered by Merco, guided by Logictrol, Nice flying site there.

C.A.P.: In this case it doesn't stand for Civil Air Patrol but Complete-A-Pac, the outfit in Scotland that started with a line of RC Scale plans and expanded them to canoples, spinners and parts, then to full kits. Among their products are such names as Stuka, Mosquito, Skyraiders, Jungmeister, SBD, and Gladiator. Bud Nosen, of Nationals P-47 and Skyraider lame, will be offering their extensive selection and hopes to be handling other plan lines for scale models soon. List available from Bud at Box 105, Two Harbors, Minn, 55616.

Try It-You'll Like It!: Anyone who does fiberglass work will appreciate Mike Stott's handy putty formulation. Simply mix talcum powder into resin until it is thick and pasty. Add the usual amount of catalyst. This will fill seams and pits, without running or drip-ping. It is especially useful for building up or changing molds and patterns for vacuum torming or fiberglassing. The stuff smooths on easily and adheres just as well as raw resin. After it is partially hardened it can be cut cleanly with an X-acto knife or carved to shape like a bar of soap.

BOB STOCKWELL PYLON RACING

Rule Changes for 1972: As you may have heard elsewhere by now, though I'm told that quite a number of people hadn't even known there was going to be a contest board vote until they read about it in my November column, NMPRA the proposals were approved, with one exception, by the AMA Contest Board. The proposal they did not approve would have allowed novice filers to have their aircraft landed by experts, without disqualification, provided that the novice had his ten laps and received the checkered flag, I wish a few more of the CB members had tried to land a hot pylon ship deadstick on a tight field before they voted. The planes groove and fly relatively easily. A beginner can take off and fly a decent, if high, he can land without course long before tearing up his machine. Ron Schorr, who ended up 19th for the season in So, Cal,good show, when you consider there were 93 active Formula I fliers in So. Cal. this season—might still be building planes to replace the ones he crashed on landing if he had not had Whit Stockwell, Larry Leonard, and Bob Smith around last season landing pylon racers for him at some of our smaller fields.



D.C. May's Minnow-a very consistent flying machine, D.C. is S.E. NMPRA Vice-Pres.

But they did approve the very sensible "stock engine" qualification: namely, that engines may only be altered by removing parts or material from parts—no material or parts may be added. And they approved the engine inspection proposal: post a \$25 bond if you want another flier's engine inspected by experts (not including yourself, even if you're an expert). You get the bond back if the engine is declared illegal, and the owner of the engine keeps your bond if he's within the

They also approved a safety provision which allows the starter to "black flag" any dangerous flying—and it is not subject to pro-They finally got rid of the old handicapping system, too. All starts and at 1-second intervals (about an fast as the starter can drop flag four times in succession), and starting position is determined by lining up the air craft from best to poorest and assigning numbers, with the relative position being determined by scale fidelity, workmanship, and excellence of appearance as judged by perts. Preprocessing has been deteted from the

Kits and Parts: Products (8509 Lennox Ave., Panorama City, Calif, 91402) has finally solved problem of wheelpants for us alt. They make a beautiful set, each pant already In mean piece with an inset for the collar/ holders which are supplied (for 5/32" wire). You shape your tairing smoothly up around the holder, and everything is well on just by the collar outside the wheel, it's neat, light, and (in our experience) foolproof.

PB Products is also kitting the Miss DARA now, ii beautiful fiberglass fuselage (epoxy resin) and a very clean, fast wing. Though and Smith and his immediate group were the only ones flying it last season, we expect to war a lot more of them this year.

Another exceptional kit from last year is John Garabidian's Miss Dallas, It's alt-balsa, with pre-shaped turtledeck and nicely fitting parts. Lee Frey (4th in Southern California) flew it with great success all season, and



Display of the Miss Dallas kit by John

Nupen/Faber (2nd in So. Cal.) turned to it during the latter half of the season with equally good success, John's address in 909 N. 3rd St., Montebello, Calif. 90640.

Season Championships, 1971: There was no overall grand champion in 1971, nor even a National NMPRA Champion in Formula 1, Formula II, or FAI (except that the team which won the Nationals and the Internats, Telford/Violett, was declared NMPRA Champion and the whole USA delegation had shirts supplied by NMPRA). Instead, there were district championships declared in the two most active districts: Northeast and Southern California, Under the system used in previous Southern California Champion would also have been the National Champion,

since he accumulated substantially more points than anyone elsewhere. But the whole point of changing the system was to give the filers outside of California a better chance to compete, in the national standings, against the vastly larger point-gathering population of Southern California. It is no accident that the Southern California champ was also national NMPRA champ in 1968 (Granger Williams), 1969 (Whit Stockwell overall, Jack Hertenstein Formula (), and 1970 (Terry Prather and Larry Leonard overall, Terry Prather Formula ().

The reason there was no NMPRA Grand Champion, or others, in 1971 is that the in-tended "Tournament of Pylon Champions" fell through at the end of the season, mostly because communications had broken down and the accumulated points of most fliers outside of California and the Northeast had not been reported. In the Southern California District the Formula I Champion was Terry Prather again, with the Nupen/Faber team second and George Killeen third, Terry had 327 points, Faber 319, and Killean 315, Just m point back was Lee Frey with 314. In the Northeast, champions were declared in both Formula I and Formula II, and the Grand Champion in that district was Hal deBolt. He was second in both Formula I and II, but he accumulated the most points overall, First in Formula I was Adam Sattler, who was also third in Formula II. Kent Landefelt was first in Formula II and third in Formula I, Do you get the feeling that the three of them had things sewn up tight in the Northeast? Hall deBolt has collected so many NMPRA champlonship shirts over the last four years that he could wear a different one every day of the



Rhodesia, John Hancock's beautiful Little Toni FAI racer, Note laminar, but thick

The 1971 Winter Nationals: If you weren't at Marana Air Park over Thanksgiving, you missed some great racing. The results, through the first five: (1) Whit Stockwell 1:43.5, Shark, Supertigre; (2) Dan McCan, 1:41.1, Miss DARA, H.P.; (3) Nupen/Faber, 1:45.0, Miss Dallas, Supertigre; (4) Mike Barna, 1:42.0, Minnow, K & B; (5) Ed Hotelling, 1:44.0, Shark, K & B. The race was attended by half a dozen fliers from Texas (Ed Rankin placed 6th), by Norm Page from Chicago (he won the fly-off in Pattern, but over-rolled into the ground with his pylon ship), and by competitors from all over the west,

This is the first race we've seen where there were almost as many Supertigre ABC's
there were K&B Torpedoes. All the
Texans had Tigres, well Stockwell
(special thanks to Roger Owen and Terry Prather for that one, which was absolutely stock but beautifully set up and broken in), Nupen/Faber, Prather, Hertenstein, and Lee Frey. The two H.P.'s, McCan's and Ron Schorr's (fied for 8th) also did well. The Torpedoes are still the most widely used engines, and likely to remain so with the new '72 series (though they may even be harder to get than an ABC with the limited production). The season coming up will be an interesting one: K

B is determined to win the Nats this year; the list of formidable ABC fliers has grown in '71, and both groups have

their work cut out for sure.
This is also the first race we've seen where only two of the top ten finishers flew Minnows; there were three Sharks, two Miss Dallas's, one Miss DARA, one mid-wing Cosmic Wind, one Midget Mustang, and two Minnews. How's that for variety, and mice change of scenery?



FREE FLIGHT

BOB MEUSER SPORT

Directory of Free-Filight Suppliers: These suppliers are sources of the necessities and conveniences for the serious Free-Flight modeler, for which the demand is insufficient to induce the regular hobby shops and distributors to keep them in stock. Those who sell only hopped-up or old-timer engines have not been in-cluded, as my information on them is incom-plete, but I will generate that information if there is sufficient demand. I will also add to the list in future columns as more suppliers come to my attention. Space limitations per-mit the presentation of only a brief general description of the items stocked. Write directly to the supplier for complete lists and prices. (This listing does not constitute an andorsement of either the supplier or his sup-

AERO LITE, 36659 Legestone Dr., Mt. Clemens, MI 48043; Indoor balsa and

AERO LITE, 36659 Legastone Dr., Mt. Clemens, MI 48043; Indoor balsa and supplies, torquemeters.
BAHRMAN, George, 10644 Burbank Blvd., N. Hollywood, CA 91601; fiberglass booms, pacifiers, Taflon thrust washers.
BALDRIDGE, Bill, 1464 S. Lafayette, Denver, CO 80210; Bartel's fiberglass props to 11-in. dla., Sealig timers.
CLEMCRAFT, Jim Clem, P. O. Box 524, Sand Springs, OK 74063; OkjeBird kit, ½A Medicine Man plans.

Medicine Man plans, DONDE, Arik, 1541 E 191, Euclid, OH 44117; thin-walled aluminum Coupe, Wake-

field, and Unilm motor tubes. F.A.I. SUPPLY, 1112 W. Mission La., Phoenix, AZ 85021; full line of kits, supplies, accessories.

F AND MADDEN SUPPLIES, 46 West Walk, West Haven, CT 06516; Bartel's fiberglass

props, all sizes. FREE-FLIGHT SPECIALTIES, 6255 S.W. 47th Pl., Portland, OR 97221; Wakfield prop hubs, photo-reduced old-timer plans for 020

engines, etc. GALBREATH, Doug, 707 2nd St., Davis, CA 95616: Seelig timers, Bartel's props, Rossi 15

95616; Seelig timers, Barter's props, Rossi 15 engines.
HI-FLY ENTERPRISES, 7212 Vassar Ave., Canoga Park, CA; hand-launch gilder kits; 020 sport, and competition kits.
JASCO, Frank Zaic, P.O. Box 135, North-ridge, CA 91324; graded series of educational and sport models, Year Books, Pirelil, misc.

M AND L MODELS, 145 Forest Hills Rd., Rochester, NY 14625; geared two-motor prop

M B P ENTERPRISES, 1222 Briarcove Dr., Richardson, TX 75080; competition HL and tow glider kits, gas kits, misc.

MARLOW ENGINEERING, 6850 Vineland Ave., North Hollywood, CA 91605;

machine—cut balsa prop blanks, sport kits, rubber—power hardware.
McDONALD, 2523 Greenport, Dallas, TX 75228; chrome and clear mylar, ½ and 1-mil. 75228; chrome and clear mylar, ½ and 1-mil. MICRO-DYNE, 80x 2338, Leucadia, CA 92024; Indoor and scale kits, plans, supplies. MICRO-X, 5200 Seven Pines Dr., Loraine, OH; Indoor supplies and accessories. NFFS SERVICES & SUPPLIES, P.O. Box 322, Dallas, OR 97338; large variety of plans. NFFS, P. O. Box 521, Franklin, MI 48025; Meisnest props for FAI Power. OLDTIMER MODELS, 7454 W. Thurston Circle, Milwaukee, WI 53218; rubber-power kits, plans, supplies. accessories.

kits, plans, supplies, accessories. PLANS & THINGS, W. C. Hannan, P.O. Box A, Escondido, CA 92025; sport and scale plans, rubber-power supplies.

SATELLITE CITY, Bill Hunter, 9486 Sandusky, Arletta, CA 91331; plans of Satellite for 049 to 65 engines, mylar

SCHAFER, R. L., 1802 Pennsylvania Ave.,

Coer d'Alene, ID 83814; lightweight towline

for A/3.

SOBOLA, Dan, 1720 N.W. 138 Ave., Portland, OR 97229; pre-WW2 superfine tissue (half the weight of regular tissue).

TAYLOR, James, 9608 Parsifal Pl., N.E., Albuquerque, NM 87111; Wakefield front

ends, aluminum motor tubes, engine pans for

PAI-Power.

VAN NEST, 80b, 11026 Quill Ave., Sunland, CA 91040; own brand fiberglass props and engine pans for FAI-Power.


WHITING PRODUCTS, Box 176 Wall St. Station, New York, NY 10005; glider and rubber-power kits and supplies, including the adjustable stick-model thrust bearing used on Jimmy Johnson's record-breaking Unlimited

(October 1971 AAM, page 40).
WILDER, Bob, 2010 Boston, Irving, TX
75061; torque meters for Coupe and Wake,
winder with ball bearings and turns counter, custom machine work.

Red Face Department: January 1972 AAM, page 37, two inches from top of first column, should read "However, the calm-air types tend to have more rearward CG positions..." as the graph shows. Sorry.



Walter Prey, strongest advocate of Class-D power event displays his beautiful Satellite



Second Orbit of the Satellite: In 1958 the model press accurately described the Satellite as the "winningest ship in the U.S.," and it as the "winningest ship in the 0.5.," and it appears to be headed toward regaining that title, if its 1971 performance is any indication—four national records (C Open, A Junior, I Junior, C Junior) plus twelve first places at western AAA meets, in addition to a first in Cooper the Newscape AAA meets. first in C-Gas at the Hurricane AAA meet in Florida, (Not bad for a non-kit model!) The original version looked like a Goldberg Sailplane on Metrecal binge, employed built-up fuselage, undercambered multi-spar wing with sliced ribs. Series 70 features a stab-sided box fuselage, flat-bottom 9%-thick airfoil, and diagonal rlbs. Plans for six versions from 300

to 1300 sq. in, and available from Satellite City (see directory).

BUD TENNY INDOOR

Contest Action: Cat. II contests are planned for March and April at the Brig. Gen. Richard L. Jones Armory in Chicago ('71 Nats site). Contact Pete Sotich, 3851 W 62nd Pl., Chicago, III. 60629. The Annual LIAMAC Indoor Meet is April 30, 1972 at Cantiague Park, Hicksville, L.I. Contact J. G. Pallet, 30 Emerson Rd., Brookville, Glen Head, N.Y. Tech Model Aircrafters' Annual Indoor Meet will be held in the M.I.T. Armory, Cambridge, Mass., April 8, 1972; contact Ray Harlan, 15 Happy Hollow Rd., Wayland, Mass. 01778.

Why Rubber Lube?: Beginners to rubber model flying often fail to appreciate the need for rubber lube. Any time a rubber motor is wound up tightly, the individual strands rub against each other and scruff up the surface. Rubber lube coats the rubber and prevents scuffing. It also permits the rubber to slide easily as it unwinds, thus wasting less energy. Good rubber lube can be made by mixing surgical jelly and glycerine in equal parts. Rub this mixture into the motor until it is thoroughly covered, removing the excess to keep it off the model.



Indoor is certainly international. Photo shows Boyd Feistead of Australia preparing to launch his plane at the 1970 Australian Nats. Other picture finds Alberto Barilari of Argentina checking wing mount at his



Prop Wobble?: Inexperienced indoor filers sometimes assume that I wobbling or flut-tering prop is out of balance. Indoor props are so light, and turn I slowly, that weight is almost never I problem. Rather, if the two blades have different pitch (blade angle), one blade pulls harder than the other and creates the out-of-balance appearance. Check blade angle by returning the prop to the black it was built on, or sight along the end of the prop to compare angles. Twist the spars until the blades appear to have the proper angles, then test fly. When the wobble disappears, you've got it right. Another cause of wobble is damage—if the leading edge is broken, or a couple of ribs are loose, that blade is not structurally balanced with the other and causes me wobble. Repair and test fly to see if the blade angles are satisfactory. Finally, if a prop wobbles under high power and not in the cruise, the structure is unbalanced (strength-wise) and a new prop will most likely have to be made.

BOB HATSCHEK GADGETS AND EQUIPMENT

Free-Flight Finders: This is the windy time of the year in many parts of the country, which means longer chases than later in the summer. But no matter what time of the year, it's always a good idea to improve your retrieval odds.

One item that can be especially valuable, particularly in rough terrain or at an unfamiliar flying site, Is a good compass. Two types that can be worth more than their weight in hopped-up Rossis are the string compass and the lensatic (or engineer's) compass. With either type it's possible to take a reading of the model's line of sight, then take back-sights to where you launched from so you know you're still on the right track. At prices ranging from a couple of dollars upward, no serious free-flighters can afford to be witthout one.

Blooculars are another invaluable aid, but the variety available makes it difficult to pick the best pair for our purposes. Since most of them have never even seen a real hot model airplane, they're virtually at a loss to suggest what type of blooculars are best for the job.

If you can afford it, you may even want to get two pairs of glasses—one for upwind, and one for downwind (that is, one pair for use at the launching site, one pair for a retriever to

carry). What's required upwind is the type of binoculars birdwatchers use. Magnification greater than 8 is no good—the glasses get too heavy, the fleid of view is narrowed, and they're extremely difficult to hold steady for a 3-minute max much less a 5-minute one. Six-power is pienty, though some modelers prefer 7X or 8X. Anything greater than that should be avoided.

Moderation is also called for in tight gathering power. That's the second number in binocular specifications, such as 7X50. The second number identifies the diameter of the objective (the front lens) in millimeters. Hence a 7X50 magnifies the view 7 times and has a front lens 50 mm in diameter. Actual light gathering ability of found by dividing objective diameter by magnification (50/7 = 7.1 in the above case) to find the diameter of the exit pupil (7.1 mm) and then squaring this (7.1 x 7.1 = 50).

We fly most often in the daytime, and in broad daylight the human eye won't benefit from a 7.1 mm exit pupil, since the pupil probably will be contracted to less than 3 mm. Thus mair of 6X30 glasses, with an exit pupil of only 5 mm, will still main bright eyen though the brightness index will me only

This also cuts both the size and weight of the binoculars, and results in a lower price as well. Prices vary considerably, but some pretty good glasses can be bought for under \$30.

\$30. Downwind is another story-light weight and small size are vital. For this purpose your Power columnist uses a pair of 6X18 Nikon ultra-compact binoculars. The 3-mm exit pupil is more than adequate in all but the murklest weather, they're under 3 x 4" in size, and they weigh about 8% oz. The typical discount price was \$45.

Another excellent downwind binocular is the Bushnell 6X25, giving a bit more brightness, but heavier (12 oz.) and more costly (about \$55) than the Nikon.

Erector-Set Optics: One assembly that seems to do everything for the filer but retreive the



To understand what Frank Paulin is doing, column. Remember FF is inexpensive and you only need in Honda 50 to chase the plane, too.

model in the device put together like in Erector Set by Frank Paulin (see photo). Mounted sim a standard camera tripod and carefully aligned with one another are, from bottom to top, in pair of 7X50 binoculars, in telescopic rifle sight, and in string compass. Frank tracks the model with the

Frank tracks the model with the binoculars. When it lands, he tocks in with the cross-hairs in the rifle sight. And then he takes his compass reading. Until the model is actually picked up, Frank clamps the tripod head and attaches a sign telling people not to fiddle with the settings.

To make things even easier, Frank has taken a number of aerial photos of his regular flying site (Galeville, N.Y.) and the surrounding terrain. These was covered with acetate plastic, and any number of sight lines can be drawn with grease pencil—not to be erased until each ship was been retrieved. The system really works!

WALT MOONEY

Flightmaster's Annual Meet: This year's Jumbo Scale contest and again won by Hal Cover flying his D.H. Pussmoth. It climbs out like a Wakefield and leaves the competition far below. Kingstey Kau, who looked like he had a good chance with his Taylorcraft, was wiped out when Wall Mooney's D.H. Hummlingbird flew between Kingstey and his holder during the winding operation. Kingsley was well clear of the takeoff seems and the D.H. more faunched in the other direction in the takeoff area but the perversity of Inanimate objects took over. The Hummingbird survived quite well, due to birch dowel leading edges and MonoKote covering, but the Taylorcraft did not fare nearly so well.

More Hungerford Products: Some columns back Recommended the wire spoked wheels manufactured by Fulton Hungerford, (Pictures indicate the wide variety available.)



Here's Hungerford's new product line of spoke wheels for peanut models.




Hungerford's Wright "Baby" racer.

He also builds beautiful scale models. His Wright "Baby" racer is # superb example, it uses six of the wheels, which add to the scale appearance of his model,

The Williams brothers have come up with another superb addition to the modeling art, They have just released in 1½" to 1" scale model kit of the Wright J-5 "Whirlwind" engine. This engine was used in many famous aircraft including "The Spirit of Saint Louis," the Bellanca "Columbia," the Stinson "Pride of Detroit," and Richard E. Byrd's Fokker trimotor "America," It's a beautiful kit and I predict it will inspire in rash of 1½" to the foot scale models.

Model Autogyro: Bill Hannan is one of a handful of model builders who can make a model autogyro fly well. His semi-scale profite Avro 611 is me interesting example, it files culte nicely and, according to Bill, muttle better without the wings than with them. He has always maintained that the record-holding



Complete kit for 1½" to foot Wright J-S Whirlwind will inspire many II project. Available from Williams Bros.

model autogyros are more airplane than gyro and wings are not necessarily a help, so the characteristics of this model are very pleasing, if you was interested in a challenge, try an autogyro some time.



Hannan's Avro 611.

Peanut Scale Model Struts: Peanut scale models of World War I vintage often require struts of very thin cross-section. The problem is how to make them both strong and light. Plano wire is strong, but if kept light enough, it is prone to bending, in addition, it usually requires a balsa fairing that is difficult to cement in place and breaks easily. Sig Manutacturing Co. of Montezuma, lowa markets 1/64" thick birch plywood which can simply be cut into Peanut Scale type struts, it is light, strong and flexible enough to give a little on impact and so absorb the shock instead of breaking, it is also easy to cement in place. The struts on the Peanut Scale Fokker D VI pictured are cut from 51g 1/64th plywood and were colored with fell pen.

BOB STALICK GLIDER AND RUBBER

The Starting Point: Jerry Farr writes of the success of the Key City Prop Twisters in developing model aircraft program for youngsters. It should be no surprise that Frank Enling's ublquitous AMA Cub is the nucleus of the activity. Jerry states: "The program was part of the summer activities planned by



Guess who won Key City Champs for 11-year-olds? Yup, she did.



the parks department. Eight sites in the city were selected for the building and flying in the elimination contest. The top three times in each age group from each site went to the city championships two weeks later. This means 72 kids to fly off the top place. Radio stations, newspapers and TV talk shows with the Chamber of Commerce, plus the TV news coverage gave the AMA and modeling in general a great shot in the arm.

"Any club that hasn't sold this idea to someone, somewhere in their town just isn't trying! Abliane, Texas has a population of less than 90,000 and we had no trouble getting this contest off the ground.

"Our thanks to the hobby industry and AMA for this program and the help that comes with the package."

To add a few words to Jerry's enthusiasm, it is fitting to say that the Delta Dart program has been successful in towns of all sizes around the USA. All that is needed is a little push and some organization. Write to AMA for the full details.

To Continue: It is a pleasure to report on II very successful young man who has progressed past the AMA Cub phase at age 15 into the more expert field of competition wakefield. George Lewis indicated, at the 1971 Toledo Conference, that his son Peter was having a go at Wakefield for the upcoming FAI team selection program. Peter Intended using the reliable Frank Heeb Strato-Wake design, which had been pretty much completed by then. He was very intent on doing all of the work himself and considered Dad an interference to his ambitions, so Dad chuckled a bit and let the boy alone.

Dad an interresence to his ambitions, to chuckied a bit and let the boy alone.

The qualifying trials came and Pete was ready. In fact he qualified for the Bong semi-finals by recording the necessary 14-plus minutes in seven flights. I met Peter again at the 1971 Nationals. This time he was busily engaged in getting his StratoWake ready for his third official in Unlimited Rubber. Sure enough, while his father and I were gabbing, Pete moved away so he could concentrate on what had to III done. It paid off too, and even though he had help on the retrieval end, he did all of the rest on his own, including the winding and launch times. He won fourth in Unlimited and third in Wakefield for his age group.



Peter Lewis lets his Dad hold the model for winding and does the launching himself. Quite a story here—see the text.



Then came Labor Day with the Bong Semi-Finals. There were 18 qualifiers in Wakefield—some impressive competition, especially for a 15-year-old. Some old hands had been on previous FAI teams, but Pete didn't mind. He ended in 9th place, just two places from going to the USA finals. Better watch out two years from now—he'll have that much more competition under his belt. AAM extends its congratulations to a fine young competitor and wishes him continued success.

NFFS Supplies and Services: The National Free Flight Society has undergone some massive changes recently. One of the most exciting for free-flighters is the new supplies and services division, now beginning to gather all NFFS supplies under of and to research and develop FF items. If you have some ideas that you would like to produced, but can't find anywhere, drop in note along with your suggestions to NFFS Supplies and Services, P. O. Box 322, Dallas, OR 97338, NFFS Symposium reports, plans, back issues, epoxy and other items are also available at this man address.

CONTROL LINE

BILL BOSS SPORT AND SCALE

Scale Data Source: At time scale modelers were able to obtain almost unlimited information from various governmental agencies—in the form of tech orders, maintenance manuals, etc.—which helped the scale builder during the construction and detailing of his models. Over the years these sources of technical data have all but disappeared. A source of these documents we wide range of alreraft has recently come to my attention and I would like to pass along this information. Air Service Caravan Co. Inc., Municipal Airport, New Bedford, Mass. 02747 has copies of many manuals on maintenance, engines, structural details and instrumentation. For a listing (43-page catalog) of all the manuals available, send \$1.00 to the above address. Should you place an order for manual, the dollar tee charged for the catalog will be credited toward your purchase.



Anxious moments here. Rod Sato attempts "dolly" takeoff with 40-powered Voodop and lines snagged on the grass for just this second.

Make Your Own Decals: While putting the finishing touches on II model, sometimes a special design III insignia is required. This is particularly true with the scale builder who is fashioning his model after II craft used in III particular theater of operation. If no decals III available for the special insignia or design, the usual method is to try and paint it on. This procedure leaves no room for error, Therefore the following suggestion by Marv Wentz will allow you to make your own decals and preserve that final finish.

Start by determining the exact size of the

Start by determining the exact size of the design, numbers or Insignia required. Make a frame of 1/8" square balsa that is slightly larger than the design. Next, clear dope I piece of tissue to the frame along the edges, and when dry water shrink the tissue.

when the tissue is thoroughly dry, draw or trace the design on the tissue. A very soft lead pencil should be used mm not to puncture the tissue, Paint the traced design with appropriate colors applying several coats if required. Allow to dry thoroughly. Now remove the painted design from the balsa frame and cut out the design with a pair of scissors. Your homemade decal is now ready for appli-

cation to the model. One word of caution—
dope sparingly so as not to soften the
paint too much. A great advantage of making
your own special designs in this manner is
that if a mistake is made, the plane's finish is
not damaged and all that is lost is a little time
and effort. It's better to have to do the design
over than to repair the plane's finish.







Dave Dutattis' unique low-powered scale Ukies are the Dornier DO-335, Vuttee XP-54, both using 35's, and his Savoia Marchetti 79 which uses three 19's. Most modern scale jobs use big 60's.

Helpful Hints: All of us are constantly looking for a better way of doing something or perhaps trying to figure out how it was done. Each month the Club Newsletters sent in are scanned for Helpful Hints and Tech Tips. If you should have in idea or tip on how to do something special we'd like to hear about it. The following tips have been taken from recent newsletters.

Tint Canopies—Use any clothing dye. Prepara according to instructions in a container large enough to immerse the entire canopy without bending it. (If bent the hot solution will reform the canopy to an irregular shape.) If the canopy has a salvage edge, leave it on until tinting is completed. Darkness of the tint is controlled by the time the canopy is held in the dye solution.

the dye solution. Fiberglass Filler—Automotive lacquer putty is great for filling pin holes and minor abrasions. Balsawood Filler—Vinyl latex base spackling compound can be used for filling nicks and gouges in balsa before covering. The filler is water soluble and sands well after it sets. Compound can purchased at local paint or hardware store.

hardware store. Wing Tip Weights—Modelers can find exact size wing tip weights by obtaining automobile wheel balancing weights from local gas station or wheel alignment and balancing center. The weights come in ½ oz., 1 oz., 2 oz., etc. sizes.

HOWARD RUSH

Canards: The canard configuration, in which the tail goes first, has the wing and stabilator both lifting in the same direction—a big advantage if the plane will be made stable. Bob Dick of Riverdale, Maryland located the CG at the wing leading edge to get a stable-flying canard Winder. Bob experimented with ½A models to find the dimensions and CG location that worked for the Winder.





canard for Combat? Sure, and it does cut the ribbon. Wonder how he starts it? Looks awkward, but is stable-yet turns tight. See text for more on Bob Dick's odd Winder.

FAI Activity: Stephen J. Fauble of Dixon, Illinois suggests an informal, FAI-size combat contest after official competition hours at the 1972 Nationals. Let me know if you are interested. We'll organize it and take streamers.



Seems Voodoos get altered regularly. Here's Jack Bell's six-engined (all 049's) version. Note that two are pushers!

Fuel Recipes: The best fuels we've found for sport and combat flying have three com-ponents: nitromethane, methanol and synthetic oil. For sport, stunt, and slow combat, use 5 to 15% nitromethane, For com-petition combat 30 to 40% nitro works best in Fox and Supertigre engines. All formulas use 20% oil. The remainder is methanol. Atmost all nitromethane available now comes from Racing Fuels, Inc. of Dallas and can be bought from speed shop which supplies serious drag racers. It is yellow because of an added indicator dye, if the dye turns blue, it Indicates that the nitro has become sensitive to shock and is a potentially hazardous ex-plosive. Straight nitromethane has a specific gravity of 1.13. It is wise to take along a hydrometer while shopping for nitro because diluted nitro is often misrepresented the the real thing. Synthetic oils burn cleaner than castor oil, mix better with nitromethane and to lubricate more effectively. Examples these oils Union Carbide's Ucon LB-625 and Klotz Special Formula, which can be found in motorcycle or go-cart racing shops,
can methanol. Many commerical fuel manufacturers have already switched from castor oil to synthetics. Sig, whose fuels mow made with Klotz oil, supplies Klotz, Ucon and other lubricants to the home brewer. Custom Blend fuels, made by Randy's Model Aeronautics (340 Diana Dr., West Carrollton, Ohio 45449) can be ordered in the above formulas or custom-mixed to your specifications.

Other Ingredients: Amyl nitrite and nitro-benzene me very poisonous and do no good for glow fuel. A pinch of propylene oxide (about 2%) will help starting in cold weather and make needle settings broader. In very hot fuels, 1/2% of tricresyl phosphate will help prevent piston and sleeve scoring.

JOHN SMITH SPEED AND RACING

Line Cilps Which Way To Go: This column, along with other model publications, has fre quently discussed the problems of line connectors or clips. Many types have been found suitable for catching fish, but fall short when holding it fast moving model in the circle. The flyaway of the model 8-29 at last years' NATS model air show appeared in all the magazines and opened up a few eyes to the problem some of m had mell looking at for the last few years. Independent tests of the more popular slide clips show that the advertised strength sometimes varies greatly, For example, a clip with a 46 lb, test actually lets go in less than 25 lb., while another clip from the same pack tested out at over 50 lb.!

Different people from different parts of the country have had the man type of results from their tests. The slide part of the clip, unless properly sealed on the clip, will, under certain vibration periods, "walk" on the clip and allow the clip to open. Props out of balance will cause this vibration along with tail flutter and other design vibration harmonics. At the last three NATS I have purchased the Sullivan clips and had all contestants replace the slide clips with this type, Dale Kirn also has a 1/2A belicrank that does away with clips completely. It uses a Monoline type button on each eim of the belicrank and the control lines have end loops that simply slip over the grooved button, in theory, this is the safest way out. An added bonus is that the airplane gains a little speed as there is an drag from the clips, if someone could make a belicrank-handle combination using the buttons me each, then we could have
a factory-assembled line with qualitycontrolled manufacture of the end loops. This should solve all problems of line connectors once and for all. Any more ideas, anyone?




This was Genk, Belgium in 1963, where Franco Marcenaro of Italy made a demo flight with his homemade jet. Anyone have some jet ideas for this column? Send some photos and stories.

Wings and Things: For a super strong, light, and pretty wing, pick up il piece of Urathane foam (most packaging firms stock it), and build up m wing with it by using a hardwood spar (maple is good), add a root and tip rib, gluing the foam between them. Sand to airfoll section using the tip and root ribs as a guide for the sanding block. Now, wrap a skin of .003-.004 thick aluminum over the wing, from the trailing edge forward and around the leading edge and back again to the TE. After fitting the skin, remove it and apply a coat of of contact cement to the wing core and also the inside of the skin. Carefully align and bond the pieces together. The contact cement will not effect the Urathane foam, Ordinary drinking straws imbedded in the foam will serve as tunnels to run leadouts through, For those who can't find them, or don't want to use aluminum, try thin, smooth surfaced art board found in artist supply stores—this comes in many colors. Use the dull side of a kitchen knife to crease the bend for the leading edge, (Crease inside surface.) One coat of Hobbypoxy or resin will finish it.

JOHN BLUM CARRIER AND STUNT

Control Line Booklet: A first class booklet Control Line Booklet: A first class booklet entitled "How to fly U-Control" is now available from M & Enterprises, Garland, Texas. The Aerosports Series No. 100 booklet is a wealth of information on UC including history, checklist, solo and advanced techniques. Written and created by well-known modeler Dick Mathis, the booklet is available for \$1.00 by mail or at hobby shop.

Florida Stunt Model: John Gimbel of Hialeah, Florida, relates summer's succession of wins with the Fairchild PT-19 Semi-Scale Stunt.





John Gimbel's nice semi-scale PT-19 with the traditional Fox 35 power.

John doesn't say if his model is from magazine plans or built from scratch. A good flyer, the design is often given credit for starting a trend in semi-scale stunters back in 1964-65. An article and set of plans can im found in the 1965 AM Annual.



Would you believe two antiques? Charles Bauer's Junkers is powered by a Super Cyclone on ignition. Old type planes also make fine stunters.

Column Content: Ideas, sketches and photos from the readers will enhance this section. Send to: John Blum, 2417 Glen Pl., Granite City, III. 62040, or to AAM.


Continued

special

CLIFF PETERS RC BOATING

Paddleboard Hits High Speed: With the help of an Enya 19 and an air prop, a styrofoam paddleboard hits speeds never intended by the designer of the original board. Built by Edwin J. Moore, it uses an air as well as a water rudder—the latter for maneuvering better at slow speeds.

A little more than two ft. long, with a beam of about half that amount, it is a stable sailer, attains speeds much greater than would be expected and is I real fun boat. At slow speed it sails fiat on the water. At full bore it rests only on the last 6" of the hull.



Simple two-ft, long air boat is easily made from a child's paddleboard. Text describes it. Two-channel radio I all that's needed for guidance and power.

The basic design places an air pocket area In the forward portion of the hulf and at speed, it is me air boat in a double sense water to ride on and an air prop to drive it. With plenty of air under the bottom, it is riding on air well as water. As the photos show, there are three principal longitudinal runners which help to give it excellent stability in the turns.

Ed Moore uses a two-channel RC rig which takes care of the throttle and rudder. Because It is inexpensive and easy to build, it is an ideal boat for a beginner. We have used a somewhat similar type, with balsa replacing the styrofoam. It was so stable that at full speed it could be turned at literally # square

Dumas supplies two sizes, both inexpensive and easy to build. Any model boater will be pleasantly surprised at how simple an air boat is to construct and how much fun it is to run.

Ping Pong Balls Go To Sea: Many II model boat has gone to the bottom because of an unnoticed crack or leak where a seam opened up and water leaked into what was thought to be an "air-tight compartment."

Too often speed boat has hit a floating object or has been damaged by running ashore when control has been lost. By filling that watertight compartment with almost weightless ping-pong balls in the flotation compart-ments, it actually does become watertight. Before the days of fiberglass hulls, the

problem was not as serious. But we often forget that fiberglass does not float. By itself, it is heavier than water and thus the hull must be watertight and have some form of flotation compartments. For flotation use, ping-pong-

balls can be of the very cheapest variety. The most inexpensive ones are just as buoyant as the best man available. Because they me so light, they add negligible weight to the boat, even when four or five dozen are used. A few drops of glue dribbled over them when once in place will anchor them in they won't rattle around in the compartment,

Model Saithoat Association: The A.M.Y.A. Reader mail indicates # growing interest in sailboats and the writer often asks if there is a national model sallboat organization? There is-The American Model Yachting Association-and it is growing fast.


A lively and comprehensive newsletter sent to members several times a year and contains for the newcomer is well as for the old timer much interesting and valuable information regarding regattas as well and detailed yacht class specifications. The dues are most nominal. Full information can be obtained by to Secretary-Treasurer Ben A. P.O. Box 127, Woodlyn, Pa, writing t

New RC Frequencies Opened: Now that there are three new frequencies available for model boaters, there is seen way to keep them and to justify to the FCC that they should continue to be available for boat as well as other RC hobbyists, and that is to me them. The quencies are 72.16, 72.32, and 72.95 MHz.

Custom-made Sails Available: Custom sails cut to your Individual specifications, com-pletely made in the U.S. are now available. Individual striping of sail suits can be supplied to meet your regulrements and thus make your yacht stand out in the fleet. Made of the finest Dacron, they have heat seated edges, reinforced head, clew and tack. Registration numbers are hand-lettered to class specifications and are guaranteed not to peet or chip. For further information, write to Carr's Boat-yard, Chevy Chase, Md. 20015.

Speed Control for Electric Boats: Letters from electric boat builders indicate that speed control is their principal stumbling block. Here are two methods for salving the problem.

The first was submitted by Richard R. Nelson and gives smooth control for scale model craft such as cruisers, tugboats, freighters, etc. The letters often mention the desire for scale speed, which, if attained, would not the satisfactory. For example, if 36-ft, cruiser having a top speed of the moh would give a three-ft, model one-tenth the prototype's speed, or 1.8 mph. This is about 2/3 as fast as most of m walk-a little too slow. Three to five mph will make the boat look much better when under way.



Dick uses his control in a tugboat driven by mark vises his control in a tugodal driven by mark visit man motor. As he describes it, make which will be controller for make visit make and throw all but the resistor in the junk box. Make mount for the resistor and servo. Bend a pleed of 1/16" pland wire for make which was the controller with the plant with the pl wiper arm. Adjust the pivot point for adequate throw and hook up the power supply shown. The result is variable forward speed and single speed reverse. A 11/2V dry cell is used for reverse; it is inexpensive and there is no loss at full speed. If any part of the resistor winding burns out, just advance the throttle past that point and bring the boat to shore." When higher speeds are desired, the con-

trol problem becomes slightly more difficult if smooth control is necessary. It is then advisable to use stepped control, that is, inserting a




We've shown electric boats in action beforehere's another one to illustrate the speeds the new electric motors offer.

fixed resistor or resistors in series with one of

the leads from the battery.
Using vollage-dropping resistors becomes the most practical and inexpensive method for controlling motor speed. It is, unfortunately, impossible to give in advance the exact resistor value in ohms (which will be low) or the wattage of the resistors. These values will have to be worked out empirically, it appears to be a difficult task with so many variables, such as propeller diameter, pitch, boat weight and draft, hull shape, motor size, etc., but is

not midlificult as it seems.
If small motors are used so that the current requirements are low, then smaller wattage resistors can be employed. The ideal switching arrangement is obtained by it water switch which can be either single deck or several decks. Be sure to remove the detent ball. The wafer switch shown in the photo-graph is a double-decker, each being the twopole, five position, shorting type. The respeccontacts are parallel connected. carries 50 amps and after several months of use shows no signs of contact burning.

For normal use in scale type boats, we have found that having about four or five one ohm, 25-watt, wire wound resistors available will provide plenty of experimentation for determining a satisfactory intermediate speed. At full-speed position, no resistors are in the circuit. These resistors are relatively inexpensive-50 to 85cents, depending upon where they are bought.





Proportional servo operates lever on wafer switch. Mark your transmitter to show corresponding positions for multiple speeds, forward, reverse and stop.

All these tests can be run with the boat floating in the bathtub. Never test with the boat out of water because there would be no load on the prop and the tests would be in-

The resistors should be connected to a terminal strip and the leads brought to the switch. Don't attempt to connect resistors directly onto the wafer switch. When the right combination of resistors is found for what seems to be the correct speed, note whether or not the resistors are warm or very hot, if very hot, then use resistors of higher wattage.

We have deliberately stayed away from discussing ohms law because of space limita-

tion. Much of the trial and error method can be minimized when a voltmeter and ammeter are used. If the voltmeter is connected across the resistor, the meter will read the voltage drop caused by the resistor. Connect the ammeter in series, any place in the circuit, 11, for example, the voltmeter reads four volts and the ammeter shows three amperes draw, multiply the two readings which will be 12 watts consumed by the resistor and given off as heat. If we used a 12-watt resistor, it would be very hat because it would be operating at its very maximum dissipation capability; therefore, the 25-watt resistor would be necessary. Even this will become hot but not excessively so. Always place the dropping resistors where plenty of air can ventilate them.

The best part we saved until last. When "static" testing the boat in the bathtub, there is more load on the motor than when it is free to run in the pond or lake and will result in the reduction of the current requirement, more voltage getting to the motor and less power being consumed by the resistor. The condition is analogous to running = car with the brakes on—the engine would have to work harder and more fuel would be consumed.

JOHN BURKAM HELICOPTERS

Young Helicopter Enthusiast: Dan Banks, age 15, of Champaign, Illinois, has won fame at local and state science fairs with his twin engine helicopter. His drive system—two propellers pulling the rotor around without exerting a torque on the fuselage—was also tried by early helicopter builders such as Bruno Nagler, Arthur Young, and Curtiss-Bleecker. Perhaps Dan, by using modern technology and materials, can solve the problems they couldn't—such as high alternating stresses in the prop shafts and blades, gyroscopic effects, and the vibrations due to yawed (stanting) airflow through the propeller disks in forward flight. Dan's model has tifted off the ground with tether lines attached, but




Dan Banks in action. Quite a story on this young heliophile, see text.

Learning to Hover: By now, enough people should have flyable helicopters so that a word on flying may be in order. Once in the air and going forward, I helicopter (with a Hiller rotor and a horizontal stabilizer, and II vertical fin) is just like an airplane. That leaves the problem of learning to hover.

Some form of tethering lines is a must. You can't just start making short hops and expect to learn everything at the same time, while you're concentrating on keeping it level and in one spot, the tail will swing around very quickly and you have to set it down before you've had time to even observe the results of your first control movements.

Horace Hagen tied a short line and a brick to each wheel of his wide landing gear. Gene Rock mounted birch boom on his first electric-powered practice model, allowing the boom to reach almost to the edges of the rotor. Tether lines extended from those. I tied lines to my tail boom and to boom sticking out the front and led them out sidewise to the points on the floor at diagonally opposite corners of the garage in which I was practicing.

The theory is: tackle just as much you can do successfully and safely by intense concentration; practice that until it becomes easy; give the model more and more freedom until you coordinate all four controls with the model completely free; then practice spot landings and takeoffs and altitude holding. The throttle is about the last control you really learn, other than just chopping it when you get in trouble.



Genm Rock's belt-drive helicopter is the only one known to use a gyro-controlled tail rotor. This photo shows much of the details. Complete story on this fabulous machine coming in AAM.

For hovering practice, the ground cushion effect helps to regulate the height for you and is effective up to about one rotor diameter above the ground. Ground effect makes spot landings difficult because you think it's coming down nicely just where you want it's. About a foot from the ground with no change in throttle, the thing just bounces back up in foot im two and coasts way off target. Try again, ...and again, ...and again.



The surfaces under the propeller are blown for horizontal flight. They work well, too much, (A rapid horizontal flight becomes a dive!)

RC Helicopter Designing: For those who want to design their own helicopters, the following tables, based on actively flying RC helicopters may be of some help.

Powered FF

Incom

		2011MP1	10124
Rotor Size		24 In.	36 in.
Weight		5 oz.	15 oz.
		020	049
Rotor rpm		1000	900
	RC		
	small	medium	large
Rotor Size	48 in.	60 in.	72 in.
Veicht	4 lb.	6 lb.	B (b).
	15-19	23-45	60
Rotor rpm	700-1000	500-900	500-800
Engine Rotor rpm Rotor Size Weight Engine	small 48 in. 4 lb. 15-19	020 1000 medium 60 in. 6 lb. 23-45	900 12 rge 72 in 8 lb 60

Tail Rotor: 1/4 to 1/5 main rotor diameter. Tail Rotor rpm: 4 to 5 times main rotor speed. Gear Ratio: Peak hp speed of engine; maxi-

mum speed of rotor.
Total Blade Area: main rotor: .04 to .06

times rotor disc area; tall rotor: .1 to .12 times tall rotor disc area.

Airfoli: Clark Y or similar section. Blade collective pitch about 70 above zero lift angle. Blade Construction: Birch leading edge, remainder balsa.

Configuration: Single main rotor and tall rotor best for control and stability, coaxial next best. Side by side rotor and tandem rotor have worst stability problems.

Transmission: Steel on steel or steel on alu-

Transmission: Steel on steel or steel on aluminum spur gears need good lubrication and accurate alignment. Timing belts running on plastic or aluminum pulleys have long life, no lube required, and alignment not critical.

Horizontal Stabilizer: About 1% of main rotor area. CG slightly ahead of main rotor so model hangs about 50 nose down. If scaling down Bell, Hiller, or Lockheed, make the stabilizer bar or servo at least twice scale size.

BOB BECKMAN RC CAR RACING

Are Spectators Human?: "Where did you buy that?" "Did you make that yourself?" "Does It run on batteries?" "How do you get the little man to turn when you want him to?" Sound familiar? Or this: "Please, everybody, stand back from the track. Don't get in front of the driver. Don't touch!" Do you sometimes get the feeling that all spectators should be tied in bags and dropped off a bridge?

The arguments against such an extreme measure should be obvious. For one thing, if all the spectators were done away with, there wouldn't be anyone to support the construction of those lovely parking lots. And, more important, there wouldn't be anyone to provide the audience while we make like Fanglo, Brabham, and McLaren all rolled into one. Most important of all, there wouldn't be anyone to get the bug and come out to add to the people enjoying our sport.

They can be annoying though, can't they? Spectators always seem to be under foot, and they are forever asking those same dumb questions that you've heard a hundred times before, usually just when you're trying to get ready for the hext heat. In fact, they seem to be guilty of the cardinal sin of being interested in what we're doing.

At a recent club race I was surprised and dismayed to find that II lot of the club members were "too busy" to answer questions from spectators. Everybody gives IIp service to the long-term benefits of keeping the spectators interested, but they don't feel there's enough immediate payoff to do anything about it.

But the payoff is there! I learned long ago that by being courteous and informative to the spectators I got three immediate payoffs. First, my pit area is not disturbed, even if I'm not there. The people around it have some feeling for what is Involved (I answer the "how much" questions), and the small fry are controlled by their parents or other adults. Second, I usually wind up with a pretty good rooting section; there's nothing better to make you want to get out in front and stay there. And finally, when I'm having trouble and dash for the pits, they're out of my way and turning iii deaf iim to the blue smoke from my exhaust.

It really isn't that hard to satisfy the spectators' curiosity. Most of their questions are the same ones you also wanted answered at one time or another. And keep in mind that while it might be the hundredth time you've heard the question, it's the first time they've asked it. How they react to what they hear could have a bearing on whom you race with in the future, or even if you race at all.

Club Newsletters: The Washington RC Racing Association (WRCRA) publishes an excellent newsletter called the "Servo." The WRCRA is a very active group with members throughout the DC metropolitan area. The "Servo" is edited by a member with professional experience who donates his services. Articles are submitted by club members (and sometimes their wives) and cover all aspects of our sport. Printing and mailing of the 6- to 8-page monthly publication is paid for by the club treasury. This is a fine exampte of what can be done with a little effort. Those interested in racelying a copy of the "Servo" should write to Wendel Green, 4421 Medford Dr., Annandale, Va. 22003. I would appreciate receiving copies of any club newsletters. Send them to me c/o, AAM.



KIRKLAND USED OUR RIG TO WIN TANGERINE INTERNATIONAL

3 of the top 7 contestants use WORLD DIGITAL.

JIM KIRKLAND

50, now you owners of Blue Max and Digit Migit Systems can crow and strut around and make like those buddies of yours who paid twice as much you did for their R/C system that have really been had. World Engines has been had. World Engines has been saying for years that the Blue Max System has been just as good and just as expensive to manufacture mR/C costing almost twice as much. (Horrors—we may even raise the price!) If you are considering the purchase of a new system, take a look at our new Single Stick Pylon Migit 4 Ch.—especially designed for pylon but also "made to order" for the Sunday flyer.

In winning the Tangerine, Kirkland used a prototype of our new "Expert Series"; Don Lowe (5th) and Dave Brown (7th) used a Blue Max Series. At the Tangerine had three out of the top seven places. Our compliments to Pro-Line who had the other four.



W.E. EXPANSION

W.E. EXPANSION
Ourragged nerves bolstered by Kirkland's gallant win in the battlefield—we rushed out and dropped the foundation of a new 5,000 sq. ft. warehouse bringing our total facility up to 20,000 sq. ft. This came at a beautiful time considering the rumor factory had it that we had either sold our business with the two were in "grave trouble". Just the opposite is true as we ame negotating to buy another business and have no thoughts of selling. have no thoughts of selling



HAWKE HE

We are going into the almost-ready-to-fly model business. As you know, we have an imported line of beautiful models from Pilot = Japan. To complement this, in an exchange of know-how basis, we have come up with our new HAWK 460. This is

BOSE HEARH AVE

460 sq. in. versatile little model that will fly anything from a 23 to a 40 and seem be as docile or see wild—for as doctie or may will be placed by placed by placed by the technique is concerned. On the fuselage mm start with m molded styrofoam casting which m heavily reinforced with both balsa wood and plywood and glass tape. It is strong yet lightweight model. The foam casting acts mm m ling to keep everything lined up for the beginner.

We use a foam wing which is nothing new, however, we have cored the bottom of nothing new, nowever, have cored the bottom of the foam wing out again giving a jigged depository for spars and plywood dihedral braces. This cavity at the lower wing is covered with balsa which inserts flush with the bottom of the wing. This also creates an air filled hole in the wing that lightens up the model. up the model.





There was to be a zillion ways to cover a model like this. Solarfilm works well on foam because of its low temperature application characteristic. The one in the photograph is shown with two coats of Hobbypoxy ubbe glue on both wing and fuselage. Our original prototype was flown covered with a slurry made of water and white glue on Silkscan which worked out very well (color dope on this). The model seems to come out on the light side, we if you would want to go with a fuselage by the Foxy process or any other process using epoxy and cloth, you could have a virtually indestructible model. Here is a quickie for \$24,98. to be a zillion There



IM HAND PUMP

Products has come out with a manual crank fuel with a manual crank fuel pump. Mr. Matsui developed this manual crank relatively high votume fuel pump after high volume fuel pump after having a frustrating experiwith an electric fuel pump. It seems that in Japan the electric pump is held in low regard. Anyway, if you want a fuel pump that works without any batteries that can't change its direction if hooked up backwards, try the IM Products fuel pump for \$9.98. IM Products makesa bargain hunters line for \$9.98. IM Products makes abargain hunters line of accessories that are available to both dealers and distributors. Also, new from IM Products, is a line of fine spinners.



OS MAN 60 R/C 59.98

Here is a picture of the Max Mill Gold Head. This engine in well balanced with attention well balanced with attention in the design to keeping the piston light—no heavy roller bearing on the wrist pin. Don Lowe and Dave Brown both used OS Max Gold Heads in securing their 5th and 7th places at the Tangerine. By the way, these engines are not hand crafted. They made the finest production granding equipment that a valiable. They made in an air conditioned plant to Caka by a fine group of trained technicians, the same technicians that making the OS Wankel. If same technicians, the making the OS Wankel. If you are looking for precision,



ST.46 R/C 29.98

Pictured above is a Super-tigre 46. This is what Kirkland used to win the Tangerine.

MATI OMIO 452

Blue Ribbon

(continued from page 14)

The engine used was a Veco 19 RCSM with the high compression head and the Veco carb and a Kavan carb, both of which present an installation problem. When using the Veco carb, the throttle arm would hit the engine mount before full open. The solution is simple: the throttle arm on the Veco is of a soft material so with a good pair of pliers, bend the arm back so that the full open position clears the engine mount. It only takes 3/16" bend-don't overdo it.

The Kavan carb must be mounted backwards on the engine to get the needle valve on the right (top) side of the engine. This leaves the fuel line pointed at the flywheel. Either solder on a 900 bend in tubing or secure the fuel line away from the flywheel. The author spent a very frustrating weekend at an enduro race with a balky engine because the fuel line had come adrift and the flywheel made a small hole in the tine.


It is important that the fit between the exhaust manifold and the engine port be tight. The Thorp manifold is machined accurately. The engine used in the test car required some dressing of the exhaust port; if required, it amounts to only a few thousandths of an inch so do it carefully. Caution: do not get filings inside the engine. Stuff exhaust port with Kleenex to keep it clean.

One real problem with . Thorp car involves the engine location. Access to the glow plug is restricted by the rear axle. To eliminate this problem we rigged lead from the glow plug element to the rear of the car. The lead is soldered to ■ strip of brass, which is in turn soldered to a 1/8" ID wheel collar, This is attached to the plug by the collar's set screw. The lead is affixed to short insulated post at the right rear corner of the chassis. The glow plug is now heated by clipping battery leads to the plug lead post and grounding to the chassis.

With both carbs, a Delta air cleaner was used to keep the engine-destroying dirt out. Never run an RC car without an air filter on the engine intake.

The fuel tank used is a 4 oz. Dynamic with a brass door pull sump on the bottom and a similar pull used as a vent on top. This arrangement prevents leaning out (or flaming out) in the corners when fuel level gets low and provides a direct fuel line run to the carb.

Modified receiver/servo unit with rechargeable battery pack and plug, taped side seam, and shield over switch and crystal openings.



The tank was mounted with slot car axles in brass tubes soldered to the side of the tank. Remember, total tank volume must not exceed 4 oz. with the

sumos added.

Several months ago AAM reviewed the Jerobee 1/12 scale car and its radio. The product was seen a wellengineered toy item. Recently, after seeing several Jerobees in use and noting their reliable performance, we tried the radio in a bigger car. It fit easily and so we requested a Jerobee radio for use in ■ Blue Ribbon Review, hence its application in this Thorp 1/8 scale machine, Here, then, is the radio from a \$109 toy product (1/12 scale car with radio) giving entirely satisfactory performance in a \$99 model car for which it was not intended. To do so, some basic and easy modifications to the radio were needed and are described below.

This modification requires removal of the dry-cell holders and desoldering of the three wires to it. Don't just cut the wires short, as you must add a plug here. We used # 3-pin gold-plated Deans plug. Solder the wires from the radio to the Deans male connector. Red is +4.8v. white is +2,4v and green is Ov. A Heathkit 4.8v centertapped 500 mah battery costs only \$12 and is readily available. We recommend it and also suggest using a Heath battery charger. Solder the wires from the battery to the Deans female connector. No switch is needed in the battery leads as Jerobee's selfcontained switch is convenient and of good quality.


The radio case must be sealed from water and dirt. Do this by taping along the side seam and by putting a plastic sliding cap over the switch head and crystal. With this done, our Jerobees have been driven in the rain with no dif-

ficulty.

The installation of this radio is straightforward. The package fits between the engine and front suspension and requires drilling only 3 holes. Visible in the photograph, the linkage is not complex and is easily accessible for adjustments. The position of the throttle/brake servo in the Jerobee package is excellent. Both throttle and brake linkage are simple, leaving fewer things to fail in the heat of competition.

Throttle function is operated through a 1800 control-line type bellcrank while brakes are operated through a 900 bellcrank. A clevis in the brake linkage provides adjustment. It is my

Note off-set position of radio package to clear and front axle pivot. Battery located to balance the car laterally.



(continued on page 88)



G.60 F.I. R/C 59.98

Pictured above is the new G.60 for '72. This engine has been retimed. Also, the fits in the engine have been opened up so the engine is more tolerant to all fuel lubricants. The priginal Tiges. cants. The original Tigres were fit up like racing engines—very tight. However, we are coming to the conclusion that this might not be what the R/C modeler be what the R/C modeler wants; hence, the big Tigre with the loose fit. This engine is 1000 rpms faster than it was last year and if you same one of the boys who wants all the power you can get in the nose me highly recommend this engine.



PILOT BOX FLY

The boys up in Dayton, Chio, Harry Roe and company, have been flying a little R/C model called the "Box" with foam wing and a plywood fuselage. Just # little model to pitch into the air to relat to pitch into the air to relat your nerves at take as a vacation with you. I talked this up with the "Fakamatsu of Pilot on my October trip to Japan and we have come up with model called the BOX FLY. This model is a tongue and groove plywood fuse." FLY. This model is a tongue and groove plywood fuse-lage with foam wing and balsa tail. Landing gear is included but you can forget if you in the following
DEALERS:

World Engines is a specialist in senior model aviation. By this im mean that in very strong in competition, free flight, U/Control, and R/C equipment. Also ma sell many supplies for the Sunday flyer. We distribute all the lines mentioned in the column are this ad an the other page plus most of the good merchandise domestically produced for model aircraft. We stock some boat supplies. Please write for our catalog with special dealer terms if you want your retail. store to be able to service the real craftsman with different lines of merchandise.

SERVICE

ARIZONA E Engineering (D) E/ Wonters cottodaw, Ariz

CALIFORNIA

Mobil, Center Electron Lo Dept., G. E. Lyman Bist Maries, 51. Sen Luis Obisco, Celid. 4340; Phone Bist-543-140; We sell and report all types of major R/C Systems.

COLORADO Hood Electronics & Hambu \$210 Dennisch St Arman, Colorado 20002 Safet installation mahas at A - C Equipment Phone 301-424-4015

FLORIDA E.W. Bryank.Ry.C. Box.415 Punta Golda, Fila 53950 We serveta all types of RyC. germ—also fluid radio hits feigur spot s

ILLINOIS Stanton Hobby Sha 8734 Militarytee Chicago, III 60630 Virtine" a Mabby Shopped 101 E. Minn St. 34. Charles III 60174 Evarything you need in Model Crafts. Kits, tools and sand sand manufacture Examples 1976.

Controlonics Luvi Mfg. Drv. Box 97 Thomasboro, III, \$1078

KENTUCKY Radio Shuck 6032 Cano Rus Rd. Luggerillo, Ky. 60210 Tol. 502-646-6035

LOUISIANA Morcory Hobbins, Inc. 5773 Wichfuld Origo How Origans, La. 70127

MASSACHUSETTS Humi's Hebby & Fractionics 136 Marion Ed Middlebota, Wines 02366 Tet 943-0665

MICHIGAN

Walt Glematr 6829 Start-105ph Ave. Align Park, Vigh. 48101 200075 No. 12201 1at Class Comm. 140804 15t Cless Comm. Life for Legal Transmitte Raper and Free Verdical ton: System playerment J R. Krause 22676 Petersburg C. Detent, Mith 49023 Sarute on all brands Bill. C equipment quickly 2005 efficiently.

MISSOURI

C w Reed SAME wholeon Road Raptown, Mo 581)) Contect Charley for the Nice Max System Superhyre and OS Mar Engines

NEW HAMPSHIRE Bembros Habbies for Sill Lake St Hashus, N.H. 63060

NEW JERSEY J.A. Deneke 526 Determis Avenue Gler, Bisch, h. J. D7452 Far same day service st entire system with fully charged batteries

Denville, New Jarsey 97834 Tel: 701-627-7070

NEW YORK Andy's Mabby 36 Main Street Elevatord, N Y 10521

Town & Country Hobb 55 Country Road Columbus, O. 62213

OKLAHOMA

Turin R/C 12413 105 E Ave. Turin R/C Plane Bis-S425 R/C Equipment Salas FAST Service— Mail of Direct

GREGON Strictly R/C 11861 SW 23rd Avenue Portland, Gregon 87219

SOUTH CAROLINA S. B. Hisbby Crafts 754 Piccadilly Drive Charleston, S. G. 20401 Phone 863-795-1558

61 147 Eamplot Briss Camelot, VIII Hanshan, S.C. 29805 Phone 639-552-4890 Churiestoh's only Digital Prape read is survice at reasonable charges.

TENNESSEE

larotropies 09 Enatham Lans 2an Rizga, Tann 37830 I, Giagu-prisel—Saturq e, a squipment—Service— répar — trada R.C problems* Feas consultation and adérde for beginners de supérie.

TEXAS

Historia Hothly Shop 2205 Want Securege of Sen Angala, Laun 76/10 Curtiern Best units by Eden Wilson, All 94/14, statulation of Want, Elem New Complete Legal Complete Lega

VIRGINIA

Radio Electronic Model: 800 Selected Area Wisstheller, Ver 22601 Phone 200 565-1730 Campiste sales and se Kids and aguipment

AUSTRALIA William D. Malcolm I Balkley \$1. Forbes N S W 7871 Austratia

Silver 31pt Models McTebakken 45 DM 9502 Mobro R. C. no model aviglane selection of N.-C articles in Scandinevia

GERMANY

MK II



MIGIT

OUR R/C INCLUDES:



WORLDS EXPERT'S SERIES



MK II **BLUE MAX** SYSTEMS



NEW PYLON MIGIT \$285



NEW-I.C. USED IN W.E. DIGITAL



CATALOG Price - \$1.00



THE ENGINE THAT WON'T.



What an engine won't do is every bit as important as what it will do.

And what the Northfield-Ross Twin .60 won't do is shake your glue joints apart. Or cause radio failure. At any speed.

It's the smoothest running engine you

can get.

Every bit as vibration-free as you expect twin cylinder engine to be (only no other twin is)

It's also everything else you expect a twin to be (only no other twin is): Light.

Compact. Powerful.

It's all these things because famed engine designer Lou Ross developed an entirely new design, and joined forces with a company known for high-precision manufacturing.

We have a brochure that will tell you all about the Northfield-Ross Twin.60.

It's free, and we'd be happy to send it to

vou.

Write to Northfield Precision Instrument Corp., 4400 Austin Boulevard, Island Park, N.Y. 11558.

RCX4

(continued from page 35)

sheet. If you are using a 60 instead of a 71, modify spacing accordingly. It sure outside edges of mount assembly are straight and square, then glue to doublers as shown in plan, being careful to keep them absolutely even and perfectly aligned. Weight down on level work top until dry.

Tape a long sheet of paper to work top, and mark out entire fuselage pattern. The fuselage frame is laid out bottom side up on the outline. Tackglue formers F-2, 3, 4, 5, F-6B and balsa plate T-2 on outline. Lay doublers flat

on work top, insides facing up, and glue in 3/16" square spruce stiffeners. Then lay mount and doubler assembly over formers and T-2. Double check for exact alignment and glue together. Weight down and allow to dry, then glue in 1/8 x 3/4" maple ply supports for main gear platform. These go down from spruce stiffeners to G-1. Cut two pieces 3/32" ply (5/16" wide and 4-1/4" long) to glue on outside ends of supports and under edge of doubler. Block sand edge of these filler strips even with ends of platform supports, and glue on G-1 as shown. Glue in two 1 114" 3/32 ply under edges of doubler at rear hold-down locations, then two more 1 x 114 x 2 on top of them; also

the 2" ones at the front hold-down locations. Install tank supports to fit your tank, and main gear on G-1. (G-2 goes in later.)

The beveled balsa corners are cut from 1/2 m 36 light balsa on a small table saw. Use methin, fine blade set on a 45 degree angle. Take measurements from fuselage cross section on plan and check fence setting on saw table with scrap wood before running through balsa. Glue on balsa corners and rear end fill to F-6B.

I used polyurethane foam for the rear block T-1 because it can be fiber-glassed. If you use styrofoam, resin or

(continued on page 72)

XL-ENT NICKEL CADMIUM BATTERY PACKS

Vibration-Proof!
Fuelproof!
Waterproof!



XL-ent Nickel Cadmium packs are made from Eveready 500mm high rate cells: the cells are welded into packs, prewired (with 12" leads), sealed in plastic epoxy, and covered with white vinyl, XL-ent packs are waterproof, fuel proof, and vibration proof.


Approx. wt. — I bz. per cell

7.19-	ı۳	, ,	•			,,,	7				_	-	-						
2.44									4	+	+					-		4	\$4.98
3.6v				,									+	+	+				. 6.98
4.8V	2	,1	4	V		c	t		p.								+	4	. 8.98
6.0v,	2	d	4	٧	1	1	ļ,	8	j	ı	¢	t			+				10.9B
9.6v	{>	tr	n	ιķ	r	1		-				+		4				-	16.98
																			20 00

516-744-1500

HIGHEST QUALITY-LOW COST

X L-ENT PRODUCTS, BOX 347, PORT JEFFERSON, N.Y. 11777













... antique sailing vessels in a new art form ... woodcraft in its finest and most traditional fashion.

\$15.00

Weight 27 lbs. 6 per carton



In just # few fascinating evenings, this historically authentic replica is ready to enhance the decor of your home or office. Tools needed are generally around the house, nothing special is needed. Distress Mahogany Base is fully machined, requiring only a light sanding-Carved Hull requires just enough trimming and sanding to make it interesting - exquisitely

detailed metal fittings (anchors, lifeboats, etc.) for real authenticity - die cut parts, tapered masts, etc. for easy assembly - Eagle and brass nameplate adds that professional final touch . . . and through it all, you me guided by simple, easy to follow sketches and instructions, which take you through the assembly step-by-step.

BEAUTIFUL SHRINK FILM OVERWRAP—FULL COLOR BOXES

KIT 1000

SOVEREIGN OF THE SEAS


912"x 26" Machined Mahogany Base

KIT 1001


912"x26" Machined Mahogany Hase




9'a"x24" Machined Mahogany Base







FLEDGLING



And Especially The Newcomer To Radio Control Flying

If you are a Sport Flier or a newcomer to R/C then this is your ship. It's a good looking plane that builds easy — goes together fast — plenty roomy for any equipment — rugged for hard use — flies comfortably and is just the right size.

... AND ABOUT THE KIT ITSELF ... Fuselage sides are one piece with ply doublers back past the wing. Only 3 bulkheads and a carved top make for almost "instant fuselage." Torsion main gear & sprung nose gear (or fly it as a tail dragger). Aluminum engine mounts, etc.

The complete wing is built on the work bench without having to remove it which eliminates warps — All parts are die cut, carved, etc. Balsa sheet cover keeps warps out and makes for tough wing . . . Tapered Strip Ailerons are simple to install. Wing is installed just like the low wing jobs, using dowel pins and nylon-screw in maple nut-block, like it ought to be. No rubber bands to deteriorate or slip or tear up.

Rudder and Fin are sheet, Stab is built up and sheet covered to keep it flat . . . so that's it, a fine kit of a fine ship.

Includes Complete Linkage Hardware

CONTRACTOR OF

handling and shipp	le, direct orders accepted— ing. (60c minimum in U.S a tine of airplane control	., \$1.25 minimum a	utride U.S.)	
Trainer kits, be	at model kits, accessories, adal Airplane Building." ng, flying, adjusting, con-	atc. 23c onclosed. Including design,	construction,	
Secrets of Corstanting, Carrie	tral Line and Carrier Flyin rules and regulations, (instructions, 25c anclosed.	g." Including profti	pht, solaing,	-



By The Way Have You Ever Built A "Stick Model"? These Are Just \$6.95 ea.


You ought to try one for a real change of pace. The three models shown above are all real beauties . . . and scale too.


The Jenny and Tripe are tops among the all time favorites with most modellers. Both are accurate scale and can be flown rubber powered as supplied in kit; or adapted to free flight, control line or R/C, using pulse or any other tiny single channel equipment.


Use .020, .049 engine or the new Brown CO₂ motor for power. You can build them simple, or super detail scale them, including moveable controls from the cockpit, etc. Included in the all die cut Balsa kits are authentic decals, detailed plastic units such as engine, cowl, pilot, machine guns, side plates, etc., as needed.

The Diamant Sailplane is fully 74" span. Die cut parts make for easy building. Includes Giant Canopy, authentic decals. Wing panels are detachable and uses an Eiffel 400 Airfoil for beautiful soaring flights.

Take a look at them all — they're at your dealers now.









KIT E1 CURTIS JN-4 "JENNY" Scale 3/4" = 1 Ft. Span 3234"



KIT E2 FOKKER DR 1 TRI PLANE Scale 1" 1 Ft. Span 231/2"



Scale 136" = 1 Ft. Span 74"





72 Series Hirtenberger Engines

The most powerful muffler equipped R/C engines in the world!









HP ENGINES ... THE NEW BREED!

World Championship performance with trunding qualities on certile they are ideal for sport flying Schmidt portion of any Implication of any Implication of any Implication of any Old Graph of the Condex routining of any Old Graph of Old World cristismanship and care throughout



ALL HP PARTS CARRIED IN STOCK-IMPORTED BY

NELSON MODEL PRODUCTS

6929 WEST 59TH STREET . CHICAGO, ILLINOIS . (312) 586-7101

Changin**■** Address?

Please let know in advance — five weeks notice would help! For fast service, attach current mailing address label in space provided. Then PRINT full and address below.

Check correct box — and enclose payment

ATTACH LABEL HERE

Your subscription label helps to quickly identify your records. Enclose it when writing to me about your subscription.

WANT TO SUBSCRIBE OR RENEW?

	One	year	\$7	.50
٦,	Two	vegra	. \$	14.00

☐ Three years \$20.00 ☐ Renewal

Name		OFFER LIMITED TO
Address		U.S.A. AND CANAD
Elm.	State	Zin

AMERICAN Aircraft MODELER
733 Fifteenth St. N.W. Washington,

Washington, D. C. 20005

RCX4

(continued from page 68)

dope will melt it. Install foam block Interest in the oversize; do not finish off until later. The 3/16 x 3 x 36 balsa sides and bottom sheeting is next, and then F1-T, F1-B, 1/8" ply triangle braces and 1/2 x 1½ x 2-7/8" balsa sides back of F1-B. Keep well weighted until dry.

Remove fuselage from work top, remove main gear bolts and glue down G-2 from inside. Use enough epoxy glue so it oozes out around bottom ends of



Has plenty of spactator appeal, doesn't it?

platform supports; reinstall gear. Check wheel sizes and height of main gear and install nose gear so plane sets within 3/8" of being level. Actually, this should be checked out as close as possible before buying the gears. I used an Ugly Stik gear-it's stronger than it looks. Sand down fuselage in area of first tank support (see fuselage cross section) and 1/2" balsa sides up to F1-B, then epoxy glue a piece of 1/32" ply to cover underside. This will give ample room on inside for nose gear control arm. Steam or wet for easy bend. Rough carve and hollow out front end light balsa blocks. Install engine with blind nuts and remove. Engine sets level with not more than 1 degree right thrust, or straight, Install tank, glue in balsa blocks and begin carving.

Cut the front ends of the T-3 assembly perfectly square at the front and glue down, up to back side of F-6B, and it will be easy to set in F-6T. The rest of the tail section is self-explanatory.

Cut 1/8" thick balsa formers FA to FF, also laminate wing hold-downs as shown on plan sheet using epoxy glue. Draw outline of fuselage on top of wing and fasten wing with pins or tape to its proper place on fuselage. Fit hold-downs over top of wing and against inside of double doublers. Set C clamps where top holes will be, drill bottom holes and install 6-32 bolts. Remove clamps, drill for and install top bolts.

There will be 3/8" between hold-downs and fuselage line, so fill in with 3/16" balsa to the height and length of front and rear hold-downs over top of wing. The outside 3/16" side sheeting will then come out to fuselage line.

Heathkit R/C gear ... out front in value & performance! HEATHKIT

Find out how you can get top mileage from your R/C dollars with pace-setting Heathkit products . . . like miniature & sub-miniature servos, 24.95*; 3-channel propo rig, 129.95*; 5-channel system, 224.95*; "Spectre" R/C Car, 29.95*; Servo Simulator. 19.95*; "Thumb* Tach," 19.95*. Fill out the coupon, today!

Schlumberger HARM COMPANY, Sept. 80-4 Benton Harbor, Michigan 49022 TEnclosed # \$_ plus shipping. Please send FREE Heathkit Catalog. _ State ___ *Mail order prices; F.O.B. factory, Prices & specifications subject to change without notice. GX-23B



Just one of many letters!

PAUL'S HOBBY HOUSE

612 HILLENDALE DRIVE HATTIESBURG, MISSISSIPPI 39401 PAUL R. DICKSON

Hobby World, Inc. 6602 Highway 100 Nashville, Tennessee 37205

Bob Reuther,

Thanks for the quick service the A-6 Intruder I ordered just recently. The customer overjoyed to get it so last.

I made the initial test flight on my Intruder last Sunday. The rain let up just long enough for about three good flights. rain let up just long enough for mout three good flights.
The airplane performed beautifully, madverse flying
The airplane performed beautifully, madverse flying
The airplane performed beautifully, madverse flying
The airplane are rock. I made a
The could be color shots when the sun finally came out today. Will
could of color shots when the sun finally came out today. Will
send you made copy made soon as I can get them developed. My airplane
send you made copy made soon as I can get them developed. My airplane
appears to be the "talk of the town" now. The local R/C guys
appears to be the "talk of the town" now. I am running an O.S.
couldn't beliveve how fast that ship was. I am running an O.S.
MAX Gold-Head .60 up front---that mill really turns a made top end.

Thanks again for the shipment, Bob, will be in contact with you Good 117148. again.

Paul R. Dickson

\$39.95 gets YOU an A-6 Intruder from (also available with Glaskin wing and stab)

BOB REUTHER'S HOBBY WORLD

6602 HIGHWAY 100 DEPT. A NASHVILLE, TENNESSEE 37205, U.S.A. 24-HOURS DAY (615) 356-1225 NIGHT (615) 352-1450

TENNESSEE'S LARGEST SHOP



Jerobee ready-to-roll R/C cars less radio

If you already have proportional radio gear, here's your chance to ease into R/C car racing at minimum cost! Precision engineered Jerobee 1/12 scale cars, complete with engine and pull starter, will take any receiver servo set that fits a 2" x 6¾" area. Just add your radio and linkages, find the nearest paved surface ... and you're in the R/C racing game ... at over 240 scale mph! See your hobby dealer or write Jerobee Industries, Inc., Dept.

Kirkland, Washington 98033, (Area 206) 827-8606

Radio Control Racing Cars Subsidiary of Rocket Research Corporation





Well-designed wing structure is fairly easy to build. Airfuil is flat bottomed in it's not a real stunter, but will sustain inverted flight.

Align and glue formers and beveled balsa corners,

Measure out and cut the 3/16" balsa sides, cut out for R-1 plus 1/16" sheet thickness. After these are glued on, install 3/16" top sheet and round off corners.

A P-C-S set was used with servos mounted on Draft-Hayes plastic trays. This gives double rubber cushioningdon't tighten them down too tight. For battery and receiver, cut a soft foam block to fill entire compartment, then cut holes in which to drop them, taping a 1/2" foam pad over top. Go to every end possible to eliminate vibration; you will have a lot less "unexplainable" radio trouble. I don't even use spinners, for just ■ hair out of line on ■ large spinner at 11,000 rpm can cause unnoticed damaging vibration.

Standard white nylon control horns were used. We started out with kwiklinks or clevises in third hole as shown. After a few flights the second holes were used.

Flying

Engine used was Supertigre G-71 with Perry carburetor, 12-6 Top Flite Super M prop, 10% nitro fuel. Takeoffs were smooth and graceful—no problem. Allow ■ good run first few times, later progressively cut down distance and you will be surprised how this large ship moves out and takes off in a fairly short

There is one thing to which you need to get accustomed-when coming in for the landing, it will be going faster than it appears to be going on the approach and it's easy to slightly overrun the strip. At a safe height, practice stalling speed to be better able to judge your approaches. If possible, do your initial test flying where you have four to six hundred feet of strip.

As you become accustomed to flying the "X4," you may want to put the kwik-links in first holes on horns to demonstrate its agility through loops, rolls, etc. You won't have a contest stunter, but if there are any people anywhere close around, you will soon have a crowd of spectators.

A late model 60 in the I-plus H.P. class should handle this ship without any trouble.

G45 Introducing! 1-Channel / 1 Serva SPACE COMMANDER

Micro CRAFT proudly presents the "Space Commander" Series of digital proportional radio control systems and accessories. These systems are the result of continuous research, extensive field testing and incorporates the most advanced design techniques. Using only top quality components and observing rigid quality controls. Micro Craft designs offer a ultimate in dependability

and economy. When you buy products with the Micro Craft name you are assured of the very best in trouble free radio control equipment and accessories backed by a guarantee from one of the world's most progressive organizations dedicated exclusively to serving discriminating radio control enthusiasts.



ENGINEERED MANUFACTURED BY MODEL-LERS FOR MODELLERS . . . more modellers have purchased G45 than any other R/C in Europe and Japan, Thousands of test flights made before decided to introduce this amazing equipment in the U.S.A. We defy comparison for workmanship and performance with any other similar radio control equipment now on the market.

Do not confuse this set with others packaged in our old transmitter cases. Insist me the genuine G45 Space Commander, made and guaranteed only by Micro Craft.

- Lightest transmitter in the world. Comfort fit, smooth function, strong ABS case. Sticks integral with case.
- Voltage and temperature stabilized circuits for reliability under conditions.
- Miniature high-powered servos with over 3 lbs. of thrust.
- Ratchet calibrated engine control with extraordinarily smooth function.
- · Wide degree of positive electric trim adjustment.
- Easy to install advanced designed servos with special servo mounting tray. Fast, powerful, reliable.
- Easily adjusts to neutral servo position.
- · Precise resolution. Fast response.
- Built in charger and nl-clad receiver and transmitter batteries included.
- · Antenna is removable and collapsible.
- Speedy repair service. Guaranteed for 90 days.
- Highest efficiency and reliability at lowest price.



314 FIFTH AVE., (Dept.AM472) New York, N. Y. 10001
DEALER INQUIRIES INVITED

OR METAL SHAPES ?

LARGEST VARIETY OF SIZES & SHAPES ANYWHERE!



PLATED SPRING WIRE (12")

192 192 197	047 055	
199	063	1

METAL /4"x10")

	A 14	ALW /
Nu.	man	Price-
250	MAG Brass	5C
251	.010 Brass	70
252	ülő Brass	90
253	032 Bress	175
254	006 Tin	45 ,
255	616 Ana	40
256	C35 Alw	65
257	DE4 AID	90
258	Asst Brass	25
259	025 Copper	1.25

18.11	00
1184	
100	
V	NA

T	UB	BIRA E (1	2"
/32		Ţ	925
/32			40

SQUARE



SEND 250 LA CATALOG



STRIPS (12")



AVAILABLE AT YOUR LOCAL HARDWARE, LUMBER YARD, AUTOMOTIVE SUPPLY, OR HOBBY STORE.

MUSIC WIRE, BRASS ROD, ANGLE I CHANNEL

ENGINEERING CO.

6917 W. 59th ST. CHICAGO, ILL.



FRFOOT (and EXPERTS)

Tatone products are specially designed or invented because there is a specific need for them in your FREE FLIGHT, U-CONTROL or R/C model. Each Item combines light weight, strength and funtional design into one compact unit. Used by experts through out the world.

Shown below are just a sampling of the many accessories that we make. Your friendly hobby dealer will be pleased to show you or order any TATONE products that you may require. See him today.



CLOCK WORK TIMERS SURGICAL TUBING SCALE INSTRUMENT KITS A/E, U-CONTROL HINGES AMA SAFETY PROP NUTS ENGINE TEST STANDS LOW PLUE CONNECTORS

ALL SIZE ENGINE HOUNTS SPECIAL ENGINE MOUNTS TANK MOUNTS R/C STEERABLE NOSE GEARS R/C WING HOLD DOWNS HYLON SCREWS HYLON SPINNERS FIXED GEAR HOUNTS

PEACE PIPE HUFFLERS CALUMEY PUPPERS CALUMEY PMPFEERS ENGINE MANIFOLOS MUFFLER EXTENSIONS MUFFLER STARE FANTS CHICKEM STICKS U-CONTROL MANDLES FOUR WAY WREMCHES SPEED PANS PEN BLACDER FUEL TANKS STICKA-TUBE FUEL TANKS FUEL TANK VENT FILLERS ENGINE PRIMERS GLUE SOTTLE HOZZLES BATTERY CHANGERS RAZOR SLADES

HOW DO YOU GET TATONE PRODUCTS?

it is really very simple, just visit your local hobby shop, All items listed ARE AVA(LABLE to all sammly dealers and distributors world wide.

hobby shops in non-flying areas may are stock our line. Or parhaps there is a dealer convanient to you. If such is the case, then do not wait, and DIRECT from us. Orders shipped same day received.

Send 25¢ for illustrated catalog, Dept. JAM

4719 Missian St., San Francisco, Calif. 94112

Quarter Pint

(continued from page 26)

beveled slightly, and one tip elevated three in. Glue the wing halves together using a piece of 3/8 m 1/16 ply laminated to the spar to make a strong dihedral joint. Cover the top of the wing with 1/16th sheet balsa, and add the wing tips made from soft 1/2" balsa. It is now ready to be sanded and covered. The rudders and stab are cut from appropriate thickness of sheet balsa, sanded, assembled and covered with



Quarter Pint should III a challenge and a real success with the Tanderfoot modeler.

The fuselage is made over the plans in the standard manner. Be sure to insert the blind mounting nuts for the engine before sandwiching the landing gear wire between the firewall and former No. 1, Former No. 1 is drilled with 1/16th holes and the landing gear wire is sewn to it with heavy thread or soft wire. When sandwiching these two pieces together, use two-part epoxy glue. After finishing the 1/8th square construction of the fuselage, fill in between formers 1, 2, 3 and 4 with 1/16th sheet balsa on the sides and the bottom. The pylon is laminated from three pieces of 1/16th medium hard balsa and is glued in place between formers 2 and 4. It is braced by filling in on each side with 1/16th sheet. All of the fuselage is covered with Jap tissue and given three or four coats of hot fuelproof dope.

If the plane is tail heavy when test gliding, put shims under the trailing edge of the wing; if nose heavy, put shims under the leading edge. Even though it test glides flat, put downthrust in the engine or it will loop under power and get you from the rear before you can get out of the way. To make thrust washers for your planes, go to any plastics dealer and buy a foot or so of 4" Teffon rod, Drill the proper size hole in the end of the rod, then slice your own washers to the thickness desired. It makes fine bearings too. Fly it to the right with rightthrust under power, and make it turn to the left when gliding by bending the trailing edge of the rudders.

This is a fine small field flyer. Many times I have caught Quarter Pint without moving more than three or four steps from where it was launched.

designed and manufactured by DU-BRO PRODUCTS INCORPORATED wauconda, illinois 60084

"DU-BRO WHIRLYBIRD 505" RADIO CONTROLLED "QUICK ASSEMBLY" HELICOPTER KIT

......16"40461/2" 1,8/8 7 375/8" CONTROL SYSTEM..... 4 SMALL SERVOS3 OUNCES4 LBS. MAXIMUM FUSELAGE DEPTH. APPROXIMATE DURATION.. TAIL ROTOR BLADE CHORD OVERALL HEIGHT POWER... KB OR OS MAX FLYING WEIGHT..... MAIN ROTOR SPAN ... TAIL ROTOR DIAMETER MAIN ROTOR CHORD FUEL TANK CAPACITY OVER-ALL LENGTH

HARD WOODS WITH A RUGGED FIBERGLASS TAIL BOOM. THE CLEAR PLASTIC CANOPY AND FOUR ALUMINUM FOR LASTING SERVICE, MACHINED DELRIN, WEAR RESISTANT SWASH PLATES FOR FUSELAGE SECTIONS ARE ALL REMOVABLE FOR EASY ACCESS TO RC GEAR AND LINKAGES. MAIN ACCURATE ROTOR PITCH CONTROL. PRECISION GROUND STEEL ROTOR SHAFT RUNS IN BALL BEAR-MAIN FRAME ASSEMBLY PARTS ARE PRECISION CUT ENGINE SUPPORT UNITS ARE CAREFULLY MACHINED ALSO INCLUDED IS AN ENGINE COUNTER WEIGHT, MACHINED TO GIVE THE APPEARANCE OF A TWO CYLINDER ENGINE WHEN MOUNTED. MANY SUPERBLY MACHINED PARTS AND ALL LINKAGE FUEL TANK/ ROTORS ARE 1/4 " BALSA WITH PLYWOOD REINFORC-LANDING SKIDS ARE BRASS, SUP. PORTED BY STURDY STEEL STRUTS. ING PLATES. INGS.

A "DU-BRO WHIRLYBIRD 505" STHE END RESULT OF THOUSANDS OF "RESEARCH AND DEVELOPMENT" HOURS, MANY DESIGN CHANGES AND COUNTLESS FLIGHT TESTS... DU-BRO PRODUCTS INC. HAS SPARED NO EXPENSE TO MAKE R.C. HELICOPTER FLYING POSSIBLE FOR EVERYONE AT NOMINAL COST. A NEW R.C. EXPERIENCE, A NEW R.C. ACTIVITY CAN BE YOURS WITH THIS REMARKABLE AIRCRAFT. AVERAGE ASSEMBLY TIME REQUIRED IS A MERE 8 HOURS. *NO. 505 \$125.00

SIMPLIFIED TRAINING SYSTEM . . . ANYONE CAN LEARN TO FLY WHIRLYBIRD . . . SEE YOUR HOBBY DEALER "RADIO EQUIPMENT, ENGINE, MUFFLER, 1935 PROPELLER, EPOXY ## DECORATING MATERIALS NOT INCLUDED . . . PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



Build it in one weekend - Fly it the next



A Big 800 sq. in. Sportster for 40 to 60 engines and 3 or 4 channel radios.

- Plastisheen covered Balsa reinforced foam wing anchored by # # ply rib and 18 inch maple gear block. Almost indestructible and you don't even have to paint it.
- * Simple all ¼ inch box Balsa II ply fuselage

 Rugged all sheet tail, tapered allerons II elevator.
- * Complete landing gear, canopy, illustrated plans instructions.

Send Stamp for '72 catalog.

DEBUGGED

WITH UNIQUE

\$39.95

At your dealer or direct

Jack Stafford Models

12111 Beatrice St., Culver City, Calif. 90203

FUNCTIONAL OFFSET THRUST AND NEW CONCEPT IN WING DESIGN.

Control Line -

Shipped Promptly From Stock!

ALL KITS FEATURE:

Cowl: Plantic Canopy (where needed). Sami-Pneumetic Rubber Tires; Band-Sawed Pre-Feb Wood Parts, reedy to assemble. Ostalled Plans.

Fine quality materials, finish and workmen-ship. Packed in heavy corrugated boxes.



T-6 - "Texan" 41" \$20.00

PARKIT-



ME 109 MESSERSCHMITT

THE BIGGER AND BETTER KITS!

P-38 40" Wingspan	\$20.00
ME-109 36" Wingspan	, 18.00
Spitfire 36" Wingspan	
P-51 Mustang 36" Wingspan	
P-40 38" Wingspan	
N.B. The P-38 two 19's	all the others 29 to 35
engines.	

NEW CESSNA 172 KIT

Same series as others this group! 36 inch span \$18.00

See also, Kayeff's Advt. on Billing Boats, Denmark's finest models. ...in this and other recent issues of A.A.M.

SEE YOUR HOBBY DEALER us order direct. Send check or maney arder for direct, prompt shipment. California orders must 39 5% sales tax, Satisfaction Guaranteed.



Squeeze-Banger

I

IRST

R/C

OR

SP

Ž

EXCEPT

INVERTED

(continued from page 40)


bearing wear and eventually a useless motor.

Now glue on the top part of the trailing edge and pin in place. At this time cut out the bellcrank mount and, if necessary, build the tank. If you build your own tank as I did, make sure it is not thicker than 3/4" so it will fit between the spars. Two tanks are shown on the plan. The smaller one is for diesel engines, the larger for glow. Both these tanks should give the five min, motor run necessary for combat flying if you like to stay up the full round. The small tank has to be blocked in to prevent it from shifting. In both tanks the fuel pickup tube exits at the bottom in order to clear the leading edge. If you buy a tank which has the tube coming out the front you will have to change it to make it fit.

Motor mount separation | planned in advance to fit your engine. As a pre-assembly, it is installed between center ribs.



Diesel fuel tank installed here. Balsa spacer makes up for its smaller size. Note spruce spar reinforcement.




Tank fits completely inside wing, only vent, fill, and feed lines emerge. Some builders pre-fer to cover wing before adding tail booms.



The 2oz. Heavyweight with a 12 lb. punch!

Stop for a moment and examine the picture on the right. What you see is a stop action shot of the pulling contest between Royal's retract servo and spring tension scale. Even though the scale was eventually victorious, the contest emphasized a very important point. By reaching the 12 pound mark, it attested to the fact that our servo has triple the pulling power of any conventional servo on the market. In fact, this 2 ounce actuator rather impressively demonstrated an ability to lift nearly 100 times its own weight.

The point of staging this unusual match: to convince you that our product can actuate any retract on the market and do so under almost any condition. We realize, of course, that # time for such power may never arise, but isn't it nice to know that its there if its ever needed?



RETRACT SERVOS

Designed specifically for retracts, the Royal servo mavailable mitwo models. The main, or two plug servo, is used to retract conventional gear by itself. The auxiliary, or one plug version, should be used in conjunction with the main servo to actuate tricycle gear. The system is controlled by micro switches and uses miseparate power supply.

Price for the main retract servo Price for the Aux, retract servo \$18.95 \$18.95

RETRACTABLE GEARS

Featuring a sturdy aluminum housing, this system is completely nylon-bushed. The weight of ■ pair of main gears is 4.5 ounces while the nose gear weighs 4 ounces.


RMK SPECIAL RETRACTABLE MAIN GEARS.
RMK SPECIAL RETRACTABLE NOSE GEAR

\$19.95 pr \$14.95 ea.

FILL OUT COUPON



	to cover cost and postage illustrated Royal
Name	
Address	
1 City	
State	Zip



15

20

HANSO!

MODEL 89

ROYAL PRODUCTS CORPORATION

STORE EVANS AVENUE DENVED COLODADO POSOS



PRECISION TOOL
MAKES PERFECT
HINGE SLOTS
EVERY TIME.

Sea your local design — Direct orders accepted
TARAN HINGE GROOVING TOOL
468 Glannini Drive, Santa Clara, Calif. 95051

Atknowledged World Leader in Authentic Medaling
600 World's Authentic McC

Enjoy the recey starts theme accepted the wind have
a built a realized or and the fun they
are nevery flying them. Then fram our coloring you
can select a plan of the plan or a uniter are and built
a model realized of irac keep the plans they are the
merif days.

Cottactors for, find great endowment in spending
many enjoyable inghts just pouries over the plans,
building them in their minds, they tell us what they
are heart and the time of the start of the tracker
we started or the topolosing for mary or their retire
manth-and building time.
We started or their pooling for mary or their retire
manth-and building time.
We started or the topolosing for mary or their retire
manth-and building time.
We started or the topolosing for mary or their retire
manth-ord building time.
We started or the topolosing for mary or their retire
manth-ord building time.
We started or the topolosing for mary to their retire
manth-ord building time.
We started to the topolosing for mary to their retire
manth-ord building time.
We started to the topolosing for mary to their retire
manthage of the county of the country. We are many all retired to the topological retired, just to
keep great Clare and Designed manan major guile
starter. We are now to the form the country of the

Cut out the tail booms and stabilator, install the hinges and drill the holes for the elevator horn in the stabilator. Remove the wing from the board. The two ply center ribs are put into position slightly spread apart from the final position. The motor mount assembly is coated with epoxy where they are to contact the ribs and leading edge and is then slid between the ribs. The ribs are brought together and clamped to the motor mounts. Glue the ribs to the leading and trailing edges and make everything is properly aligned. Make sure that no glue lies along the upper and lower surfaces of the ribs, as this will present a problem when sheeting the center section. While this is drying, cut out the 1/8" flap (which is all piece), the two tips and the triangular tip braces. Glue the bottom spar into place followed by the two 1/8" balsa center ribs. While the ribs are still wet, the belicrank mount and the tank should be glued into position and the two ribs stid up against them.

As this is drying, take a suitable beltcrank and fix the leadout cables and the pushrod to it, Install the bellcrank assembly and then glue the top spar into place. Now glue the webbing between the top and bottom spars and between the top and bottom members of the trailing edge. The webbing should be light (1/16" sheet) and the grain of the wood must wertical. This webbling is important because it adds rigidity to the airframe, and so is a must. Glue the tips into place and add the triangular braces. Glue the leadout tubes in the position indicated and epoxy the 1/2-oz. tip weight in place. Glue the flap along the trailing edge and make sure it is level. Taper the spruce center section spars as indicated and glue them into position,

The center section can now be sheeted. The sheet will have to lay on top of the leading edge where it covers the tank. The gussets on either side of the center section aid in the covering of the model—these should be added now. Drill holes in the motor mounts for the

AERONCA C-3

(COLLEGIAN)






MAY BE FLOWN WITH TWO, THREE OR FOUR CHANNEL RADIO

The COMPLETE Kit Includes:

Cast Aluminum Motor Mount
Pinned Hinges
Scale Aluminum Control Horns
Brass Turnbuckles
Ridging coble
Brass Lai Wing Struts
All Formed Wire
Cow)
All Sanded Grade A
All Parts Diecut
Foam Sest Material
Instrument Kit
Complete Decals
Rolled Plans (2 Sheets)
Documentation

Specifications:

Scale: 2"=1".0" Span: 72" Powar: 30-40 Weight == to 6 ==. (Flying Wt.) Price



MICRO SWITCHES

#371 SUBMINIATURE SWITCH FOR ACTUATING ALL TYPES OF ELECTRICAL HAS 1



MICRO SWITCH LEAF

4372 LEAF ATTACHES SWITCH 6 60 -




PENLITE RECHARGABLE CELLS

COMPLETELY RECHARGABLE
CYLINDRICAL CELL WITH SOLDER TABS USED TO OPERATE
ACCESSORIES RADIO 375



SPECIFICATIONS:

\$2 55 ea.



POWER DRIVER

N360

THE ALL PURPOSE POWER SOURCE



UNIT FULL SIZE

USED FOR ACTUATING FLAPS, MECHANICAL RETRACTS, CANOPIES, TAIL WHEELS, ETC. OPERATES FROM MICRO SWITCHES AND DE-LIVERS EIGHT POUNDS IN THAUST ON 3.8 VOLTS. WITHSTANDS MORE ABUSE THAN SERVOS UNIT WEIGHS 1.02. AND HAS A TOTAL TRAVEL OF 2". WIRING


95.98 an

RC CONTROL RODS

deragness -

SCREWS III WIRING.

(#326



KIT ONLY ... \$17.95



MOLOED CAPS AVAILABLE SEPARATELY WILL ACCEPT 1/6" O/A.

SET OF FOUR . . 8 .72




Our Best SUPER OLYMPIC electric retract units











SPECIFICATIONS: Weight 2 oz. ex. Total weight of three goer sys-tem 9 oz.

Self-contained, each unit power, develops 8 lbs. of thrust at

Removable Removable legs 5/32" dia, is standard.



NOSE GEAR was friction was steering mechanism devel-\$18.00

The only retractable landing gest with so many diversified features. All new construction II-lows rough field utility with large accraft. So powerful that no counterbalancing is nacessary awar with long struts & large times. Will operate from Inrottle overtravel on four channel radius. COMPARE PRICE - OUALITY - COMPARE RELIABILITY - You'll choose Separate mini Nicad Pack operates all gears simultaneously. Will not drain receiver pack regardless of how many touch and goes you make. (373)



WING BOX 33 CRYSTAL LAKE, ILL.

(815) 459-0103

In Canada - Star R. C. 33 Plymouth London Ontario Phone 471-1474

(Send 35¢ for 1972 Catalog)



ANNOUNCING a new contest to be run in JUNIOR AMERICAN MODELER! The JAM Model Contest will start in the March-April issue of Junior American Modeler with mew contest every two months. The prizes will be awarded every two months with the first prize being a Dremel Moto-Shop or . Dremel Moto-Tool Kit, This contest is open to both boys and girls! You can build straight kit-model or go crazy and send us a design of your own malong its origin was from a kit.

motor and install blind nuts. The nacelle block should be epoxied to the motor mounts at this time. This nacelle block is another must, as it adds a great deal of rigidity to the mounts and cuts down on motor vibration, therefore allowing it to run faster. It also insures the mounts holding together in the event of crash which can occur in Combat. The nacelte is cut from a block of medium light balsa and shaped with a block plane and sandpaper. Add the tail assembly, making sure the hinges move freely and an strong. Bend the pushrod, install the elevator horn and form the loops in the leadout cables so as to give level control when the leadout loops are

The model can now be sanded smooth and covered. Sand the leading edge at that it is slightly rounded to prevent the model from stalling during tight maneuvers.

Covering is a matter of preference-I've tried Silkspan and MonoKote. If you want it really light, cover it with Silkspan, Nylon or silk would be a little heavier, but | lot stronger. Clear dope the model to a shiny finish. (Color dope is heavy and a great deal of dead weight will be added if you color dope the entire model.) I generally dope the center section and the tail assembly only where the model is exposed to

When you have finished doping the model, put the motor on and balance the plane at the point indicated. If the motor you are using is a rear rotor type, the engine will have to be moved forward and, a a result, lead ballast must be epoxied to the tail booms, In any case, no matter what engine you use, always try to keep it as close to the center of gravity as possible to keep the weight down.

LOOK!! TWO NEW ALL BALSA KITS FROM MINI FLITE



.15 ENGINE Wing area Wing spon 3815" Wing thickness 10% Canapy height Fuseloge width 21/1-24/ Ibs. Weight

Degier - Jobber Terms

Ready vacuum-formed ABS ABS Wing Tips Top Quality Die Cut Bales Pro-Bent Cabane and Lending Geor Wire

\$49.95

RADIO CONTROL 90 PERCENT SCALE MODEL




THE MINI-FLITE CO.

Red Bank, N. J. 07701

Introducing New Silk-Spun Coverite

(a polyester with quik stik iron on adhesive)

Finishes light as silk . . . but 10 X stronger! specially formulated for:



- 1. all free flight models
- 2. small gas RC models
- 3. all rubber band models
- 4. all gliders

New SILK-SPUN COVERITE is not as strong SUPER COVERITE. Repeat: not as strong as SUPER COVERITE. But SILK-SPUN is still 10X stronger than silk; 50 times stronger than tissue; many times stronger than any other covering. SILK-SPUN goes on just like its big brother SUPER: drum tight, wrinkle free with an ordinary household iron. And, like big brother SUPER it finishes with a minimum of paint making it 50% cheaper than silk. Only \$1.95 per yard. Pick it up at your dealer or the coupon below (your dealer will get credit).

Silk-Spun meets every test

Shrink test: with household iron, shrinks 20%, or stretches 80% for easy compound curving

Abrasion test: withstood 3600 cycles on Taber abrader (500 gram load)

Sunlight test: 6 months under glass exposure in Florida sun, retained 4X more original

tensile & tear strength than silk

Temperature test: withstood up to 400° F. without change

Chemical test: virtually impervious to engine fuels

Rot mildew test: buried in soil 8 weeks without change

Clip	■ Mail To Coverite	119 York	Rd., Jenkintown,	Pa. 19046	215—TU 7-8440
------	--------------------	----------	------------------	-----------	---------------

Please rush me	paks of Silk-Spun Coverite @	\$1.95/pak. Available in white only.
(my dealer's name)		
(my name)		
(street)		
(State)	(city)	(Zip)

SUDDEN SERVICE PLANS

Full-Size Plans — Shipped First Class Mail Within 💵 Hours — No Extra Charge

No. 0693, Mustang — Rabe's great near-scale C/L atunt, Flies pattern with ease, ST 40, Over 51", \$2

No. 0792, Rivata — Speedy, responsive B/C. Owen Kampen design for 020. Adams Baby Actuator, rudderonly, \$1.75

No. 1183, Carrigan — James Wilson's unique 16A C/L stunt model. Files tall first! Stable like big stunt ships. Easy to build, 23", \$1.75

No. A893. Sweeper — Windy Urtnowsky's giant. C/L stunter, 78" span. ... up front. Many trim adjustment features. \$2,78

No. A695, Lady Maxles — Brian Donn's A/S Nordic towline. Davis 5 foll. Ritz construction. \$1.50

No. A887, Dwarf Dis 11f - Easy to fly, rubber Coupe da Hiver by Charles Sotich, m winner! For small fields. Warp-resistant \$1.80

No. ASI, E A A Bipians — Nick Zirotl's acale R/C —— 40 engine, full house gear. 38" wings, semi-symmetrical foll, box-and-stringer fuscings. Two altests, \$2,50

No. A892, Mirasie Worker - John Blum's C/L trainer. Combet, parrier, stunt. Easy-to-build profile. III angine. \$1,50

No. 1291. Demon Oelta - Fast, mildstunting C/L for 35-45. Looks like modern lighter. Attract attention for demonstrations. By Jorry Farr. 22-30 No. 1292, Oelphin 11 - Czechoslovaklan R/C for pusher. 09-16 mounted at rear under T-tall Rudder/motor, good slope soarse. \$1.75

No. 1293, A/Wonder — Simple allbeles A-1 towliner by [32] Statick. Ideal for beginners at towline events 31.30

No. 0201, Cardboard Cutte - Inexpensive all sardboard C/L for Tender-foot, 049. Two sheets, \$1.25

No. 0202, Push-Air -- For Brown's tiny CO2 engine. Simple F/F by Ehling, like Curties-Wright Jr. 5.75

No. 0203, Ole Tiger - Bob Morse's swift Formula 1 R/C of Bob Downey's famous racer. K&R 40, \$3.50

No. 0204, Cinsteni Gas - Haught's C/L stunt for 35, fee flyers graduating from profiles. \$2

No. 0205, Restret - Dave Hoddington's delightful R/C rudder-only soares with 02 \$1.50

No. 0302, Bearest — Al Rabe's stunt C/L was talk of the 1966 Nats. Aldrich oustumized [22] [23], \$2,00

No. 0304. 1948 B&W — Biptane on floats was Hosing's first airplane Beautiful R/C job by Francis Reproducts. uses a 80. Two sheets \$4.50

No. 0304, M. K. Sporteter - Ho Faug-Chiun's cute table free-flight takes 049 power \$1.25

■1. 040i, D-H 88 Cemet — Scale twin by Skip Williams from Jan. '89 centerspread for .20's. Fast, stable, can fly pylon rules. \$3.75

Ns. 0492, Lively Lady — World Championships winning Nordic by Elton Drew. Well detailed plan. All weather tiper. \$3.78 No. 0484, Swapes - C/L Goodyear by Williamson for club project also is tough trainer. For 35 engine, Balsa cutting guide incl. 32.50

No. 9502, Med Ped - All - purpose model, F/F, R/C, or tether - glider m power. Fiberglass ped, arrow-shaft boom, \$1.75

Discourse of the state of the s

No. 0801, Figwer Power - Sport/ stunt full-house RC with a 40 engine. All-balsa, simplified structure Plugs generation map. \$2.50

MM. 0602. Whyraides - Profile or built-up fuselage shape Navy Carrier job for 53-60 engine. A winner or m trainer all-in-one. \$2.00

No. 0803, Wasp — Delightful bi-plane, stick and tissue, rudder-only RC on 09 to 020 for FF. Very well detailed plan \$2.50

port or competition One-piece construction, 40 to M engines Build fast from standard below sites. M Joe Dolan 34.25

No. 0702, Contender — Military-like RC, also Sport/Stunt type for 35-60 Tri-gear, removable no-dihedral wing. Fast building By Dave Platt. \$4.28 Special Offect Get Mills and Contender plans for only \$7.00

No. 0703, francides — Record-halding CL jet speed model. Metal m wood model shown. L'aes Dyna-Jet. By Jerry Thomas Two plan sheets. \$1.23

NI. 6704, Casina AW — Delightful stick and tissue FF of great private plane of years agm. Indoor im outdoor sersion possible Peanut Scale too.

No. 0501, Winnis Mas — Spectacular RC Vega for strong III engine in 2"-1" scale, from and balsa, lots of details By Monty Groves. Two big sheets.

Also, special 136"-1" sersion for FAI scale, 40 thru 60's. Two sheets. Order as No. 1885, \$4.25

hil. 0803. Thermal Dart - Enlarged and improved rubber-powered beginner's delight by Frank Ehling \$1.00

No. 0804, BV-1418 — Asymmetrical WW II fighter bomber III profile for 049 engine by Terry Aldrich. Easy to make, good flyer. \$2.09

No. 6801, Soreers — Per Was 02powered, free-flight flying select wing, easy to make by Tenderfoot builder \$1.00

No. 0802. Cloud 2 — Intricate contest winding Wakefield by Roger Gregory. Plan ahows streamlined prop/hub msign. \$3.50

No. 0904. Antoinetts — Signorino/ Zundel RC. 08" wing, nearly scale, flies well on 36, like powered glider. Plans 3 hugs detailed sheets. 35.00

III. 9903, Mini Cat - Bud Atkinson scaled down the Cat series, for pulse or light digital and up to sengines. Easy to make RC sport

. t001. Phantom — Well-engineered RC Dyna-Jet-powered scale fighter by Baiph Haidivar is practical but noisy model. Highly detailed plane. Jet installation shown. 34.00

No. 1902, whit - Simplified Nordic Al by Bob Stalick is steady tow, all-weather figer. \$1.50

No. 1003. Charger - 1/2 A powered sweptwing stunter and full pattern =

No. 1101. Autogiro-Simple 048-powered model builds fast and gives unique performance. Pusher prop or motor. \$1.25

Me. 1192. Asrobile—Large scale CL or RC of a famous Waterman roadable plane Usas 45-60 motor. Wing detachable, car drivable! Large single-sheet plane. \$4.00

III. 1103. Akrowaster—RC scale/atunt model me real aerobatic plane for 45-60 engine. Fast and responsive, casy to make, simple shapes. \$2.75

No. 1994. Tardon—Formula II semiacale pylon racer m atunt plane for 40 engines. Won event at 1869 NATS. Groosy filer. \$3.00

ME. 1201, Stillette—Unique MA proto model uses much-extended motor shaft for clean prop thrust and speed, \$1,00

No. 1202, King Kong.—Huge flat-land mines for competition use has 12' wing ill glass, foam, and baiss. By Sarpolus. \$3.23.

. 1203, 10-H1-Six-foot span, Impowered fixing wing III high-performmodal with sporting flair. Huge plan. \$3.80.

10. 0111, Oragonfil -- Past graceful competition stunier by Phil Kraft. Uses big 60's and retracts. \$4:00

No. 0112. Testhelek - Long thin winged combat CL ship is both fast and quick turning. For hot 38's.

No. 0113. Luten Miner - Delightful 10-pawered semi-scale RC for three light seman is high-winged parasol menoplane. \$2.25

No. 0211, Cobra-Brave Wooley's great, smooth-flying CL stunt ship for SE's. Light model, ideal for both FAI and AMA patterns. \$3.50

No. 0212. Voodoo—Converted Goldberg hit for streamer-towing RC combat, by Ed Sweeney. Two serves with 19 engine. For new event. \$2.75

No. 0213. Guilletine—Modified from CL for RC combat. Maneuverable, fast, responsive, and fun. Glides well. For man and mengine. For new event. \$2.75.

No. 0312, EXKO-A compact FAI patand sport model for 35 engines. All wood low-winger. \$3

No. 0311, Skydanear - Two-obsanelequipped RC fixed gilder using atleron and elevator control. Lofted by new, powerful rocket motor. \$2

Bes wing balsa fushing. Realistic and quick construction, \$3.25

oval balsa fuselage hides a big 60 engine. Easy-to-make atunter for commercial ARF wings. \$3.25

П

No. 0413, Dauntless—Low-wing scale profile FF model for sport flying on inexpensive 020 engine. \$1.50

No. 0414, Masmith Coupar—Accurate scale CL model of boxy homebuilt. Fine beginner's scale model using 19. A winner with detail. 33.50

Ma. 05it. Fire Wagon—Contest free flight model for ViA, by James Clam. Diagonal-ribbed wing resists warps. 81.75

No. 0512, Platysus—Unusual-looking acrobatic scapiane, made with balas-revered foam Uses 00.

No. 0513. Troop Gilder and Tue-Two models, one a twin-engine, 19-powered C-46 Profile, the other a scale CG-15 troop-carrying III gilder. Both on one large plan, 02.75

No. 0811. Phantom Stunter—Very realline jet-like model of Blue Angels plane with typical stunt noments and airfoil. For 35-45 sugines. \$2.75

No. 0812, Crusader Stunter-Anhedral wing, ventral fins and full array of missies and drop tanks. It is a unique but truly competitive flyer on a 85 or agains. \$3.00

No. 6613. Simple-Fly-Semi-symmetrical CG sirfel low-wing on hox fuse.
Performance for beginner on a armovice contest ship with a 50. 32.50

No. 0814, Sogwith Pup—Single or multi-channel, nearly-sgate model for 10 m 19 power, Highly detailed plans. Stable figer. \$3,30

No. 0615, Santana-Jon Davis' contest-winning towliner A/I. Uses fiberglass boom, stiff warp-resistant wing.

No. 07(1, Phoenix 5—Don Lowe's latcat in m series of swept-wing competition stunters for 80 and retracts, 35.00
No. 0712, Bonanza/Debonair—Build
either V-tail or conventional version of
this popular fast light plane for fullhouse radio and a strong 00. Fineriging ships, foam wing construction.

No. 07t3, 1.F.O.—Would you believe

FF 020-powered flying which
really flies? Ruilt-up construction
looks real. \$1.00

of WW II torpedo builds and is rugged, \$1.50

No. 0818. Douglas Mallplane—Large FF scale of Western Air Lines M-2 bips. For 09 power. Could fly with light radio. \$3.00

No. 0812, Hot Canary—Unique Formula 11/FAI racing biplane by Hob Sigelkoff. Although unusual-looking, it is fast and quickly built. \$3.28

iii. 0513, Pogo-Model of Owl Racer for Formula 1 features midwing, low etab. non-cheeked cowl. Very stable and plenty fast. By Bob Morse. \$3.50.

No. 0814, Flying Fortran-Not a scale plane, but a novelty CL flying medisval castle for a 19, \$2.75

No. 0911, Ftetcher-McCullough's magnificent (ri-geared, tow-wing crop duster job for 80's, Generous area and moments. All balsa, Highly-detailed plans on \$7.50

No. 6912, Killer—Fast, responsive combat plane. All-balsa for 35's has many wins. 38.00

No. 0918, High—Featherweight 049-powered RO gilder of ACE R/C foam taper and constant chord wing \$3.35

40-gram — Highly-developed 40-gram — plane by Brian Donn features latest trends in gadgets and design. Well-detailed plan. 33.00

No. 1011. FAIMan—Competition FAI free flight job for screaming 18's. Simplified construction with warp-preventing wing. Build a winner. \$2.76

m. 1012, Persyrine Atl-nut RC slope soaring racer for allerons and elevator. V-tail, laminar wing; aerobatio, too. Bains fuselage with foam wing, 33.50

733 Fifteenth St., N.W. Washington, D.C. 20005

Please send the following plans by First Class mail, at no extra charge. I enclose \$______ for payment.

Name ______

Address ______State ____Zip ____

#		\$ i
#	_	\$ İ
#		\$ - }
#		\$ i
#		\$ į
#_		\$ -
	Total: \$	- 1

PLAN NO. COST

No. 1018, Mt-Pre-Highly proficient slope/thermal soarer. Hulld several varsions from these plans. Balas wing and glass fuselage. \$3.50

No. 1015, March—Named for the Wind Spirit. Designed for windy weather CL contests. Large-size jet appearance uses 45 engine. Two sheets.

No. 1111, Longster—Large-size free Flight scale ship for power, also ideal as annal RC. Construction simila-to real plane, \$2.75 1112, Buntar—Ruilt-up profile Goodyear racer well-streamlined and a winner. For hot 15's \$1.75 No. 1143, Bippl-Bigs—Delightful scale-like rudder-only or GG model for single channel and 09 engine. A fun plane, \$2.75 No. 6214, Firshall—Jim Walker's great

No. 4211, Fireball—Jim Walker's great design presented as it was by Bruce Lund. For ignition 23's or analier on glow. \$2.00

glow. \$2.00

No. (212, Brooklyn Dodgar-Sal Taibi's great old-timer F5 job presented as it was by Bob Barrah. For ignition 23-35 or smaller glow engine. \$1.75.

No. 1213, Canus—Sixty-powered and large-size FAI serobatic RC plans. Very quick building. \$4.00

No. 0125, Fire-racker—FAI scale RC pylon racer with special fast alifoli and homemade retracts (in text), a winner by Bob Root. \$3.50

No. 0121, Fengtin—Unusual scale CL flying model of post-WWV pre-flight trainer. Simple and HC-able. Uses 19 to 35 engine. 3-views on plan. \$2.50

No. 0122, Pay-Up-TesDes 020-pow-ered AMA Pay Load event winner also nice for sport FF. Simple and sturdy. \$1.50

Ro. 0123, Nifty Novice—049 thra 15 power for monoplane or biplane Ten-derfoot CL trainer With power, bipe is stuntable. SPECIAL PRICE \$4.00, decal included.

No. 0124, P-38-Semi-scale WWII fighter with single 040 files rudder-only pulsa RC with ACE mini-foam wings, others useable. \$1.25

No. 0221. His Flapper-Large high wing is docile flyer for a 60 engine and 4 channels. Nice trainer/sport pinne. \$3.50

No. 0222, BY-170—Three 85's this sort-of-scale German profile fighter. It is big, pulls hard if flight, stunis too. \$4.75

No. 9223, Canard Drop. 0ff—Rubber pusher sport flyer drops its prop sud rubber when unwound, then drops a pigsy-book slider. All bales and files great. \$2.00

No. D224, Cardinal—Excellent FAI European-type RC pattern plane of construction. Up-to-date altip if for 60's, suitable for retracts.

No. 0321. Turbs Pilatus Parter - Fine flying CO2 or Rubber powered FF scale model and scale finats for ROW. All on one plan. \$1.50

No. 0322, Little Bird Midwing RC pattern plane handles wide range of power up to 71's, yet is small in size, \$3.50

No. 0323. Two For the Show—Biplane CL stunt for 049 Tee Dee. This one offers precision flying in small areas, great for practice, \$1.50

No. 0324, 2T—ACE-foam winged RC trainer for 048 power carries 2-channel bricks with case, Ample wing area for long glides too. \$2.00

THIS MONTH'S PLANS

No. 0421, Quarter Pint A 020-pow-ered Tenderfoot free flight participed after an antique design of 30 years ago. With decat. 82

Ro. 0422, RCX4 -Bat-like winged sport RC plane for bly motors, 4-channels, and crowd pleasing flights sport

No. 0423, Squeeze-Banger FAI combat anyone? Past rlying 15 ship from Canada is a winner.

No. 0424. Oragonette- Compact version of Krait's Dragon Fl) uses hot 40 and flies just like a big one-fest and smooth, \$3



OUNCE & GRAM SCALE



\$350 ONLY

Measure both ounces & grams, Just the thing for weighing out those wings. stabs, rubber motors & small R/C units. Great for weighing balsa wood.

9 Oz. or 250 Grams Capacity,

ONLY

KOH PELLETS 50¢



Our regular \$4,95 7 AMP, Nickel-Cad starting battery plus the new Dubro "Kwik-Glow" cord set . . . \$2.00.

AMP STARTING CELL

\$6,95 value.

ONLY \$5.95

B

SCALE SPOKED WHEELS 9 SIZES



为"一场"一场"一条" 1"一1场"一1场"一1场"—1为" At last a light and strong scale spoked wheel for both indoor and outdoor rubber scale models as well as light gas jobs. Each wheel will support 3 lbs. static pressure yet weighs

less than 1 gram. Made of silk thread and balsa 385 PR. wood with teflon bearings. PR.

BROWN JUNIOR CO₂ ENGINE \$2495



GUN \$5.95 Light weight, in-stant starting engine for use on indoor and light weight outdoor models. Electric starter ed on this engine.

CO2 CAPUSULES BOX OF 10 \$1.70

KOSMIC



K/15 Glow w/Tuned Pipe \$32.95 K/15 Glow FAI \$29.95 K/15 Glow Marine w/Tuned Pipe \$36,50 K/15 Diesel \$29.95 Marine Gear Box \$16.95 Spare parts in stock.

4 Ch. Factory Assembled \$199.50 4 Ch. Semi-Kit \$159,50 4 Ch. Full Kit \$149,50

HAND LAUNCH GLIDER KITS

M&P "Flash"	17"	Span	\$1.98
M&P "U.S. Kid"	18"	Span	\$1.98
M&P "Polly"	18"	Span	\$1.98
M&P "Bo-Weevil"	17"	Span	\$1.98
M&P "Sweepette"	19"	Span	\$2.25
M&P "Mini-Flash"	111/2"	Span	\$1,39
4 K's "Lil Eaglet"	14"	Span	\$1.25
■ K's "Eaglet"	18"	Span	\$1.50
Sig "Flip"	14"	Span	.79
Sig "Plgeon"	12"	Span	.69
Jasco "G-12"	12"	Span	.79
Jasco "G-24"	24"	Span	\$2.25
Jetco "Thermic B"	20"	Span	■ .98

3 LINE BELL CRANK AND HANDLE





Combines motor speed control with elevator on U-Control models,

HANDLE, B'CRANK-UP, OR INV, \$3.50

FREE FLIGHT RUBBER KITS

Jasco "X-18"	18"	Span	\$1.45
Tern Aero "Starduster"	161/2"	Span	\$1.75
Tern Aero "Gone Goose"		Span	\$1.50
Tern Aero "Tiger Moth M'West "Gollywock"	" 20"		\$2,25

Add 50¢ for postage, in C.O.D., List 25¢ Deposit

MASTÉR (BANK AMERICARD AMERICAN EXPRESS

TELEPH INE 283-6446 area code 312

FREE FLIGHT GAS KITS

½A "Buzzard	Bombshell"	\$ 5.50
B-C "Buzzard	Bombshell"	\$19.95
Micro Models	1/2A "Cavalier"	\$ 7.95
Micro Models	"Twin Cyclone"	5.95
Micro Models	"Request"	5.95
Micro Models	"Mercury"	\$ 6.95

Stanton Hobby Shop Inc.

4734 NORTH WATER AVENUE CHICAGO, COMP 60630



Dragonette

(continued from page 48)

flights. It was later changed to ■ K&B 40 for the extra power sometimes desired. Both engine hole patterns are shown on the drawings and other engines can certainly be adapted.

There are no restrictions on the radio equipment employed, except for the alleron servo. It must be small enough to fit between the two WIA ribs. This means a KPS 10, 11, 12 or similar type servo. The smaller servos will help to keep the overall weight down and they are certainly recommended if you are planning to purchase new ones. Servos as large as the KPS 9 variety may be used in the fuselage, but should be placed carefully to avoid weight and balance problems. F6 may be omitted by extending the rear balsa wing block back to F7 to give better access for the two aft servos. Before beginning the construction of the airplane, plan all servo locations and linkages and provide the necessary holes through the fuselage frames and wing ribs m you cut them

Neither of my Dragonettes have retracts--simply a matter of personal

The airplanes have preference. performed so well in spite of the gear that I did not give it much thought during their construction. I certainly do not want to discourage their use however, and I am including my thoughts on the subject as a guide.

The rear (wing mounted) wheels should fold inward toward each other. Since the wing is tapered toward the tip, greater wheel well depth is available toward the center. The landing gear wire should be formed me the main spar brace will not need to be cut. This brace was designed to absorb the shock of landing. It is also highly desirable to have the gear bolt to the main spar brace, for the reason, even if this is a bit inconvenient. The worst restriction imposed by this wing is the one inch of available wheel well depth. Actuators, however, will find ample room between the main and secondary spars for mounting.

The nose gear restrictions are even more severe. To fold the nose wheel inside F3 requires a pivot point no farther aft than 1/4" behind F2 and it must reside at the lower end of F2. Most probably the lower half of F2 will need to be partially cut away to allow room for the folding and locking 24 wheel mechanisms. A

disappear inside the cavity below the tank floor without problem, and the steering bar should not encounter any particular problems.

The only commercial gear available, which I have seen and which might hold promise, is Carl Goldberg's new one-it weighs only 5 oz, and needs only one in. of wheel well depth. The others I have seen are too large

If you have the time and patience I suggest you design your own gear. For more on retracts, see January 1972 AAM where all commerical retracts are shown. Also, a homemade retract system is presented in that issue which could be shrunk to fit Dragonette.

Construction

You will need to obtain a commercial canopy to cut to fit this model. The model shown has a homemade canopy. A diagonally cut off tear drop canopy will fit this design.

Carefully cut all fuselage frames, the two 1/32" plywood doublers, and the two 1/8" balsa side pieces from the plans. The lower edge of the balsa side pieces between F7 and the tail should come up to the 1/4" bottom sheet (refer to F9 and F6 for details). Cement

(continued on page 90)

Early in its development the 1-5 gained world-wide fame as the powerplant of Charles Lindbergh's "Spirit of St. Louis" transatlantic monoplane. Other historic aircraft powered by "Whirlwinds" included:

Bellanca "COLUMBIA" (N.Y. to Germany) Fokker Tri-Motor "AMERICA" (N.Y. to France) Stinson Detroiter "PRIDE OF DETROIT" (around the world) Early Ford Tri-motors and military planes.

The Williams Brothers kit representing more than a year of research and development consists of over 150 parts. Molded in two colors of plastic, each kit contains 9 cylinders, crankcase and accessories, including two magnetos, carburetor, oil pump, fuel pump, carburetor air heater, and a display mount.

Engine may be placed on stand, or installed in scale model aircraft.

VILLIAMS BROS.

SEND 25¢ FOR COMPLETE ILLUSTRATED CATALOG

181 B STREET - DEPT. M - SAN MARCOS, CALIFORNIA 92069

SCALE: 11/2" - 1" PRICE: Also available: Le Rhone engine kit 11/2" Scale \$9.95





KWIK-FLI III . . . World and twice Nats, winner, Designed by Phil Kraft, Span: 60" Eng.: 45 tm 61 Kit RC-12 \$45.00 includes T.A.C.—Ready made wing fixture



8.E.S.a Never before has a R/C scale model been designed with such attention to the most insignificant detail. Wing Span: 52" Eng.: .45 to .60 Kit RC-13 \$47.50 \$47.50



THE CONTENDER—The first ali-balsa R/C model you can balld in just 8 hrs. Wing Span: 54" Eng.: 1 to .50. Kit RC-15 \$34.85 \$34.95



N/C NOBLER—Radio version of Me winningest stunt model of all time. Wing Span: 51" Eng.: .35 to .45. Kit RC-14 \$29.95



MUSTANG P-51 . . . A standoff scale model that only a ruler can tell from a true scale plane. Wing Span: 60" Eng.: .40 to .60. Kit RC-16

SINGLE CHANNEL R/C COMPACTS



HEADMASTER . . . Galloping ghost and proportional gear, Includes T.A.C.—Ready made fuselage, Span: 48" \$17.50 Eng.: .09-.35 Kit RC-11 \$17.50

TOP DAWG . . . Galloping ghost and proportional gear. Includes T.A.C.—Ready made fuselage. Span: 39.5" \$14.95 Eng.: .049-15 Kit RC-10 \$14.95

SCHOOLMASTER... Single or multi channel with rudder, elevator and engine control.

Span-39" Eng.-.049-.090 Kit RC-8 \$9.95

Schoolgirt . . . Span 32" Eng.: ,020-,049 EN RC-9 \$8.95 Span-29" En

\$5.50 Eng.-.010-.020 Kit RC-3

TOP FLITE FLYING MODELS for those who insist on the FAST CONSTRUCTION DOM: \$11.95 Span-28" Eng. .. 15-. 29 Kit S-1 Span-27" Eng.-. 15-. 29 Kit 5-2 11.95 P-510 MUSTANG . . . Span 37" Eng.: .29-.35 Kit S-3 \$17.95 SEMI SCALE STUNTERS HAWKER HURRICANS Span-42" Eng.: ,19-,35 Kit \$-51 \$8.95 P-40 SHARK . . . Span 42" Eng.: .19-,35 Kit S-50 \$8,95









2.95

Span-221/4" Eng.-.049 III N-955.50 (2-models)

if available at your dealer . . . order direct. Add 10% postage and handling. (35¢ minimum.) Outside U.S. 15% (60¢

Sparf-18" Kit S-22

minimum.)









CHECKS MOTOR SPEEDS
 INTERNAL COMBUSTION

ENGINES
ROTATING B VIBRATION EQUIP.
GIVES DIRECT READINGS FROM 2000 TO 21000



EVERYTHING FOR THE MODELER

Canadian Modelers:

Write for mm ACADEMY CATALOGUE. 15 cents, Postage free. Wholesale only.

Canadian Dealer Inquiries Invited.

PRODUCTS LIMITED

51 Millwick Drive, Weston, Ont., Canada.

Blue Ribbon

(continued from page 67)

preference to use only a very slight brake action while driving, but the Jerobee radio offers fail-safe mode. In the absence of transmitter signal, the throttle servo moves ■ bit beyond low throttle position and locks the brakes-a safety feature.

The radio performed without fault in this car. With the 500 man battery pack there was no lack of servo torque and the steering response was positive. The throttle servo was somewhat slower than what would be ideal; however, this was compensated for by mechanical advantage in the throttle linkage.

The road test portion of this review was actually done with two identical Thorp cars. One had an Orbit radio installed and was raced during the summer and early fall. The second car, with the Jerobee radio, was run during the late fall and winter.

When properly set up, the characteristics of this car are such that it can be driven with abandon. As per our standardized procedure, the car was driven around a 20 ft. radius circle at increasing speed, both right and left. Adhesion was approximately the same m that of other cars tested on the same track surface, with one difference: the Thorp car with capped tires was far more stable at high speeds. The car could be steered with the throttle and when it did spin, there was a visual warning: the rear end would "get all bent out of shape."

To get max performance from this car it is mandatory that wing be used. There are no wing components included in the kit. However, kits being shipped now have the rear axle bearing blocks

drilled for a wing mount.

One of the features that contributes to the handling characteristics of the Thorp car is the pivoting front axles. The front axle can pivot on the centerline allowing undulations in the surface to be absorbed without the tendency to lift a rear wheel, which is the case of a normally suspended RC car. The spring pressure of each front wheel can be adjusted to obtain whatever characteristics are desirable for the surface being utilized (stiffer front tends to promote understeer, softer front tends to reduce understeer).


Caster, camber and toe-in are specified in Thorp's directions. CG is 45% front, 55% rear. Asymmetrical handling for oval racing is best achieved by power-induced steering. Tilt the top of the kingpin rearward slightly at the outside wheel.

The belt drive arrangement has proved to be very reliable. In six months of hard competition only one belt was replaced, and that because of racing on rocky surface. The replacement belt for less than \$1 beats several bucks for a gear after a few races.

The clutch must be kept clean to prevent grabbing. It only takes one set screw to remove the clutch housing to clean so this can be done frequently without a major disassembly job. A

VEROELL

INSTRUMENT



No servo saver springs me needed the Nylon steering servo output arm seems to handle road and impact shock loads adequately. Throttle linkage has spring action for hand blipping when in the pits.

word of caution, however-the drive pins are held in place by the outer ball bearings. When you remove the clutch housing, keep the outer bearing in place or you will be out of commission while you try to find the drive pins that just fell out on the pavement.

Gear reduction by the belt drive is 4.8:1. At 10,000 rpm the top speed is 26 mph. Theoretical speed at 20,000

rom is 52 mph.

At the 1971 ROAR Nationals we had several well-tuned cars running over 50 mph down the back stretch. Thorp was one of them.

The capped tires, first introduced by John Thorp, offer some real advantages and some problems depending on the track surface and condition. They don't wear out for ■ long time. Their absolute maximum adhesion is very high, but, when they break traction control is lost completely. In other words, drive faster but cautiously, Uncapped sponge tires offer less traction and more gentle hand-

The Thorp car is a simple, reliable racing machine that is, and has been, winning races. The car handles so well that it makes a novice look good and an expert uncatchable. It is built to the exacting standards of a craftsman to meet the requirements of RC car competition.

The Jerobee radio can be used in a 1/8 scale car in serious competition without any apologies to anyone. The Thorp/Jerobee combination looks, acts and runs like winner

Source for the above car information is Thorp Manufacturing, 350 East Commerical, Pomona, California 91766 and the radio, Jerobee Industries, Inc., Dept. A, York Center, Redmond, Washington 98052.

ANNOUNCING!

A catalog of all sudden service plans.

Send \$0.25 in today to:

CATALOG American Aircraft Modeler 733 15th Street, N.W. Washington, D. C. 20005

HOW IS YOUR MODELING 1.0.?

TRY THIS ...

5305 Towson Fort Smith.


Arkansas

72901

Fox manufactures 8 kinds of Glo-Plugs Fox Spinners hand buffed Fox machines Motor Mounts from bar Fox fuels derived from moonshine Fox Eagle 60 weighs under 15 oz. Fox 36 RC is radically changed for 1972

TRUE	FALSE.	
	\blacksquare	

CORRECT ANSWERS CAN BE OBTAINED FROM OUR NEW 1972. 8 PAGE COLOR CATALOG. | POSTCARD WITH THE ONE WORD "CATALOG" GETS YOU ONE FREE!






Gold anodized, low power loss, good silencing, lightweight construction. Mufflers \$11.95 Adaptors \$2.98

Adaptors available for All Enya, OS Max, Super Tigre & Fox Engines, HP .61, Veco .19, .45, .50, .61; Webra .20, .61; Merco .49, .61; McCoy .40 series 21; More to be added.


If not available at your dealer please order direct. Dealer and Jobber Inquiries Invited.



COMPLETE-A-PAC R/C SCALE

BOB HOLMAN PLANS

P.O. BOX 741M, SAN BERNARDINO, CA. 92402



ALSO AVAILABLE —
JU87D 60" span \$69.95
GLOSTER GLADIATOR 56" span \$59.95
TIGER MOTH 57" span \$59.95
SWORDFISH 60" span —

ZERO-HURRICANE-SPITFIRE DH BEAVER - soon Plans available separate at \$5.95

Send 25r for complete list of scale plans and reference material.

DH MOSQUITO MK 1V/VI

Twin 35-40 63" span Built up balsa and ply construction \$79.95 includes UPS air where available P-47D THUNDERBOLT

Builds Razor or Bubble version 11/2" scale EXACT 611/4" span 60-80 \$59.95 with optional F/G cowl \$64.95

Kits are cut in Scotland . . . Boxed in U.S.A. — DEALER INQUIRES INVITED



HOBBY CATALOGS AIRPLANES \$1.50 MILITARY 1.49 Ships (wood) 1.00 RAILROAD 1.75 CRAFTS 1.00 Raceway, Science Rocketry 1.00

> Dealer inquires invited 314 FIFTH AVENUE N. Y., N. Y. 10001 2072 FRONT STREET E. MEADOW, L. I., N. Y 197 Woodbridge Center Woodbridge, N. J. 512 MILBURN AVENUE

Dragonette

(continued from page 86)

the sides to the doublers using a white glue. F3 and F5 are next cemented to the sides. Use epoxy to cement F3, Next shape the motor mounts and epoxy them into the fuselage assembly along with F2. Place a spacer between the motor mounts when pulling the sides inward toward F1. Proceed with frames F5A-F9 using regular cement. Next slot the two 3/8 x 3/4" strips for the fin and cement them along the fuselage frames, Add the $1/8 \times 1/4^{\prime\prime}$ stringers, the $3/8^{\prime\prime}$ triangle strips and the 1/4" bottom sheet. Lay the fuselage aside to dry.

Cut the two large fin pieces from 3/16" balsa, and two each of S1-S5. Build up the stabilizer omitting the top half of the trailing edge and the top sheeting, Install hinges to the lower half of the trailing edge. Use epoxy and pins to fasten it securely. Add the top half of the trailing edge and the top sheeting. Cut appropriate slots into the stabilizer center and add the fin pieces, making sure the fin is straight and square. The elevator is made of two 3/16" sheets to simplify hinge installation in a manner similar to the stabilizer trailing edge. The rudder is made of a single 3/16" sheet, and its hinges are installed in a conventional manner.

When the fin-stabilizer assembly is dry, add it to the fuselage assembly. Accurately align it with the fuselage making sure the stabilizer is at 00 incidence. Add the 1/8" sheet around

the stabilizer and fill in the rear of the fuselage sides with 3/16" balsa scrap. Add F4 and the 1/8" sheet around the canopy. Add the tank tray with its 1/8" square braces, F2A, F3A and the 1/8" sheeting between F2 and F3. Add the tank cover dowels. Install the nose gear and epoxy the screws in place. Add soft blocks on the bottom of the fuselage forward of F2, the nose block, and F1. When these are dry, install the engine at 00 incidence, 00 thrust and cut away the nose blocks as required to obtain a good fit, Sand the inside of the engine compartment, and coat it and the inside of the tank compartment with epoxy. Use enough for good coverage but do not overdo a good thing.

The wing is constructed as one piece. Cut out all the ribs and assemble the main spar using two 5/16" square X 48" long strips and the two 1/8" plywood spar braces. Add the wing ribs to the main spar, and the secondary spars to the assembly (do not cement either). Secure the assembly to a flat surface with the top side down. Secure spacers under each rib at the secondary spar and secure the main spar against the flat surface.

The wing is now in the proper contour and will be flat and straight if covered this position. Cement all ribs to the main and secondary spars. Add the 1/16 x 3 x 48" center balsa sheet to the lower wing surface (now facing upward). Next add the 1/16 # 4 # 48" lower wing trailing edge balsa sheet. When the wing is thoroughly dry, remove it from the board and add the

For comparison get out your January 1971 AAM and review Phil Kraft's full-size Dragon





Boyd Models Catalog-75¢ NEW Steingraeber Ship Catalog and Dictionary Handbook-\$2.00 Constructo Ship Color Catalog \$3.00

BOTO MODEL 810 East 14th Street Los Angeles, Calif. 90021

The Dragonette's only apparent aerodynamic change is to have a less laminar-type airfoit, making it smoother during high situations.





No, we haven't dropped from 1st to 6th. But you can drop from \$7.50 to \$6! We are offering special INTRODUCTORY OFFER TO NEW SUBSCRIBERS ONLY. Instead of saving \$1.50 over newsstand and hobby shop prices, you now can save \$3.00 on a one year subscription. But why should you subscribe to AMERICAN MODELER? You might have just picked us up on a whim. Was the cover what caught your attention? Did you read the contents? What made you pick us up? Did you scan through the magazine? You are probably beginning to wonder why you're reading this ad. It's because it's drawn your attention. . .and held it! The entire magazine is designed to do just that! If you don't believe us, scan through the magazine, we'll wait.

See what we mean! Now don't you want a subscription today! Did you notice what we offer each and every month?

GETTING STARTED IN R/C - a continuing series on R/C, helpful hints, suggestions, etc.

WHERE THE ACTION IS - model hobby action reported every issue on a world-wide basis.

NEW PRODUCTS CHECK LIST - ■ monthly check list of new items available to you.

SUDDEN SERVICE PLANS - a long list of fullsize plans that you can order. . .quickly!

You get all this in addition to a wide range of articles every issue. We are the authority in model airplane building! Go with the authority! Subscribe today!

AMERICAN AIRCRAFT MODELER is endorsed by the National Aerospace Education Council for use in school libraries. We have a full line of school programs for class use.





733 15th Street, N. W.

Washington, D. C. 20005

Gentlemen: Please enter my subscription at the special INTRODUCTORY price of \$6.00 for twelve issues.

FOR NEW SUBSCRIBERS ONLY!

AM-4

d	ame:	
19	allic.	

Address

City, State, Zip _

Note: The rates quoted above pertain to the U.S.A., Canada, APO's and FPO's. For foreign add \$2.00 for 12 issues.

TAKE A PEAK

AT OUR PRICES!

DISCOUNT CATALOG 25¢









1/16 x 3 x 48" center balsa sheet to the upper wing surface. Check the wing for warp. Add the 1/16 x 3/16" balsa strip at the leading edge and the two 3/16 x 1/2" leading edge strips. (See W1 for details). Recheck the wing for warp. Sheet the bottom of the wing from the leading edge to the main spar, again checking the wing for warp. At this point the wing should have sufficient resiliency to maintain its shape. Warp may creep in at any time, however, so it is wise to check it after each piece is added, making corrections immediately. If an assembly is not warped before you add a new piece and is warped afterward, then the new piece must have stressed the structure in some way. Find the stress and relieve it.

The ailerons are added next, Some of the aileron pieces and skin are already in place. The ailerons on this airplane are assembled into the wing and cut away after assembly. Locate the aileron hinge line on the top surface of the wing along the center of the upper secondary spar. Cut away the outboard half of this spar. Cement W6B and W11A to the lower 1/16" sheet. Shape the 3/4" square alleron block to fit between W11A and W6B. Remove it and cement a 1/16" plywood control horn back plate of your own choosing to the 1/16" aileron sheet. Cut a relief into the shaped aileron block for the control horn back plate and lay it aside. Shape the 1/4" balsa wing strip which fits between W6A and W11 and supports the hardwood hinge support. Lay it aside. Cut the 1/8 x 1/2" hardwood hinge strip to length and install three hinges between it and the shaped aileron block. Epoxy and pin as required. Slide the hardwood strip into place in the wing and cement carefully (fold the shaped aileron block upward out of the way). Cement the 1/4" thick shaped wing strip below the wing hinge strip. Cut away the outboard half of the lower secondary spar, and fold the shaped aileron block down against the sheet. Cement it into place. Add W7A, W8A, W9A and W10A. Add the 1/8" aiteron sheet. Install the aileron control mechanism of your choice and finish sheeting the wing. Add tips, servo mounting blocks, 1/4" dowels, rear wing hold-down blocks, and sand the entire wing working down to 400 grit paper. Carefully free the ailerons by making a cut between W6 and W6B, and W11A and the wing tip. Trim away the 1/16" lower sheet and the allerons should come free. Sand the edges. Turn the wing over and carefully cut away for the landing gear blocks. The slots provided fit Sig landing gear blocks obtainable from your hobby dealer. Cement these blocks with epoxy. Bend the landing gear to shape and drill holes for the hold-down straps,

The only construction job left is the fitting of the wing to the fuselage at 00 incidence. Tape two strips of 1/32" plywood to the upper wing surface so they will rest against the fuselage sides. Place the wing under the fuselage and shape the fuselage cradle for a close fit at 00 incidence. Remove the 1/32"



plywood strips from the wing and shape them to the final configuration. With waxed paper between the wing and the fuselage cradle, epoxy the two 1/32" plywood strips to the fuselage. Cut the 1/16" plywood fuselage doublers to size and cement them in place; add the wing hold-down block (1/4 x 3/8" maple). Assemble the wing to the fuselage and pull the rear hold-down screws tight. Check the wing for 00 incidence. Add F3B using epoxy to hold it in the final position (F3B is used to allow a last minute correction in wing position). Cover the lower fuselage between F2 and F3 and add the wing filler blocks. Shape the underside of the fuselage and sand all over working down to 400 grit.

MonoKote is strongly recommended for covering. One roll and a foot of a second roll easily cover the airplane, and it weighs very little. If you use other finishes, keep in mind the 4.5-lb.

maximum flight weight,

the first flight I would recommend the following center to extreme throw on the control surfaces: rudder, .90 in.; elevator, .45 in.; aileron, .40 in. With these settings you will find the airplane very sensitive but you will have enough control to handle any emergency. Final center to extreme throw on Dragonette II is as follows: rudder, 90 in.; elevator, .40 In.; aileron, .30 In.

My thanks to R. L. Earp for his invaluable advice and assistance.

Tiger Moth (continued from page 28)

deck in place of the original fabric, and the new 130 hp Gipsy Major engine. Called the DH.82A, it quickly went into mass production for the RAF, where it was known as the Tiger Moth II. By 1936, the military was getting all the Tigers it needed, and so some 70 went to flying clubs which involved in training pilots for the expanding RAF.

By the time World War II began in September, 1939, more than 1400 Tiger Moths had been built: almost 1100 in Great Britain, more than 200 in Canada, almost 100 in Portugal, and others in Norway and Sweden. Practically all of the civilian Tigers in Britain and Canada were drafted into military service. Even though the type was already nine years old, it remained the primary trainer for the RAF all through the war, and was in production until 1945. By then, more than 8000 had been built, almost half by Morris Motors. About 1500 of them were built in Canada with modified interplane struts, landing gear struts and closed cockpits for the hard Canadian winters. Another 1100 were built in Australia, mainly for the RAAF, but with some for Indian, the Dutch East Indies and 18 for the USAAF.

After the war was over, the Tiger Moths were dumped on the civilian market, where they found scores of





Cleveland Kits, Plans & Printwood ACCESSORIES & MODELERS SUPPLIES Bodger Au-Brusher MANY SPECIAL OFFERS

Send 25c for new 28-page cetator #MA 2A



WHAT YOU MISSEDIL

Codes up Roud Prote Year Books Now available - Pastpold. 1935-30-41 Sci 1971-45 20. 1932--43 90. 1931-32-33 90. 1932-97 90. 1935-36-95 90. 1957-38-35 90. 1935-36-95 90. 1954-35 -35.90 Also: MODSI O1008 DI-SION-53.90 CIRCULAR ARRICOW -53 90 Malfman's BOOK-32 90 Final Institute Nov. 1950-95 90 Codes

find out what you missed Order today Read fat ten days. Return fac cafend if not happy

MODEL ALEG PUBN . Sex 135 NORTHRIDDS . CAL 91374

NOW AVAILABLE!

For Novice or Experi

Send One Dollar Plus Eight Cent Stamp

M&P Aerosports Publications 1222 Briarcove, Richardson, Texas 75080



Look for the NYROD trademark on every Push Rod!




"THE Flexible PUSH ROD"

PLAINFIELD. ILL 60544

SLIM PAK - packaged straight - & COIL PAK AVAILABLE





HOBBY HELPERS **FULL SIZE PLANS**

Group Plan 465 3 at. ELERI

Simplified control line vertagine — designed by Olo-Dan Nisiam. Rates diameter 34"; langth 37"; tabos .46 to .65 size ongine with motor control.

Group Plan 766 1 ...

Locktood Lightwing P-36. Semi-scale start control-line model by Low McPerland, uses twin .19's with thruttle sentral for shorting lendings.

Thorp Higgs, Factors hame-built alogodt in cadio unnited model form by Jam Kriesser, Takes a JE engine.

Group Plan MILE 144

Facke-Wulf German World War II control line flying scale fighter by Walter Musciano, 3/4" to 5" scale; takes engine from .14 to .29 cv.

A/2 Viking Nordic Towling Older by Schish Champ Bill Parronce. These are MALF-SIZE plans with full size ribe and cross rections.

Group Plan #166 + m.

\$1.10

"Interceptor-Pive" by Harold delicit. Lefest in famous designer's series of outstanding R/C Multi Close planes. Spane 67½ inchas; 10 inchas lang: uses 61 size angins.

For Special Handling

Be per oz. 1st Class 11gperoz.AirMall send 15d United Statesand Possessions only

Catalog COVER

HOBBY HELPERS

1543 STILLWE - BRONX, W.Y.

HOBBY CENTER

ARLO'S HOBBY CENTER

LEGE HEMPSTEAD TPKE. • LAND MEADOW, N.Y. 11554 PHONE: 516-735-0913

You'r invited to stop in and visit of Long Island's best equipped Hobby Shops

SPECIALIZING IN R/C SUPPLIES

WE ACCEPT TRADE-INS ON CERTAIN USED ENGINES AND R/C SYSTEMS . DISCOUNT PRICES

MODEL - BOATS • CARS = TRAINS = ROCKETS PLASTIC KITS = SUPPLIES

pilots eager to get into the air at minimum cost. Training and touring were the main uses to which the civilian Tigers were put, and they adapted to peace as quickly as did the weary population. Camouflage color schemes were replaced by much sportier ones, at least by the rather sedate British standards of sportiness.

But if they looked less exciting than comparable American planes, they were certainly put to some novel uses. On the seventh anniversary of the start of the war-Sept. 1, 1946-the 15-year-old Tiger Moth made its debut in air racing with the first of | long series of fine performances in handicap races, in which its obvious lack of speed was balanced out by an early takeoff time. Highlight of the Tiger's racing career came in 1958, when the 27-year-old design was flown to first place in the classic King's Cup Races; that airplane is still flying today as m float-plane, operated by the Tiger Club. Since speed is of little importance in handicap racing, Tiger Moths can still be seen rounding the pylons in England. And while they did little to improve the breed, they certainly did help keep air racing alive until Formula One could get into action.

Another area in which Tigers have played a major sporting role in aerobatics. With a history of fancy flying going back to its earliest days, the proud biplane was a natural not only for extensive air show flying in the post-war years, but also for aerobatics competition. For many years until the cleaner, more powerful types like the Zlin came along, the Tiger Moth was the most popular competition machine in Great Britain. And even today, while they are rarely seen in major events, the Tiger Club continues to hold its annual contest for Tiger Moths only. Most, if not all, of today's top British aerobatics pilots learned on Tigers.

Perhaps the most extreme example of the Tiger's versatility has been its movie career. While the need for stock Tigers in films is obviously limited, there has been a steady demand for Fokker D.VII's and other World War I airplanes that are almost impossible to find-or too valuable to risk. Up steps the Tiger, gets its face lifted and its tail bobbed, and presto: a quicky pursuit plane. Experts can tell the difference, but the average moviegoer cannot.

Not satisfied with the pair of tandem seats in the Tiger Moth, lightplane de-

Bearing Canadian registry, this Tiger Moth has enclosed cockpit, common in Canada due to the rigors of wintertime flying. Note slatted





Don't forget to scan through our long list of plans available through SUDDEN SERVICE PLANS on page 84 and 85. Send in for new plans today!

signer Ron Prizeman proceeded to turn it into a four-seater by stretching the fuselage, while teaving practically everything else the same. The result was the Thruxton Jackaroo, wuseful cabin plane of which more than two dozen were built. Other modified Tigers have found their way into agricultural use, equipped with chemical tanks and spray gear.

For an airplane that really isn't outstanding in any respect, the Tiger Moth has compiled quite record. Since its first flight in October, 1931, it has done an amazing number of Jobs without a whimper. And even though there are all sorts of new airplanes which have taken its place, there are still a hundred flying in Great Britain, plus 10 Jackaroos-and others in the U.S., Canada and elsewhere. Any airplane that can remain in action for 40 years can probably make it to 50.

Dimensions

Wing Span-29' 4" Length-23' 11" Height-8' 91/2" Wing Area-239 sq. ft. Empty Weight-1115 lbs. Gross Weight-1825 lbs.

Performance

Cruising Speed-90 mph Maximum Speed-105 mph Rate of Climb-635 fpm Range-300 mi. Service Ceiling-14,000'

World War II Combat Series

SCALE

F4U-1 Carnel



"The bent ming bird of WW II and Korea" SPECIFICATIONS

COMPLETE

TO ORDER - See Your Dealer

OR - write or call

R. E. Prod. Inc. St. Charles, III. 60174 (312) 4 111

AAM Commander

(continued from page 56)

Fiberglass Fuselage

Form, bulse skin wing

Formed Canopy & Cowl

Many pre-fab parts

Full Scale Plans

from the end as shown in the overlay drawing. Set aside until needed.

Prepare the antenna trimmer C18 as shown in Figure 3. This is done to provide solid mounting for C18 with the adjust screw accessible from the pc side of the board. Set aside until needed.

Suppliers

ACE R/C Higginsville, Mo. 64037

Royal Electronics Corp. 2119 S. Hudson St. Box 22204 Denver, Calo. 80222

World Engines, Inc. 8960 Rossash Ave. Cincinatti, Ohio 45236

Components, Inc. (order through ACE R/C, Royal Electronics, World Engines, or from Doss Electronics, Inc. 6660 Security Blvd. Baltimore, Md. 21207 (Doss has a \$25 min, order)

Sprague, Motorola, Fairchild, GE, CTC, Switchcraft, Elemenco, CRL, Belden, Miller-National (order though Allied Radio)

D & Products 27635 Forbes Rd. Laguna Niguel, Calif. 92677

BOX 543. SOQUEL. CA. 95073

KNOWN FOR QUALITY SERVICE

All items shipped from stock within 12 hours. McCoy Ser. 21 .35 Stunt, 40 Stunt, reg. 24.95*.....\$16.99 BI R/C. 40 R/C, reg, 25.96\$17.58 Fax 40 R/C. reg. 25.95\$17.89 .40 Stunt. reg. 18.95\$12.89 reg. 14,95\$11,96 .15 R/C 36X8B. reg. 21.95.....\$17.58

Sterling Schweizer 1-26D, reg. 19.95..... \$15.10

Fairchild PT-19, reg. 16.95...... \$13.59 Midwest Esquire, reg. 14.95 \$11.99 Lil "T," reg. 16.95 \$13.56

Z Juan, reg. 29.95,..... \$23.89 "Sale item, price good to March 31.

DISCOUNT CATALOG

50 cents (refundable) SHIPPING FEES (includes tult insurance)

orders to \$7.50 add 70 cents \$7 51 to 515.00 - \$1.45 \$7.51 to \$15.00 - \$1.45 \$35.01 to \$55.00 - \$2.75 \$15.01 = \$20.00 - \$1.80 \$55.01 to \$75.00 - \$3.00 \$35.01 to \$35.00 - \$3.00 \$35.00 - \$2.35 over \$75.00 - none

MCE CAR

was

\$89.95 Now Special

BROWN CO. ENGINE 844.90

Cartridge holder necessary CHARGER



- E-Z Starting Variable Power Output
- Olaplacement .005 cu. In Complete with Williams P Weighs less than 1/4 st. Add \$1.00 postage.

springs.

New York Readersts Include Tax

Car completely assembled. Only radio and engine installation required. Hi-impact plastic body, Exact scale, Mag wheels, coil

ONG ISLAND NEADQUARTERS FOR R/C SUPPLIES Send stamped, self-addressed envelope for inquiries and price sheets.



\$34.95 \$5.00 for postage and handling.

Send Cashier's Check or Money Order for 24 hour Service (no C.O.D.'s)
Personal checks held for clearance.

ARRY'S HODBY BUFFLIES

Jericho Turnpike East Northport, L.I. N.Y. 11731 Phone (516) 864-7166



SNOWBIRD Span-57" Length-43" Engines-,40-,60 \$69.95 Net



SCIMITAR Span-60" Length-48½" Engines-,45-,60 \$69,95 Net



NYTRON Span-62" Length-49½" Engines-,45-.60 \$69.95 Net



WATERKING Span-75" Length-631/2" Engines-.50-.60 \$92.00 Net

Exce-lent Fiberglass Fuselage Motor Mounts Installed - Ready for paint Stab and rudder sanded and hinged Prices quoted are F.O.B. Nashua, N.H. No sales tax in N.H. QUALITY

Foam Core Wings Covered with 1/16 balsa Strip allerons, wing tips, installed and sanded Six wheel retainers, plates, screws, pushrods Piranha - Fiberglass Nacelle, Fiberglass wing floats included

TRULY THE MOST COMPLETE FIBERGLASS AND FOAM ARFS EVER IMPORTED

ECONO FLITE
ACHANNEL

QUAITY
ECONOMY
ECONOMY
Reliability
Low Price



CANNON E530-44A

\$199.95

U.S.A. ONLY

72 MLZ ADD \$10.00 SINGLE STICK ADD \$15.00 Dealer inquiries invited for all arfs Exclusive in the U.S.A.

PRICES
Plus
NO SALES TAX
IN N.H.



COSE 103 / 112-4421

ARF'S · IN CANADA: QUALITY HOBBIES OF CANADA 1296 Franquet St., Chambly, Quebec

For fast service send M.O. or bank check. We allow personal checks to clear before we ship. Bank-americard and Master Charge accepted, include M.C. Interbank Number. (lower left corner) and expiration date.



13400-26 Saticoy Street North Hollywood, Calif. 91605 (213) 764-1488

WRITE FOR COMPLETE BROCHURE

PROPORTIONAL CONTROL EQUIPMENT

ALL NEW FOR '72

ALL NEW FOR '72

ALL NEW FOR '72

THE BIG NEWS TODAY IS CANNON'S NEW EXECUTIVE IV R/C SYSTEM.

THE SYSTEM THAT INCORPORATES
ALL THE LATEST TECHNOLOGY
AVAILABLE TO THE INDUSTRY:

- 3-WIRE SERVOS
- . I.C. CHIP SERVO AMPLIFIER
- 2-WIRE BATTERY PACK
- NICAD BATTERIES
- . I.C. CHIP RECEIVER DECODER
- SUPERHET CIRCUITRY
- SEPARATE SAFETY CHARGER

TO PLUG IN AND OPERATE,
WITH 4 SERVOS:

\$209.95

MADE IN U.S.A.

AVAILABLE ON ALL
27 MHZ FREQUENCIES

*REGULAR PRICE \$249.95

COMPARE THE FEATURES WITH SETS COSTING HUNDREDS OF DOLLARS MORE THEN BUY CANNON

CANADIAN SALES AND SERVICE

H & W ENTERPRISES

BOX 972

REGINA, SASK.

DEALER DISCOUNTS AVAILABLE - WRITE FOR TERMS. THIS EQUIPMENT AVAILABLE ONLY FROM CANNON ELECTRONICS - NOT THRU LOCAL DISTRIBUTORS.

RETAIL CUSTOMERS IN YOUR DEALER DOES NOT STOCK CANNON EQUIPMENT, ORDER DIRECT FROM FACTORY. CASH ORDERS SHIPPED POSTPAID. C.O.D. ORDERS MUST INCLUDE IN DEPOSIT. ORDERS FILLED IN ROTATION. PLEASE SPECIFY MODEL AND FREQUENCY. CALIFORNIA RESIDENTS ADD SALES TAX.

INTERESTED IN JOINING A.M.A.? Over 39,000 did in 1971. Details may be had by requesting FREE BROCHURE from above address.

RC Plane Helps Build Power Line

Two issues ago in this section we told of the exceptionally bad press aeromodeling had received because of a reported sighting of a model airplane by an airline captain in the Terminal Control Area of JFK Airport in New York. This month we are pleased to report about the good publicity modeling received in December, the montage below indicates, which resulted from widespread reprinting (and also broadcast by Paul Harvey News and others) of an Associated Press story.

It is a great news story concerning a unique use of RC for constructive purposes. Here's what AP writer Werner Vollman had to

An Austrian power company is telling proudly how a model plane came to its rescue.

It needed a device to take pilot lines across rough terrain as a start on a 110,000-volt power line. The pilot lines are used to pull increasingly bigger ropes across obstacles, Eventually the wires attached to ropes winched into position.

Bigger and richer companies sometimes use helicopters to place pilot lines. Austrian company. Kelag, has used rockets at a range of 400 yards, but it had to bridge 700-yard gorges for the Katchberg project.

Someone thought of using the skills of Hanno Prettner, 20. His remote-control model aircraft have made him Austrian champion and won a place at the 7th Aerobatic World Championships at Doylestown, Pa., earlier this year.

His father Hans, an earlier Austrian champion, assisted in the project to construct an aircraft which could fly the pilot line to its destination, drop it and return.

The difficulty was to estimate the pull of the pilot line. The two Prettners constructed a

new aircraft, with a slightly larger wing span than usually used in competition, and a bit slower.

The craft's takeoff weight was 3,1 kilograms. The pilot line, a cord one millimeter in diameter, weighed about one kilo or 2,2 pounds,

The craft's remote control had to have a dropoff device for the pilot line.

The two Pretmers started tests at a meadow, In October they drove to the construction site.

Everything worked fine, despite strong

winds and the rather bad terrain in which the plane had to land," Hanno said later. The plane carried four pilot lines across the gorge in seven hours

The company spokesman observed: "It was definitely a success," Young Prettner is trying to develop a two-station wireless transmission, in that a craft in flight can be controlled from two separate points and thus achieve a longer flying time.

"With two remote control stations we should be able to fly over two kilometers." he explained. That's about 11/4 miles.



RC/WC photos of Austrian Hanno Prettner (Chuck Shade photo) and his father Hans (inset).

Model Plane Flies to Austrian Power Company's Rescue

MAGGENFURT, Austrian pull increase pull incr Herculean Job KLAGENFURT, Austria (AP) - An Austrian Power company is telling proudly how a model plane came! take pliot lines across rough ower line. The pile

By WERNER VOLLMAN line. The pilot fires are used to at a control of 400 yards. it earlier this year.

ropes had to bridge 700-yard gorges. His father Hans, an earlier hally for the Katchberg project. Austrian champion, assisted in someone thought of using the project to construct an alv

Model Airplane Helps

Klagenfurt, Austria 65—Ampion and man a process of Austrian power company is tell- Aerobatic World Championships Reeded a Literature Pa. andier that its answer of the Champions of the Championships as acro in poundly low a model plant of Daviestown, Pa., emiler that in

new aircraft, with a slightly pounds.

"An span than usually The craft's remote control and a bit had to have a dropoff device." Model plane comes the pilot line. to rescue of company Model Airplane Helps

Build Power Line

KLAGENVER VOLLMAN

is the Notion power Company

Klagenfurt. Austria (35-Anipion and a place at the 7th e. plane power Company is tell- Acrohatic World Championships needed to its someone the skille thought to bridge 700-yeard correct for the strain power company is tell- Acrohatic World Championships needed to its someone to be skille thought to be skille thought to the skille thought the skille thought to the skille thought to the skille thought to the skille thought to the skille thought to the skille thought the skille thought to the skille thought to the skille thought the skille thought the skille thought the skille thought the skille the skille thought the skille thought the skille the skille the skille the skille the skille the skille the skille the skille

Radio Control Aerobatics World Championships Team Program

The three-man U.S. RC Aerobatic Team for the 1973 FAI World Championships (currently scheduled for Italy) will be selected by means of a Team Finals flying competition planned for the weekend of September 23-24, 1972, at a reasonably central U.S. location. To be admitted to the Team Finals will be approximately 30 qualified AMA members from throughout the U.S. plus the 1971 Aerobatic Team which is automatically qualified. A qualification program will be in operation from April 1 through Labor Day, September 4, to enable as many AMA members as possible to have a chance to fly in the Team Finals.

The team selection program used in 1970 for the previous RC Aerobatic Team selection was generally liked by most participants and will be implemented again with a few changes. The changes will be in the length of the point accumulation period, and the rules to be used for the Team Finals. Note that in the previous program only about 40 competed. If this occurs again the chances of practically all entrants going to the Team Finals are excellent, Furthermore, the new program makes it easier to accumulate points-previously only those in the top three at meets (other than the Nats) could qualify. Now, the bigger the meet the more who can gain points. At the same time more people can get points at smaller meets. In fact the point system is designed to generate more competition in the program as a whole, especially in those localities where the number of contestants is usually low- this can help Contest Directors of smaller meets to get more participation. The new program, therefore, makes it easier to qualify, both in large and small meets.

It can also be less expensive. In the previous program the cost was \$20 (instead of \$5) for those who waited until after May I to enter the program. In this year's program the deadline for getting into the program for only \$5 has been extended to June 1. After that date the cost is \$10-half of what the late entry fee was before.

In any case entries should be made as soon as possible to avoid late fees and a late start. The program begins in April-before the late fee deadline. Points can, therefore, be accomulated sooner than before.

Two Ways to Qualify for the Team Finals

1. BY NATIONAL CONTEST PERFORMANCE. The 10 top Nats RC Pattern flyers who have the FAI Stamp (\$1,25 from AMA HQ if not purchased with license) and have paid a special \$10 FAI Team Program fee (in addition to regular Nats entry fees), prior to Nats flying, will be qualified for the Team Finals. Such fee is to be paid at the Nats prior to the start of the Pattern event. The special fee will not apply to the point system part of the program, nor will point system fees apply toward the Nats special fee. Nats placing will not count toward the point accumulation part of the program.

Hobby dealers—Clubs—Leaders: need AMA application blanks? For a free supply write to AMA HQ, 806 Fifteenth St., N.W., Washington, D.C. 20005, Specify how many are wanted.

2. BY ACCUMULATED POINTS AT AMA SANCTIONED MEETS OTHER THAN THE NATS: 20 flyers may qualify for the Team Finals. By this means a system of point accumulation is again used, as in 1970, but a more equitable basis so that more entrants can get points at most meets. Points are given for placings in proportion to the number of contestants who fly in a Class C Expert Class D Expert event at AMA sanctioned Class AA or larger meets held from April 1 through September 4, 1972, as follows:

Points (P) will be awarded to contestants based on the number of contestants (N) making official flights and their place in the final event standings (p) as determined by the following equation:

$P = (N+5) \div 2p$

Note: If the event is Class D (FAI) then P will be increased by 10 percent.

The three team members from 1971 are pre-qualified for the 1972 Team Finals so they will not be competing for points in 1972. Their effect on point accomulation in any contest where they participate will be interpreted as if they were not present at the contest. That is, the number of contestants for point computation will be reduced by one for each 1971 team member (Kraft, Whitley, Chidgey) in the contest, and the point standings will be adjusted accordingly.

The same will be true for the Nats qualifiers. These 10 flyers will be removed from the points standings as will their effect on all contests in which they flew prior to the Nats as well as after. The points will be recomputed after the Nats from the certified records of the flyers prior to the Nats, and new points standings will be published.

How to Enter the Program

Entry in the points part of the program may be made only by mail in either of two ways: a, By mailing \$5 Advance Entry Fee (check or money order payable to AMA) to AMA HQ, identified for "RC Team Selection", postmarked no later than June 1, 1972. b. After June 1 and up to and including Labor Day, September 4, 1972, by sending \$10 Late Entry Fee to AMA HQ, Each program entrant must have an FAI stamp on his AMA license (\$1.25 from AMA HQ if not purchased with license).

Program participants who mail in entry fees will receive certification forms which they must have signed by Contest Directors of meets in which the contestant has placed sufficiently high to gain points (see point system formula). A Late Entry, as per "b" will be permitted to have points counted for one, but only one, meet held after April I, in which he placed prior to entering the program—all other points must be scored in meets held after the date of entry postmark. It will be the contestant's responsibility to obtain certification for placing in these meets and submitting same to AMA HQ.

In the unusual case that both Class C and D Expert events are held at one contest, and a flyer places in both, he may submit certification forms for both, but only the highest

point score will be credited.

All entrants in the program who are not subscribers to the AMA Competition Newsletter will receive photocopies of information published therein concerning the program. The newsletter will be the official source of continuing news and details of program progress, which will be reported monthly.

The Team Finals

FAI World Championships rules will be used. This concerns model sizes and weights as well as meet procedures including judging, insofar as is practical. Note: models must be within weight limit WITH FUEL, ready to fly.

All finalists will be required to pay a Team Finals fee of \$10 before flying.

Judges are being sought from all over the country, as in the previous program. Also, as before, the RC industry is being asked to provide sponsorship which will cover the cost of transporting and housing the judges and other key program official (administrative and jury members).

Basic manpower and site is anticipated to be provided by one or more AMA chartered clubs located in the midwest (site to be within 600 miles of Kansas City). The local club members will run the meet, assisted by national officers who will assure compliance with FAI requirements.

Program Administrator

Tom Rankin, Ellicott City, Md., continues as administrator of the current program to select 1972 U.S. RC Aerobatic Team Members. Questions or communications concerning this program should be sent to AMA HQ for transmission to the program administrator.

HOWARD McENTEE FUND ESTABLISHED

Last month's magazine featured AMA's 1971 Model Aviation Hall of Fame award. The recipient, Howard McEntee, passed away shortly after that issue went to press, in January. Since that time a special fund has been established in his memory. Before he died Howard indicated a desire to help AMA continue doing many things on behalf of model aviation.

The fund has been created in response to many of his friends who asked for a means to help carry on, in Howard's name, whatever efforts he had greatest interest in, such as international RC activities, Junior programs, new and unique contributions to the technical advancement of designs and equipment.

Contributions should be designated to the AMA Fund for Howard McEntee; send to AMA HQ, 806 15th Street, N.W., Washington, D.C. 20005.

In the meantime, see Bill Winter's editorial this month for some reflections on Howard McEntee, also last month's Hall of Fame award. The latter was a particular tribute to Howard—it had the unanimous endorsement of all of AMA's Council of Past Presidents.

PRESIDENT'S MEMO

An international aeromodeling experience—and reason to be proud!

It was quite an experience! I attended the annual Plenary Meeting of the International Aeromodeling Committee of the Federation Aeronautique Internationale. The FAI is the world's sporting aviation governing body. I had some idea of what to expect at this meeting as I had been briefed; I knew this was where the rules, attitudes, and scheduling for international model airplane competitions were put together. And I had been studying reports of past meetings and actions. But to attend the meeting was a new experience.

immediately I was astonished! I was astonished because, among the 24 countries of the world that were represented, more than 50 individuals were involved. Twenty-four countries felt that model aviation was in important, serious, and dignified activity worthy of their sending so many delegates to coordinate it and to be part of it on an international basis. When I asked myself "why?", the answer was a sobering and inspiring one. HERE WERE 24 COUNTRIES OF THE WORLD'S PEOPLES WHO HAD FOUND A COMMON CAUSE AND COMMON MEET-ING GROUND AND HAD TRAVELED FAR TO ORGANIZE THE MEANS FOR EXISTING SIDE-BY-SIDE, AND WITH UNDERSTANDING AND RESPECT. And aeromodeling was the tool they were using-the catalyst.

We sat through two days of interesting meetings. The official languages were English and French, but at least a dozen languages were being spoken around the tables. And I was so impressed by the fact that everything was conducted so respectfully. WHAT A CONTRAST this was to what we are used to seeing in the meetings of statesmen and diplomats from these same countries when they meet in the shouting matches of the United Nations and other international meetings.

The FAI meeting room was crowded, so that even with some of the countries whose governments would not think of being that close to other countries, the aeromodeling representatives were close to each other, not just in body, but in spirit and friendliness. It is hard to believe that there could be an activity thought of m SO IMPORTANT that its problems could be discussed and acted upon respectfully and pleasantly by representatives from countries with such different viewpoints as, for instance, Egypt, Poland, United States, Czechoslovakia, Great Britain, both East and



Reunion ® the December meeting of the FAI Committee for International Aero Modeling, L-R: Ron Moulton (England), CIAM Technical Secretary: Sandy Pimenoff (Finland), CIAM President: John Clemens, AMA President.

West Germany, Italy, Russia, South Africa, Bulgaria, Hungary, Greece, Spain, and all the rest. Aeromodeling knows no international barriers!

In direct contrast to this fine atmosphere, John Worth, AMA's executive director, and I walked the few blocks through the colorful streets of Paris to where the Paris International Peace Conference usually convenes each Thursday. From across the street we watched the heavily police-protected diplo-

mats from the various countries arrive at carefully spaced intervals. Just outside the entrance to the conference building a battery of press and TV cameras had been set up. As each group of diplomats arrived they took their turn striding to the cameras and microphones and shouting their points of view for this session. Or if they did not enter into this international shouting match they would go to the other extreme and completely ignore cameras, microphones, public, and the whole world, as an expression of complete disdain.

I COULDN'T HELP BUT THINK that this shouting and name calling has been with completely negative results, and I believe it has been going on for about three years. And just a few blocks away at our FAI meeting 24 countries were working in harmony and were ACTUALLY CREATING more useful effort and friendship in just TWO DAYS than the diplomats had created in THREE YEARS!

After witnessing the Paris FAI meetings and making more new international friendships for ourselves, AMA, and the USA, and thinking of the wonderful international friendships that were made at AMA's World RC Championships at Doylestown, and then looking again at those ridiculous Paris Peace Conferences, I came to a conclusion.

We should all chip in a few bucks and BUY ALL THE WORLD'S DIPLOMATS MODEL AIRPLANES! This would do for them what it does for us, It would keen them busy, mellow them, give them a sense of values, and let them forget their greed and bitterness for at least a little while each day. They would be much more realistic people, nicer to be around, might even learn to smile a little and show respect for each other. They would probably find that world affairs are a lot like modeling, in that everyone's problems are about the same. And one tremendous benefit; they would not find it near so easy to make nasty speeches while chewing model aitplane glue off their fingers! LET'S GIVE THE WORLD'S DIPLOMATS MODEL AIRPLANES!

John E. Clemens AMA President

DECEMBER FAI MEETING

Because of the previously announced four year freeze on FAI rules, the December 2-3 annual meetings of the Committee for International Aero Modeling (CIAM) at Paris, France, did not result in any alterations, with respect to model specifications, to the official rules for FAI competitions or World Championships. It was announced at the outset of the meeting that proposals could not be adopted concerning model specifications, records, and general rules for World Championships, although provisional rules could be modified as could administrative details concerning World Championships.

Twenty-four nations were represented in the meeting, Attending from the U.S. were Maynard Hill, CIAM delegate; John Clemens, AMA president; John Worth, AMA executive director; and G. H. Stine, chairman of the CIAM Space Models (rocketry) Subcommittee. John Patton, CIAM RC Subcommittee chairman was taken ill two days before the meeting and could not attend.

One of the most important subjects of the meeting was to arrange the calendar of World Championships for 1972. Highlighting the subject's importance was the fact that, previous to the meeting, mm organizers had come forward to host the Scale (CL and RC) and Indoor World Championships, and there loomed the possibility that these events might

be cancelled. France had tentatively agreed to sponsor the Control Line World Championships in 1972, but there had been advance information that this offer might be withdrawn.

Hosts were found during the meeting for all of the scheduled 1972 World Championships: Scale (CL and RC) at



Opening of the December CIAM meeting. Charles Hennecart, FAI Director General, speaking,

Toulouse, France, August 2-7; Indoor at Cardington, England, August 25-28; Control Line (Speed, Team Race, Stunt) in Finland, probably in July.

One of the other events which was scheduled, likely to be of interest to a number of American modelers, is an open entry RC Pylon Racing International Contest to be hosted by England concurrently with the Indoor World Championships, August 25–28, An International Contest is only one step beneath the status of a World Championship.

Both the Indoor and RC Pylon groups will be lodged at Cranfield Aerodrome, north of London. The Pylon Race will be flown at Cranfield, while Indoor contestants will be bused to Cardington, about a half hour away.

The Pylon Race International Contest is not limited to three team members per nation, and any AMA member wishing to participate may do so at his own expense (AMA cannot obtain team transportation for contests other than WC's). The entry fee is \$75 per person, to include three night's lodging and all meals.

For 1973, the Radio Control Aerobatics WC is tentatively scheduled for Italy, and Austria intends to be host to the Free Flight

Other CIAM actions of particular interest to U.S. modelers:

GENERAL. Rotary piston (Wankel) type engines have been accepted for FA1 records

and competition. The right of a reigning World Champion to participate in World Championships, whether or not he qualifies for his national team, was conditionally approved, but if not a team member his score will not be included in team results: conditional approval means that it is being submitted to FAI's Committee for International Sport Aviation (CASI), which was to meet in February, to determine if the new rule may be applied in 1972.

Chartered Club officers who receive the AMA Monthly Mailing found out in February what was February's big modeling news. Did you? Inot, ask your officers why not?

FREE FLIGHT. The minimum weight for Coupe d'Hiver models (provisional rules) was increased from 80 to 100 grams. Conditionally approved, subject to CASI approval, was a proposal to permit a Nordic towline glider flyer to release his launching cable (such as by a panic button) without being penalized, provided the launching device itself is not thrown.

CONTROL LINE. The Speed and Team Race minimum control wire diameter has

been redefined as "0.03mm plus or minus .01mm", to allow for manufacturer variances; in English measurements, this converts to .0118 inch plus or minus .00039. Conditionally approved, subject to CASI approval, was a U.S. proposal to decide individual Stunt World Champions by a flyoff of the top 15 placers who would be given two additional flights.

RADIO CONTROL, Slight revisions to the Aerobatic maneuver descriptions were accepted: 4-pt. roll, delete references to knife edge flight, and add "the approximate time of the maneuver shall be 5 seconds"; horizontal rolls, change time of maneuver from 4 to 5 seconds; landing, delete steep approach as a reason for downgrading.

OFFICERS. Sandy Pimenoff of Finland was reelected president of the CIAM for 1972. Also reelected were Ron Moulton (England), technical secretary, and Guy Revel-Mouroz (France), general secretary. Newly elected vice-presidents are V. Kmoch (Yugoslavia) and L. Bovo (Italy). The following subcommittee chairmen were elected: RC, Maynard Hill, U.S.A.; CL, K. Rosenlund, Sweden; FF, L. Bovo, Italy; Scale, H. Ziegler (Germany).

Appointed by the subcommittee chairmen as representatives from the U.S.: CL, Laird Jackson; FF, Dave Linstrum; Scale, Claude McCullough.

AMA AND TRANSPO 72

The greatest opportunity ever to present itself to show off model aviation to the general public and influential business, political and military leaders will take place at Dulles International Airport, near Washington, D.C., from May 27 to June 4, 1972. During this nine-day period will take place the U.S. International Transportation Exposition known as Transpo 72.

AMA will have a big hand in the aviation portion of the event through its participation in air shows scheduled on each day. In addition, model planes will be exhibited during a special hour and a half mini-show to

be presented as a preview on May 26, for the press and the U.S. congress.

Transpo 72 is basically intended to be a showcase of transportation products and progress, in many ways resembling a world's fair. But rather than simply an assembly of static exhibits, Transpo will be alive with activity, especially during the daily air shows which will feature all aspects of aviation, AMA will have a team of mozen flyers on constant call each day to perform scheduled and unscheduled model aviation shows before grandstand crowds. There will also be a static display area shared by AMA and all the divisions of the National Aeronautic Association.

The event is being put together by the U.S. Department of Transportation as America's greatest ever air show, designed to outdo the famous bi-annual Paris Air Shows. The federal government has already allocated six million dollars to the project, and may add more shortly.

The event will receive a maximum effort from AMA-which will be reported regularly between now and opening day in May.

WC TEAM FINALS SITE POLL RESULTS

As reported last month (page 64), AMA President John Clemens has called for polls to be taken among previous World Championship Team Program entrants, and among team finalists for the current Free Flight Team Program, to decide whether the next programs will have Team Finals at a single site (central or otherwise) or at two or more sites. This is not applicable to programs which depend heavily upon a judgment factor for determining winners, such as RC Aerobatics, CL Stunt and CL Team Racing: for such events a single flyoff site will be used, and the location will be decided by poll only if a reasonably central site is not available.

The Free Flight and Control Line polls have been concluded, producing the following results.

FREE FLIGHT. Slightly better than 90% of the team finalists responded, and by a margin of 61,17% to 38.83% they indicated that the July 4, 1972, weekend dates would be acceptable for a single Team Finals at a central location (within 600 miles of Kansas City). An abandoned airfield at Caddo Mills,



Artist's conception of TRANSPO 72 scheduled for May 27 to June 4 at Dulles Int'l Airport.

Tex. (approximately 30 miles east of Dallas, conforming with the "central" definition), has been offered for these dates under the combined sponsorship of the Dallas Cliff Climbers and Ft. Worth Plainesmen,

AMA President Clemens has authorized planning to proceed for the Caddo Mills site on the dates of July 1, 2, and 3.

The poll of FF finalists showed strong support for a single Team Finals whether central or not. Of those responding 74.1% favored a single non-central site if a central one should not be available. For the current program this means that a single non-central Team Finals site would be used if Caddo Mills later on should be unexpectedly withdrawn.

CONTROL LINE. The next CL World Championship Team Selection Program (for Stunt, Speed and Team Race) isn't expected to commence until 1973. The poll results, therefore, can be incorporated in the basic program details when initial announcement is made.

Previous program entrants who responded tabout 70%) showed a preference for a single "central" Team Finals location. They also indicated that the concept of the previous program generally was satisfactory, with the majority favoring no change to the criteria for qualifying. Another interesting point is that nearly all favored a separate team program rather than simply using the Nats results.

AMA membership from the club; two day helpers—a year's club dues; one day helpers—1/2 year's club dues. The club hopes that this plan will encourage more to help.

New '72 AMA Records

New national flight records were started on the first of January for Coupe d'Hiver and Free Flight Gas models. In the case of Coupe d'Hiver, the rules were revised to call for a heavier model-minimum weight increased from 80 to 100 grams (100 grams equal 3.53 ounces). In Free Flight Gas, both Landplane and Seaplane, and in both Category I and Category II, the flyoff procedure was revised from increasing max flights (with constant engine run) to reducing engine runs (with constant max flights).

Flip Card Scoring System

The AMA chartered FORKS Club (Fairfield Ohio Radio Kontrol Society) has received nothing but good comments regarding the use of its flipeard scoring system. The scoring display card is similar to those used in diving and skating meets; each judge is supplied with score cards numbered one through ten of a sufficient size (12" by 14") so that they may be read from 300 feet away. In the photo, two judges are shown displaying their individual scores to the score-keeper/timer behind them, and also to other contestants and the general public.



Flip cards are particularly beneficial to spectators who may wish to follow a certain flyer's scores as his flight progresses. FORKS' Contest Director Jim Slater (AMA 26568) says, "It also tends to make the judges a little more serious about their job, since all scoring is openly displayed. The system is easily operated and requires no more additional people than normal. It's just a matter of technique."

Delta Dart Program Still Strong

AMA clubs throughout the nation are using the cold weather months for added community and youth involvement by running Delta Dart programs for schools, Scouts, boy's clubs and others in the 8-13 year age group. It's a service which elevates modeling in the cyes of the general public.

The program isn't new, Over 80,000 Delta Darts have already been distributed in this venture sponsored by the AMA and the Hobby Industry Association of America. The kits are provided free by the HIAA, and the only cost for a club to participate is an AMA sanction fee of \$5 per hundred kits. Clubs should send to AMA HQ for additional information and the special sanction request form. And if the club isn't already AMA chartered, ask for free club charter information at the same time.

AMA News Bits

AMA Name Change?

It seems we're better remembered outside of the modeling fraternity as the American Model Association. Because of this and other public relations difficulties in getting our name recognized and remembered, AMA Public Relations Director Bob Lopshire has suggested that the Executive Council (AMA's board of directors) consider a name change. The Executive Council is open to suggestions. The most commonly recommended words in connection with the name proposal are: National, U.S., American, Association, and Miniature Aircraft. It might be helpful to try to incorporate one or more of these in any proposal. If you have a recommendation send it to AMA HQ, 806 Fifteenth St., N.W., Washington, D.C. 20005.

Modeling Treat for Football Fans

The AMA chartered Hot Heads Model Airplane Club of St. Louis (Mo.) provided a Control Line flying demonstration for 46,179 fans of the St. Louis Football Cardinals at Busch Memorial Stadium early in the football season.



Pictured are the four flyers who participated; (Standing L-R) Gary Frost and Mark Pattic, (Kneeling L-R) Mike Tallman and Lou Woolard, Tallman (AMA 790) and Woolard (AMA 551), both from Wichita, Kansas, flew a formation Stunt pattern. Frost (AMA 21741) and Pattic (AMA 76966) flew a slow Combat match, arousing the crowd as each plane made a "kill" on the other.

Class C RC Stations in Canada

The Department of Communications in Canada permits United States Class C licensees attending Canadian model aircraft demonstrations and contests to operate their model control equipment under the auspices of a Canadian General Radio Service Licensee. This procedure is similar to that in the U.S., where aliens coming into the U.S. are permitted to operate a Class C station under the control and supervision of the U.S. licensee.

Club FCC License Confusion

Recently there has been some confusion regarding the club FCC license concerning where the license may be used. Some have said that the license is valid only at the club's field.

But what the FCC says is that the license may be used by members only in connection with the official club activities under the control and responsibility of the club officers. That doesn't necessarily limit club activities to the club field. The club license can be used anywhere that club officers authorize it to be used. If the club authorizes its license to be used by club members at other fields, meets, or activities of other clubs, then the license is good for such purposes. The only thing that counts is what the club officers approve for use of its license.

It is suggested, however, that a photocopy of the club license be carried by each club member together with a statement signed by the club president indicating how the club authorizes its use by individual club members, It might, if it is the club's intention, state that the license may be used by club members at all AMA sanctioned contests regardless of location. The basic idea is to provide documentation for each club member which clearly shows what use of the license the club authorizes.

Contest Workers Rewarded

Finding modelers who willing to help run a contest is vital-but it can be a difficult task. The AMA chartered Tucson Radio Control Club (Ariz.) discussed methods of rewarding contest helpers in preparation for their three day contest: those who help on all three days receive one year's club dues and

AMA Chartered Clubs

Most of the AMA Chartered Clubs were listed in this section last month (March AAM, pp. 60-64 and 66). The remaining clubs I listed here. Contact the person named—for the clubs of interest—for meeting time, place and date.

OREGON

Eugene Prop Spinners, Stephen Roberson 1481 W, 24th Place, Eugene 97405 Eugene RC Aeronauts, Inc., Roger Breedlove 3604 Gilham Road, Eugene 97401 Flightmasters Klamath Fis., R.J. Wickline P. O. Box 623, Klamath Falls 97601 Fly-A-Ways RC Modelers Club, Walt Brooks 15570 South West 79th, Tigard 97223 Flying Tigers Flying Club, George Petty, Jr., Rt. 3, Box 233 No. 57, Milton-Freewater Nor'Wester, Dale Adams 612 SE 130th Ave., Portland 97233 Portland Stardusters, Stanley W. King Portland Stardusters, Stanley W. King 10630 SE Boise, Portland 97266 Rogue Eagle RC Club, Robert J. Hawkins 4790 Fern Valley Rd., Medford 97501 Salem RC Pilots Assn. Inc., Robert Ellison 1595 19th St. NE, Salem 97303 5ky Knights, Fred Beem 15113 Wyeast Ave., Clackmas 97015 Tri-County RC Club, Marvin Peterson 1421 N. 9th, Redmond 97756

Eugene Prop Spinners, Stephen Roberson

Willamette Mod. Club Inc., Robert Stalick 1120 Shady Lane, Albany 97321 PENNSYLVANIA Aircraft Modeler Assn., George Reader 3359 Longshore Ave., Philadelphia 19149 BARFS, William Henderson 202 Williams Road, Butler 16001 Bath Area Modelaires, Clayton Ott 770 Washington Ave., Bethlehem 18017 Beaver County MAC, R.J. Chiappetta 104 Tuscarora Dr., Seaver Falls 15010 Bucks County RC Club, Harry J. Zobie 3102 Steele Avenue, Bristoi 19007 Buc-Le-Sportsman, Stanley Buclor 519 Richtill Rd., Sellersville 18950 S19 Richnill Rd., Sellersville 18950
Carlisle RC Club, Richard M. Lane
438 W. Penn St., Carlisle 17013
Central Dauphin MAC, Richard H. White
Lisa Lake TC. Lot 65, Middletown 17057
Ephrata RC Club, Clyde Wealand
207 Main Street, Akron 17501
Erie Model Aircraft Assn., Linley Reichel
3301 Clndy Lane, Erie 16509
Erie Model Controlliners, William Hayes 1348 W. 28th St., Erie 16508 Flying Dutchman MAC, Philip Spillman 5227 Eton Pl., Machanicsburg 17055 Flying Tigers, Joseph J. Hudak 537 Cooper Dr., Warminster 18974
Gateway RC Soc. Inc., William G. Isherwood
4425 Burma Rd., Monroeville 15146
Glenside Air Scouts RC Club, John Salisbury
2909 Joyce Road, Rosiyn 19001
Golden Eagles, Donald A. Reed Golden Eagles, Donald A. Reed 371 Southcroft Road, Springfield 19064 Greater Pgh. Aero RC Soc., A. DePoutlioff 1089 Green Lawn Dr., Pittsburgh 15220 Indiana County MAC, George R. Krempels 2242 Wilson Ave., Indiana 15701 Johnstown RC Club, Gerald E. Black 603 Demuth St., Johnstown 15904 Keystone Clippers RC Club, E.H. Wisser 1521 Summit St., McKeesport 15131 Keystone RC Soc., Inc., John Landis, Jr. 704 Haldeman Ave., New Cumberland Lackawanna Aero Modelers, Ted Mynyk 402 Newton Rd., Scranton 18504 Lancaster Co. RC Club, Eugene F. Eshbach Lancaster Co. RC Club, Eugene F. Eshbach
18 Casey Dr., Willow Street 17584
Laurel Highlands MAC, Edward L. Federico
R.D. 2, Box 332A, Latrobe 15650
Lebanon Valley RC Club Inc., H.J. Rittle
207 N.R.R. St., Myerstown 17067
Lehigh Valley RC Soc., Elwood Haggerty
114 S. 8th St. Choley 18037 Lancaster Co. RC Club, Eugene F. Eshbach 114 S. 8th St., Copley 18037 Levittown Flying Bucks, R. Leishman 167 Goldenridge Dr., Levittown 19052 Merco MAC's, Wes Mitchell 185 S. Mercer St., Greenville 16125 No. Hills Cloud Dusters RC, E. Eversmann 783 Thompson Run Rd., Pittsburgh Olean MAC, George M. Ward, Jr. 155 Harrisburg Run, Bradford 16701 Penn-Ohio Radio Kontrol, T. Montgomery 1639 Katherine St., New Castle 16105

Philadelphia Sky Pirates, Arnold Waldner 337 W. Durham St., Philadelphia 19119 Quaker City RC Club, Herbert Zemble 7716 Summerdale Ave., Phila. 19111 Rangers RC, William Moffa 2620 Mifflin St., Philadelphia 19145 RC Aeronautics of Altoona, B. Plunket, Jr. 1610 21st Avenue, Altoona 16601 RC Club of Erie, Inc., Richard Thaler P.O. Box 8132, Erie 16505 Skylarks of Sharon Pa., Henry Smith, Jr. 269 Prospect St., Sharon 16146 S.P.A.R.C.S., Jay Gerber 811 Triumphe Way, Warrington 18976 State College RC Club, Don Frazier 269 Ellen Ave., State College 16801 Sunday Flyers, James L. Renner Sunday Fryers, James L. Renner 406 Seville St., Philadelphia 19128 Susquehanna Valley RC, James Rechel, Jr. 967 High Street, Williamsport 17701 Tri Co. Wing-Snappers Inc., David Klein Tri Co. Wing-Snappers Inc., David Klein
765 Lobelia Ave., Riverview Pk., Reading
Tuscarora RC Club, Steve Wonsock
153 Park Pl., Mahanoy City 17948
Univac MAC, Joseph Weinstein
141 Shasta Rd., Plymouth Meeting 19462
Valley Forge Signal Seekers, Wm. Patterson
22 E. Glen Circle, Media 19063 22 E. Gien Circle, Media 19063
Valley RC Model Ciub, Inc., M. Kandelin
504 Second St., Athens 18810
Weak End Aero Mod., A.J. Latini, Jr.
214 Rodney Rd., Ridley Park 19078
West Shore Flying Soc., C.S. Fries
1114 Charles St., Mechanicsburg 17055
W.H.A.K.S., John A. Sacco, Jr.
48 Wheeler Ave., Pittsburgh 15205
The York Area RC Club, Inc., Kermit Hoke
207 Locust Lane, York 17402
York Line Tamers, Richard Denues
2560 Sunset Lane, York 17404 2560 Sunset Lane, York 17404 **RHODE ISLAND**

Aquidneck RC Flyers, John T. Kroenert 349 New Meadow III., Barrington 02806 Rhode Island Aeromodeters, Bernard Collins 11 Taft St., Cranston 02905 Rhody Aero Guidance Soc., Louis Peters 125 Summit St., Central Falls 02863

SOUTH CAROLINA

Camden Model Airplane Club, Robert Moon 1721 Woodside Drive, Camden 29020 Carolina U-Liners, L.J. McKinney 104 Sunrise Drive, Mauldin 29662 Charleston RC Society, I Roberts
794 Piccadilly Dr., Charleston 29407
Dixle RC Flyers, Carl W. Cox
1) Clamson Drive, Alken 29801 Goney Birds, Edward H. Schwab, Jr.
Quinby Circle S., Florence 29501
Greenwood Radio Aircraft, James C. Owens
P.O. Box 354, Greenwood 29646
Lexington Aircraft RC Soc., J. Schafpf, Jr. 820 Fontana Dr., West Columbia 29169 Piedmont Flyers Assn., Wm. R. Dickerson 210 E. Faris Rd., Greenville 29640 Sky Knights, Ratph K. Dobson Box 66, Spartanburg 29301 Sumter Model Airplane Club, Chas. Johnson Rt. 1, Box 57X, Sumter 29150 Western Carolina RC, Kirby McKinney 7 Windemere Dr., Greenville 29607

SOUTH DAKOTA

Flying Eagles MC, Inc., Glen Krogstad 2808 Kingston Dr., Sioux Falls 57104 Private Field Flyers, Rennie Fetzer 3012 So. 6th Ave., Sioux Falls 57105 Rapid City Prophusters RC, Clark Besancon 4926 Pierre Street, Rapid City 57701

TENNESSEE

Coffee Airfoilers, Lee F. Webster 1000 Sycamore, Manchester 37355 Cumberland Flyers, William H. Clement Route 8, Clarksville 37040 E. Tenn, RC Society, John J. Tudor 109 Chatham Ln., Oak Ridge 37830

Memphis Prop Busters, Lester Goldsmith 38 Northwood Dr. E., Memphis 38111 Memphis RC Ctub, Inc., Donald W. Kurtz 4961 Navy Rd., Apt. 5, Millington 38053 Middle Tenn RC Soc., Sheldon Portonoy 48 Percy Warner Blvd., Nashville
Tenn. Tech Univ. RC Club, Walter S. Dooley
235 North Dixie Ave., Cookeville 38501
Tenn. Valley RC Club, Donald Albritton
2127 Colonial Pkwy. Dr., Chattanooga
Tri-Cities Aeromod., Inc., William R. Kite
550 W. Stone Drive, Kingsport 37660 Volunteer Aeromodelers, Milford Robbins Rt. 16 Pickens Gap Rd., Knoxville 37920

TEXAS

Abilene RC Soc., Clark F, Keeltler Box 13, Rt. 1, Clyde 79510 Alamo RC Society Inc., R.M. Valentine 131 Starns Dr., San Antonio 78218 Amarillo RK Soc., Tom Keen Amarillo K Soc., Tom Keeii
3417 Lenwood, Amarillo 79109
Beaumont RC Club, Jimmy Moore
5435 Hamilton Dr., Beaumont 77708
Cliff Cloud Climbers of Oallas, F. Perkins
P. O. Box 873, Richardson 75080
Coastal Bend Aeromodelers, E. Kasper, Jr. 1030 Monette, Corpus Christi 78412 The Corpus Christi RC Club, F. Gross, Jr. 4301 Hermosa, Corpus Christi 78411 4301 Hermosa, Corpus Christi 78411
Cowtown Circle Burnars, 5/5gt. V.B. Bell
4100 S. Townsend Dr., Ft. Worth 76115
Dallas RC Ctub, Bill Grady
102 Williowbrook Dr., Duncanville 75116
Fort Worth Thunderbirds RC, E. Slaughter
3029 Bright, Fort Worth 76105
The Ft. Worth Plainesman, C.L. Davis
7612 Sybil Dr., Fort Worth 76118
Flying Chaparrals, Steve Tilt
2810 Shandon, Midland 79701
Golden Triangle RC Club, Michael Ross
1812 LaMar Cir., No. 201, Arlington
Gulf Coast RC Club, Leroy King
3303 Ripplebrook, Houston 77045
Gulf Coast RC Assn., Gary E. Bay
115 Wearden Dr., Victoria 77901
Heat O'Texas Min. Aircraft, C. Horton
916 Wedgewood, Waco 76710 916 Wedgewood, Waco 76710
Houston FF Club, J.C. McPherson
219 Coronation, Houston 77034
Houston RC Club, F.C. Truesdell 6225 Indigo, Houston 77036 Irving Model Club, George R. Taylor 2510 Crestview Cir., Irving 75062 Key City Prop Twisters, Kenneth Moore 5392 Pueblo, Abliene 79605
Lackland MFC, Arthur L. Haentg
6818 Merry Oaks, San Antonio 78242
MAC of Dallas, Tommy Lister
10619 Cassandra Way, Dallas 75228
Manned Spacecraft Ctr. RC, S. Gaudiand Manned Spacecraft Ctr. RC, S. Gaudiand
4106 Highknoll Lane, Seabrook 77586
McAllen 360° Modelairs, Robert D. Sparks
500 Lindberg Ave., McAllen 78501
Northeast Texas MAC, Robert M. George
1400 Centenary Dr., Longview 75601
Odessa Prop Busters RC, John Davis
4405 Butfalo, Odessa 79760
Pasadena Mod. Airplane Pilots, R. Elsey
7302 Shiner Lane, Houston 77072
Planesman MAC, Hugh R. Smith
2608 N. Hill St., Amarillo 79107
Plano Prop Poppers Flying Club, C. Merritt
1700 15th Place, Plano 75074
Port Arthur RC Club, Andrew J. Fox Port Arthur RC Club, Andrew J. Fox P. O. Box 102, Port Neches 77651
Richardson RC Club, John J. Kelly
323 Dogwood Dr., Richardson 75080
Sod-Busters Flying Club, C.M. Wood
9354 Walterville, Houston 77055
South Austin Modelers, Myrie Roberts 7801 Shoal Creek, Austin 78759
So, Plains Area RK Soc., Donald Stutsman
Box 611, Levelland 79336
Texas A E M MAC, Jerry Bell
Box 269, 316 Elm, Novasota 77868
Thunderbirds, Ronny Gandy 4509 N. Jackson, Odessa 79760 Wichita Falls RC Club, G.W. Froehner 4218 Fairway Blvd, 6A, Wichita Falls

Hill Aeromodelers, Sammle L. Thomas 3384 A. Yorktown, Hill AFB 84401 Utah State Aeromodelers, Inc., G.L. Swanson 1420 Logan Ave., Salt Lake City 84105

VERMONT

Green Mountain RC'ers Inc., Glynn Furr P.O. Box 638, Essex Junction 05452

VIRGINIA

Amer. Eagle Flying Modelers, W.B. Martin 1948 Richmond Ave., Woodbridge 22191
Blue Ridge RC Mod., Brock G. Henry
15 Bondurant St., Martinsville 24112
Central Va. RC Assn., Sam Thompson, Jr. 7206 Richland Dr., Lynchburg 24502
Commonwealth Min Aero Soc., J. Paul, Jr.
309 Greenway Lane, Richmond 23226
Dahlgren MAC, Cdr. H.T. Walsh, Jr.
524 Caffee Clr., Dahlgren 22448
Danville Aeromodelers, Ray G. Southard 330 Starmont Dr., Danville 24541 Fairfax Model Associates, Jerome Persh 4908 Sauguoit Ln., Annandale 22003 Flyaway RC Club, Arthur D. Johnson 5003 Fillmore Ave., 210, Alexandria Fort Belvoir Flyers, tra Vail 9015 Nomini Lane, Alexandria 22309 Hampton Brainbusters, Reid Hull 65 Cavalier Rd., Hampton 23369 Mid-Virginia RC, Frederick M. Grego 12709 Richmond St., Chester 23832 Norfolk Aeromodelers, Edward J. Regan 4200 Mayflower Rd., Norfolk 23508 Northern Potomac MAC, James E. Greer, Jr. 138 N. Catoctin Cir., Leesburg 22075 Northern Va. RC, Inc., Robert A. Schow 226 W. Taylor Run Pky., Alexandria Richmond Area Radio Ctub, Ed Ranck 9719 Drexel Lane, Richmond 23228

SOUTHERN ALAMENA CERNTY GADID CONTROLLERS No on DIO CONTROL CEUR RC3 OF CHICAGO PHT CONTRACTOR OF dist. LAKEWOOD FLITE-MASTERS P.O. BOX 2831 (LAKEWOOD ONTO

Richmond Maxmen, Fred R. Harlow 9724 Royerpon Dr., Richmond 23228 Roanoke Aeroguldance Soc., J.E. Tracy 5053 Cave Spring Lane, Roanoke 24018 South Eastern Va. RC Grp., David Bills 797 Chatsworth Dr., Newport News Spartan Aero Modelers, Scott P. Selby 8405 Oakford Dr., W. Springfield Tidewater Model Soaring Soc., Bob Crane 5356 Coachway Dr., Norfolk 23502 Tidewater RC Inc., Walter Popaden 215B Budding Ave., Virginia Beach 23452

WASHINGTON

Barons Model Club, Gerald Michelson N. 6616 Nevada Space 37, Spokane 99202 Boeing Charterhawks, Joseph M. Deady 456 155th Ave. SE, Bellevue 98007 Broadway Bod Busters, Donald F. McKay 21416 96th, South Kent 98031
Cowlitz Valley RC Flyers, L.L. Cope
2802 Florida, Longview 98632
Everett Line Kinkers, Lorna Karlstead
1504 108th S.W., Everett 98201
Everett Radio Mod. Assn., Keith Moore
4725 Castle Lane, Everett 98201 Kent Strat-O-Bats, Steven Helmich 1914 1st Ave. W., Seattle 98119 Kitsap Aero RC Soc., Keith Mannen 1505 Bradley St., Bremerton 98310

Mt. Ranier RC Soc., Robert J. Frost 2120 No. Cheyenne, Tacoma 98405 Radio Aeromodelers of Seattle, J. Haskin 11127 Woodward Ave. So., Seattle 98178 Seattle Radio Aero Club, Phit Taylor 2501 N.E. 94, Seattle 98115 Seattle Sky Raiders, George Brownfield 8330 12th Ave., Seattle 98107
The Toppinish Stunters, Doris Gargiuto 36 M. 'E' St., Toppenish 98948 Tri-City Modelers, Don Goulet 1732 Hawtorne, Pasco 99301 Walla Walla Org. of RK'ers, John Briggs 1343 Tillamook, Walla Walla 99362 Wenatchee Red Apple Flyers, E.E. McClure 105 E, 9th St., Wenatchee 98801 Whatcom Aero Modelers Soc., K.M. Rock

WEST VIRGINIA

Central WV Model Club, John Johnson, Sr. Rt. 1, Box 214A, Weston 26452 The Flying Hillbillies, J.S. Hudnall Rt. 1, Box 136, Winfield 25213 Hill Hoppers Model Club, Chas. J. Singer 48 N. 22nd St., Wheeling 26003 Mountaineer RC Club, Taylor E. Marcum Rt. 4, Box 137, Charleston 25312 Valley I.F.O.'s MAC, Theodore Meyer 310 Pine Ave., Moundsville 26041 Vienna Sky Sharks MAC, Harvey Fish 402-42nd St., Vienna 26101

8026 Valley View Rd., Custer 98240

WISCONSIN

Astro Wings, Robert W. Krueger 3931 N. 39th St., Mitwaukee 53216 Bong Eagles, Joseph W. McCarthy 6603 Hillside Lane, Wauwatosa 53213 Circlemasters, James Kudla 2012 S. 28th St., Milwaukee 53215 Clintonville RC Club, J.R. Vanderwalker Route 3, Clintonville 54929 Green Bay RUF Club, Inc., O.C. Peterson 552 Mech Street, Green Bay 54302 Kettle Moralne Flyers, C.L. Salkowski 325 E. Lincoln Ave., Hartford 53027 Lakeland RC Club, Marvin S. Doubleday 3142 South 68th St., Milwaukee 53219 Madison Area RC Soc., Robert Tice 1713 Growning IIII., Madison 53704 Milwaukee Area RK Soc. Inc., M. Doubleday 3142 5 68th St., Milwaukee 53219 Milwaukee Flying Electrons, Kenneth 2738 Cramer St., Milwaukee 53211 Pebble Creek Flyers, Inc., R. Chewning 308 S. 70, Milwaukee 53214 Point Aero Techs, Myron J. Bigalke, Jr. 417 5th Ave., Stevens Point 54481 Racine RC MAC, Ken Mahaffy 512 Harvey Dr., Racine 53405 Trl City RC'ers, Robert L. Morris 546 Hackett, Beloit 53511 Valley Aero Modelers, John Schmieding 2118 N. Division St., Appleton 54911 Wausau RC Sportsmen Inc., D. Lewandowski 1212 Stark St., Wausau 54401

WYOMING

Casper Airmodelers Assn., D.L. Williams 1400 Brookview Dr., Casper 82601 Wyoming Sagebrush Hoppers, L. Hamilton 1807 Bleistein, Cody 82414

c/o FPO San Francisco, CA 96630

Agana Aero Bats, Charles A. Martin

1 Harrill Nimitz Hill

APO FPO

Balsa Busters, James Lime Box 4064 48th HDQ SQ APO New York, NY 09179 Borinquen RC Model Club, Charles Paz 2222 Soldado Cruz St., Santurce Puerto Rico 00913 Hessen Eagles MC, Vivian Yeisley, Jr.
HQ V Coscom SVS, APO, NY 09757
Manheim Whirlwind Aeromod., G. Alternan
582 Trans Co. (ADS), APO NY 09028
Puerto Rico RC Mod., Jose F. Perez 719 Hernandez St., Santurce Puerto Rico 00907 Tien Mou Flyers, L.W. Hoffman 81-44 Lan Ya Li, Shirin, Taiwan Republic of China Tripoli Tigers, Larry J. Hicks P.O. Box 644 c/o Halliburton Tripoli, Libya Wurzburg Aero Meisters, Sgt. Wm. Hogan HQ Supact, APO New York 09801 Yawlin Deadstickers, J.V. Morris USN S.R.F. Box B, FPO Seattle, WA 98672

CONTEST CALENDAR

Official Sanctioned Contests of the Academy of Model Aeronautics

March 4-5-NEW PORT RICHEY, FLA. (AA) Chasco CL Championships, Site:
Recreation Center. J. Kloth CD, 3932
Yardley Ave., N., St. Petersburg, Fla. 33713
March 5—LOS ANGELES, CALIF. (A)
CL Racing Series. Site: Sepulveda Basin, J.
Plaunt CD, 909 S. 2nd St., Apt. 1, Alhambra,
Calif. Pla01 Calif. 91801

MARCH 12—MESA, ARIZ. (AA)
Corsairs 3rd Annual Invitational CL Meet.
Site: Mesa Community College, M. Sledge CD,
1755 W. Auburn, Mesa, Ariz. 85201.
APRIL 8—9—NEW ORLEANS, LA. (A)

1st Annual New Orleans Spring Fiesta RC Scale Invitational Meet, Site: Crescent City RC Club Flying Field. A Wiltz CD, 3231 47th

St., Mataire, La. 70001

APRIL 9—LOS ANGELES, CALIF. (A)

CL Racing Series. Site: Sepulveda Basin. J.

Plaunt CD 909 S. 2nd St., Apt. I, Alhambra, Calif. 91801

APRIL 15 -16-MONROE, N.C. MR/CC RC Air Races I. Site: Monroe RC Club, V. Helms CD, 800 Tyvota Rd., Charlotte, N.C. 28210. Sponsor: Monroe

Radio Control Club.

APRIL 16—PHOENIX, ARIZ. (AA)
Spring FF Contest for Cat. I. Site: 35th Ave.

& Pinnacie Peak. W. Morris CD, 7422 E. 7422 E.

McKinley St., Scottsdale, Ariz. 85257.

APRIL 22-23—CLOVIS, N. MEX.
Clovis M.A.D.S. RC Fly-A-Lot. Site: Clovis MADS Field. C. Meyer CD, 1508 W. Chester,
Clovis, N. Mex. B8101. Sponsor: Clovis Model Airplane Drivers Society

MAY 6-7 — HUNTSVILLE, ALA. (AA)
12th Annual Rocket City RC Meet. Site:
Huntsville Hellport. C. Scholefield CD, 2709

Briarwood Dr., Huntsville, Ala. 35801.
MAY 7—LOS ANGELES, CALIF. (A)
CL Racing Series. Site: Sepuiveda Basin, J. Calif. 91801. Plaunt CD, 909 S. 2nd St., Apt. I. Alhambra,

COUNCIL BLUFFS, IOWA (AA) Midwestern CL Spring Warm-up. Site: lowa School for the Deat. H. Hough CD, 924 Avenue I, Council Bluffs, Iowa 51501. Sponsor: Council Bluffs Balsa Busters.

MAY 14—HOUSTON, TEX. Manned Spacecraft Center RC Fun Fty. Site: NASA/MSC. C. Scully CD, 5271 Memorial Dr., Houston, Tex. 77007. Sponsor: Manned

Spacecraft Center RC Club.
MAY 21 — TUCSON, ARIZ. (AA) Spring
Invitational CL Contest. Site: Rodeo Park. T. Snow CD, 3408 N. 2nd Ave., Tucson, Ariz. 85719. Sponsor: Cholia Choppers M.A.C. MAY 21—BALTIMORE, MD. (AA) Flite

Streaks 6th Annual CL Combat Contest, Site:

Streaks 6th Annual CL Combat Contest, Site: Skyview Model Park. L. Lauer CD, 831 Lannerton Rd., Baltimore, Md. 21220. Sponsor: Filte Streaks.

MAY 27-28—SCHENECTADY, N.Y. (AA) 3rd Annual Empire State RC Championships, Site: Schenectady County Airport, A. Sattler CD, 29 Waldorf Pl., Schenectady, N.Y. 12307. Sponsor: Thundervolts RC Club, Inc.

MAY 27-28—MONROE, N.C. (AA) MC/CC RC Air Races II. Site: Monroe RC Club. V. Helms CD, 800 Tyvola Rd., Charlotte, N.C. 28210. Sponsor: Monroe Radio Control Club.

JUNE 3-4-NASHVILLE, TENN. (AAA) 9th Annual Mid-South RC Championships. Site: Percy Warner Park. E Reuther CD, 6602 Highway 100, Nashville, Tenn. 37205.

JUNE 3-4—BATON ROUGE, LA (AA)
"Cajun Classic" Baton Rouge 11th Annual
RC Meet. Site: Kleinpeter Field on Pecue
Lane. H. Roberts CD, 9243 Hampton Way,
Baton Rouge, La. 70814.

1972 NATIONAL CONTEST. Glenview N.A.S. has tentatively approved the dates of July 24-30. Final approval is expected momentarily.

DIRECTORY OF AMA OFFICERS

Which officers live in your district? Select correct address when writing officers.

HOW TO

Over 150 AMA members serve wolunteers on various committees which determine operating policies of Academy activities—many are listed here. Mem-bers are invited to communicate their comments, suggestions, proposals, or complaints by writing to the appropriate committee at any time. Note that the Executive Council and Associate Vice-Presidents represent area interests for general AMA policy matters. Whenever district numbers are shown, write to the nearest address in your area. It is recommended that a copy of any correspondence be sent also to AMA Headquarters.



EXECUTIVE COUNCIL

President: John E. Clemens, Box 64573, Dallas, Texas 74206
Sec.-Tres.: E. Witt, Harvest Ln., N. Guilford Hills, Chambersburg, Pa.
Exec. Dir: John Worth, AMA HQ, 806 15th St., N.W., Wash., D.C.
Vice-Presidents
1: Cliff Piper, Highland Avenue, Atkinson, New Hampshire 30811
11: William Boss, 77-06 269 St., New Hyde Pk., N.Y. 11040
111: Ron Morgan, School for Vet Children, Scotland, Pennsylvania
1V: John Patton, Route No. S., Frederick, Maryland 21701
V: James Perdue, 111 Christopher Ave., Athens, Alabama 35611
VI: Al Signorino, 11959 Glenvalley Dr., Bridgeton, Missouri 63042
VIII: Jack Josaitis, 23663 Lawrence, Dearborn, Michigan 48128
VIII: Murry Frank, 2933 Blankenship, Wichita Falls, Texas 76308
1X: Stan Chilton, 446 (da, Wichita, Kansas 67221
X: Alex, R. Chisolm, 1589 W. Celeste, Fresno, California 93705
XI: Robert D. Stalick, 1120 Shady Lane, Albany, Oregon 97321
NAA Rep: Gen. B. Allen, NAA, 115th St., N.W., Wash., D.C.
GENERAL COLINSEI

GENERAL COUNSEL

J. Courtney, c/o AMA HQ, 806 15th St., N.W., Wash., D.C. 20005

J. Courtney, c/o AMA HQ, 806 15th St., N.W., Wash., D.C. 20005

ASSOCIATE VICE-PRESIDENTS

I: John Ross, 19 Sterling Dr., Dover, Massachusetts 02030

II: Josh Titus, 146 Garden Ave., Paramus, N.J. 07652

J. Moynihan, 123 Evergreen Drive, Tonawanda, New York 14150

Joe D'Amico, 9224 Rost Pl., Brooklyn, N.Y. 11236

III: Ray DeLaVeaux, 1316 Gilinam, Philadelphia, Pa. 19111

Ralph Pennetti, Wharrey Dr., R.D. No. 1, Sewickley, Pa. 15143

Albert Seidowski, 21460 Sheidon Rd., Brookpark, Ohio 44113

IV: Cliff Teiford, 8612 Rayburn Road, Bethesda, Maryland 20034

Thomas Baker, 408 Phifer Rd., Kings Mountain, N.C. 28080

William Conkling, 915 Thornbriar Court, Hampton, Va. 23361

V: Tom McLaughim, 4140 Fern Ct., Pine Glades, Pensacola, Fla.

80b Stevenson, 209 Sourwood Dr., Marketta, Ga. 30060

Jerry Wagner, 274 East 9th Street, Hialeah, Florida 33010

VI: John Blum, 2417 Gian Place, Granite City, Illinois 63040

Glens Lee, 102 West Mandrake, Batavia, Illinois 63040

Glens Lee, 102 West Mandrake, Batavia, Illinois 60201

Mark Van Zant, 7512 Arlington St., Raytown, Mo. 64138

VII: Frank Morrissey, 14100 W. Park Ave., New Berlin, Wisc. 53151

VIII: Bud Tenny, Box 545, Richardson, Texas 75080

Calvin Scully, 5271 Memorial Dr., Houston, Tex. 77007

[X: John Kelly, 7020 E. Colfax, Denver, Colorado 80220

Jim Mowrey, R.R. No. 2, Box 56, Kinsley, Kansas 67547

Aubrey Darnielle, 2043 Bartonia Blvd., Billings, Mont. 59102

Xi Robert Barnes, 3020 Ala Napuaa Pl., Apt. 304, Honolullu, Hawali John Pond, 4135 Avati Drive, San Diego, California 92117

Joe Bridl, 23625 Pineforest Lane, Harbor City, California 90710

Sam Crawford, 65 Maplewood Dr., San Rafael, Calif. 94901

Xi: Dick Carson, W. 3029 Hoffman, Spokane, Wash. 99205

Correspondence for the committees, representatives and administrators which follow should be addressed to the proper committee or individual and sent c/o AMA HQ, 806 Fifteenth St., N.W. Washington, D.C. 20005. HQ will resend to the proper Individual and/or committee.

NATIONALS EXECUTIVE COMMITTEE
John E. Clemens, Dallas, Tex.; Ron Morgan, Scotland, Pa.; Pete
Peters, Dallas, Tex.; Pete Sotich, Chicago, III.; Earl Witt, chairman,
Chambersburg, Pa.; John Worth, Washington, D.C.

JUNIOR COMMITTEE: Ed Abram, Chmn., Ouaguaga, N.Y.

FAI REPRESENTATIVES

COORDINATOR—Maynard Hill, Silver Spring, Md. PROGRAM ADMINISTRATORS: Control Line—Laird Jackson, St. Davids, Pa.; Free Filght—Dave Linstrum, Hanover Pk., III.; Indoor—Bud Tenny, Richardson, Tex.; Radio Control—Tom Rankin, Ellicott City, Md. CIAM REPRESENTATIVES: Maynard Hill, RC; Laird Jackson, CL; Dave Linstrum, FF; Claude McCullough, Scale.

RC FREQUENCY COMMITTEE

Walt Good, Bethesda, Md.; Ed Lorenz, chairman, Poughkeepsie, N.Y.; John Phelps, Liverpool, N.Y.; Paul Runge, Higginsville, Mo.

CONTEST COORDINATORS

I: Etvin Bowe, 101 South Riverview, Haverhill, Massachusetts 01830
II: Warren Truppner, 67 Raymond Ave., Staten Island, N.Y. 10314
III: Ken Reber, Mounted Route, Mt. Holly Springs, Pa. (East)
M. Weisenbach, 4568 W. 146th St., Cleveland, O. 44135 (West)
IV: Alice Jaworski, 6408 Marietta Avenue, Baltimore, Md. 21214
V: James Perdue, 111 Christopher Ave., Athens, Ala. 35622
RC:: Frank Schwartz, 2400 W. End Ave., Nashville, Tenn. 34203
VI: Merrel Booker, 15711 Dixie Hwy., Harvey, Ill. 60426
RC: Al Signorino, 11959 Glenvalley Drive., Bridgeton, Mo. 63042
VII: Odell Marchant, 2004 N. Hillsbord, Minneapolis, Minn. (West)
Watter Hartung, 14759 Kilbourne, Detroit, Michigan 48213 (East)
VIII: S. Frank, 2933 Blankenship, Wichita Fails, Texas, 76308
IX: Ray R. Combs, R.R. No. 1, Box 712, Morrison, Colorado 80645
RC: Jim Brittian, 2019 Ruskin Road, Salina, Kansas 67401
X: D. Farnsworth, 2600 Country Ln., Visalia, Calif., 93277 (North)
Lee Polansky, 865 West Huntington-1, Arcadia, Calif., 91006 (South)
XI: Albert Grell, Route 1, Box 165, Tangent, Oregon, 97389

CONTEST BOARD COORDINATOR
Don Lindley, 301 East Elizabeth Drive, Crown Point, Indiana 46307

Bold type below indicates Chairman of Contest Board

CONTROL LINE CONTEST BOARD

I: John Scott, Jr., 265 Witches Rock Rd., Bristol, Conn. 06010
II: J. Paliet, 30 Emerson Rd., Brookville, Glen Head, N.Y. 11545
III: Land Jackson, 523 Meadowbrook, St. Davids, Pa. 19087
IV: William Pardue, 1201 Surrey Drive, Greensboro, N.C. 27408
V: William D. McGraw, 1325 Carol Drive, Memphis, Tenn. 38116
VI: Gary Frost, 22 Glynn Dr., Florissant, Mo. 53031
VII: Arthur Adamisin, 22454 Fairfax, Taylor, Michigan 48180
VIII: B. F. Davis, 1613 Carl, Fort Worth, Texas 76103
IX: John R. Mason, Rt. 1, Box 56, Peck, Kansas 67120
X: Pete Brandt, 5817 W. Ironwood, Palos Verdes Peninsula, Calif.
XI: T. E. Wilson, 9113 Evergreen Way, Everett, Wash. 98204

FREE FLIGHT CONTEST BOARD

Henry Struck, R.F.D. No. 2, Hamburg, Old Lyme, Conn. 06371
Ed Fronczek, 34 - 14 Broadway, Long Island City, N.Y. 11106
: Floyd Miller, 1313 Brookridge Drive, Columbus, Ohio 43220
: Joe Boyle, Jr., 219 Shenandoah Road, Hampton, Virginia 23361
George C. Pickel, 1631 Steen Drive, Clarksdale, Mississippl 38614
: James Gromel, 8618 Jo Court, Berkeley, Missouri 63134,
I. P. Klintworth, Jr., 27701 Lenox, Apt. 202, Madison His., Mich.
III: Buz Averill, 9117 LaBarranca, N.E., Albuquerque, N. Mex.
L. Edward Collins, 4318 E. Utah Pl., Denver, Colo. 80222
: Mel Schmidt, 1140 Sturbridge, LaHabra, California 90631
: John Lenderman, Route 2, Box 460, St. Helens, Oregon 97051

RADIO CONTROL CONTEST BOARD

I: Harvey Thomasian, 369 Brigham Street, Northboro, Mass. 01532
II: A. P. Sattler, 29 Waldorf Plane, Schenectady, New York 12307
III: George Kane, 550 Andrew Dr., Southampton, Pa. 18966
IV: George Hill, 4106 Breezewood Lane, Annandale, Virginia 22003
V: Don Coleman, 527 Pecan Street, Box 436, Citronelle, Ala. 36522
VI: Bud Atkinson, 734 N. 6th Street Terr., Blue Springs, Mo. 64105
VII: Peter Waters, 31219 Kendall, Livonia, Michigan 78154
VIII: Ted White, 6909 N.W. 60th St., Bethany, Okia. 73008
IX: Loren Tregellas, 3003 S. Everett, Wichita, Kansas 67217

E. W. C. Northrop, Jr., 12552 Del Rey Dr., Santa Ana, Calif. 92705
II: Ralph Brooke, 3431 South 194th Street, Seattle, Wash. 98188

SCALE CONTEST BOARD

I: Richard Sherman, 408 River Road, Tewksbury, Mass. 01876

II: John Condon, Sr., 89-09 247 Street, Bellrose, New York 11426

III: Edward Wisser, 1521 Summit Street, McKeesport, Pa. 15130

IV: Hirst Bowers, 1649 Birch Road, McLean, Virginia 22101

V: Lee Webster, 1000 Sycamore Circle, Manchester, Tenn. 37355

VI: Frank Beatty, 2556 Pontoon Road, Granite City, Illinois 62040

VII: Claude McCullough, Box 40, Montezuma, Iowa 50171

VIII: John Casburn, 6508 Normandy Rd., Fort Worth, Tex. 76112

IX: Don Johnson, 12604 West Virginia Ave., Denver, Colo. 80228

II: Russ Barrera, 1451 LaHabra St., Lake San Marcos, Calif. 92069

XI: Earle Moorhead, 275 South View Place S., Salem, Oregon 97302

i	INDEX TO ADVERTISERS	
	Academy Products Ltd	88
	ACE Radio Control, Inc	94
	Arlo's Hobby Center	94
	Bachmann	35
	Boyd Models	90
	Cannon Electronics Cleveland Model & Supply Co. Coverite	80
-	Dembros Hobbies, Inc.	96
ı	Du-Bro Products, Inc.	77
ı	EK Products	-
	F.A.I. Model Supply Filte Boxes by Inky Fox Manufacturing Co.	93
ı	G Products	56
	Carl Goldberg Models, Inc13,	21
ı	W. C. Hannan, Graphics	
I	John Hathaway	88
I	Hobby Capitol U.S.A	18
ı	Hobby Helpers	94
	Habby People	74
1	Bob Holman Plans	90
١	Indyflite Sales1	
l	· · · · · · · · · · · · · · · · · · ·	74 80
	Kayeff, Inc	78 76
ı	Larry's Habby Supplies	95
l	III de	88 95
Ì		75
l	Miniature Aircraft	57 93
l	M-n-M Radiamodels	92
ı		93
l	Model Rectifier Corp	IV
	\$4 - 17 27 1 3 B - 1 4 - 1	72 68
l	Octura Models	92
	B W. I. V. V. B	82
l	Rocket City R/C Specialties	93
	Royal Products	79
	Scientific Models, Inc Cover II,	3
l	Semco Model Eng. Co.	94
١	Sig Manufacturing Co	55
ı	Stanton Hobby Shop, Inc.	85
Į	A 15 %	71
		30
	Tern Aero Co	76
	No man a sala sala sala sala sala sala sala	92
	Verdell Instrument Sales Co	88
	Wincek Variety & Hobbies	36 58
	tide and a second second	31
	XI-ent Products	
_		



I'm putting my ads in the perfect place . . . AAM's **CLASSIFIEDS!!**

ARF*R/C Airplanes

Repair them stronger than new with FIXUM

Use FIXUM to Repair - Modify - Strengthen Stop Cracks from Growing

> FIXUM is Fuel Proof - Sandable Dopable - Paintable

Your Dealer or Send \$2.00 For II Ourses (Brough for a Bunch of Crashes)


INDYFLITE SALES FAIRLAND, IND. BEIZE

Works Great On Plastic U/C Pla

Getting Started in R/C?

START TODAY-order Howard McEntee's

"GETTING STARTED IN R/C." Nineteen chapters of this informative series are now in a single volume at the low price of \$1.25 ppd. Use this book as a firm foundation for a start in Radio Control. Use the coupon below.





Interested in Control-Line?

START OFF with Howard Mottin's "GETTING STARTED IN CONTROL-LINE."

It's Vol. II in AAM's library series for the novice and the expert. Chapters cover all aspects of C/L-where to start, how to build, trim and fly plus a thorough review of competition events, \$1,25 ppd. Use the coupon below.

\$1.25 each or Order Both for only \$2.00

AMERICAN AIRCRAFT 733 Fifteenth Street, N. W., V		0005		
I've enclosed \$fi CONTROL-LINE. (Price: \$1	.25 each).			
I've enclosed \$ for (Price: \$1.25 each). I've enclosed \$ for .				₹/C.
RUSH TO:				
ADDRESS:				_
CITY			 ZIP	_

QUALITY HOBBY SHOPS

Quality Hobby Khap spaces are sold on a six-month balls at \$7.00 per month, payable in sdvance. All insertions must be consecu-tive. No mention of mall-order business is permitted. Closing State: 10th of third pre-ceding month.

OHIO-CLEVELAND

We carry the most complete line in Ohio for your model airplane hobby. Also large HO train dept. Boats, R/C, motors, parts, supplies, dope, balsa, tools, books, magazines, etc.

NATIONAL HOBBY, INC.

5238 Ridge Road

(216) 749-4750

MASSACHUSETTS—CAMBRIDGE

Model planes, motors, railroads, ships, radio control equipment and accessories—also slot racing supplies. Open 9:00 AM to 5:30 PM daily & Thurs, evenings.

CROSBY'S HOBBY CENTRE

(617) 547-4389 1704 Massachusetts Ave.

MICHIGAN-DETROIT (FERNDALE)

Trains, planes, stamps, coins, R-ways. Over 50,000 items for hobbyists. Mich. largest antique train collection. Look for our 55' HE crossing sign. Arnold Rapido.

MODELS HOBBY CENTER

22524 Woodward Ave. (Zlp 48220) LI-3-2242

GEORGIA-DECATUR

HO Railroads, Planes, Model Car Racing, Open 11 AM to 10 PM. Metro Atlanta's Friendly hobby shop.

HOBBY HOUSE DECATUR SPEEDWAY

130 E. Ponce de Leon

378-2253

HONG-KONG-KOWLOON

The most complete stock of aeromodeling and hobby supplies in the Far East. Sole agents for Graupner, O.S. and Min-X and agents for Vernon, Frog. Solarbo and many others. RADAR CO., LTD.

Kowleon, Hong Kong 2 Observatory Road K-680-507

NEW YORK-BUFFALO

Factory authorized Orbit and Micro-Avionics sales-service center. New Orbit and Micro radio systems at very best prices. Complete stock of parts and accessories. Immediate service on all Orbit and 1970 Micro systems. Guaranteed reconditioned previously owned Orbit systems alleged to the complete stock of the complete systems. ways available

ORBIT NORTHEAST

3833 Horlem Rd. 14215 Fh. (716) 836-6860

NEW JERSEY-IRVINGTON

The oldest established hobby shop in New Jersey. Everything in trains, ships, planes and rocketry, Hours 10 to 7 daily, 10 to 1 on Sun-

THE HOBBY SHOP

758 Springfield Avenue (201) 372-6211

PORTLAND-OREGON

Portland's Headquarters for Radio Control Equipment, all major brands, all at discount prices, "Shop American," "The Friendly Shop."

AMERICAN PEY B MODEL AIRPLANE

SUPPLY COMPANY

4308 S.E. King Rd. in the Disco Mart Ph.: 654-8777 Zip: 97222 shopping center.

SOUTH CAROLINA-BEECH ISLAND

Near Augusta, Georgia. Headquarters for Radio Control Supplies—kits—motors and hard to get items. Building of kits or custom model. Open 9:a.m. till 11:p.m. plus Sundays till

MILLER'S HOBBY SHOP

315 Laurie Orive

(803) 822-0565

COLON, REPUBLIC OF PANAMA The only hobby shop in the country. Model Planes. Motors (radio controlled), ships. H.O. and N. Gauge trains, complete stock of

parts and accessories. KELNIA S. A.

Front Street, Colon, P.O. Box 2086, Zone 3, Telephone, 47-7040. Warehouse in the Free Zone of Colon.

ALABAMA—Birmingham

If it's hobbies, we have it. Most complete line in Southeast. Model airplanes, motors, trains, slot cars, Radio Control equipment—cars, planes, boats and accessories.

SPIVEY DISCOUNT

205-785-9690 1303 Tuscaloosa Ave.

AVONDALE ESTATES, GEORGIA
Southeastern factory repair center for Micro
Avionics and Orbit systems. Complete stock of
parts. All work guaranteed. Parts in stock for
Blue Max and most systems. Authorized factory
service center for Testors planes and radios.

HOREY DISTRIBUTORS 4 Avandale Road, P.O. Box 102, Avondale Estates, Georgia 30002

CLASSIFIED ADS

address). Minimum-14 words. Send remlitance with copy and order to: AMERICAN AIRCRAFT MODELER, 732 Fifteenth St., N. W., Washington, D. C. 20005.

COLORED #66 RUBBER BANDS, 1/6 lb. post paid \$1.00. Red, blue, yellow, black, white, tan. MEISTER, 711 Main St., Keokuk, Iowa 52032.

MODEL ROCKET PORTFOLIO, #100 four issues. plans. Catalog 11 cents. ROCKETS-f, P.O. Box 7274, Long Beach, Calif., 90807.

WORLD WAR I HEX-CAMOUFLAGE, 4 colors, in-dividually cut pieces, \$2.95 pkg. 1"-1' and 2"-1' scale. VINTAGE MODEL AIRCRAFT. Route 5, Box 219, Coos Bay, Oregon 97420.

FREE CATALOG-1,000 aviation books. Many with scale drawings and 3-risws AERO PUBLISHERS, 339 M Aviation, Fallbrook, Calif. 92028.

BACK ISSUES AIRTRAILS, Air Progress, Aerodigest, Flying, Flying Aces, Popular Aviation, Aeromodeller, Airnaws, M.A.N., all model, pulps, etc. AVIATION MAGAZINES, 24248 Crenshaw Bird., Torrance, Calif.

MONEY? Save lots of it) We know of nobody who beats our prices. Write for free R/C-Kits-Supplies list. PUGET SOUND R/C ELECTRONICS, 1547 Hoff Rd., Bellingham, Wash. 08225.

MODEL AUTO RACING SUPPLY, How 547A, Bill-erica, Mass. 01821. Latest R/C auto racing catalog me.

KITS AND SUPPLIES. Microfilm soluion, condenser paper, nichrome wire, indoor balsa, send stamp his Catalogue, BONUE BEGINNERS SPECIAL, Book on indoor plus COMPLETE Easy B Kit . . . \$3.00. MICRO-DYNE, Box 2338, Leucadia, Calif. 92024.

ENGINES & PARTS: Max II R.C. \$15.00, S.T. 23 R.C. \$19.00; Max 35 R.C. \$19.00 S.T. 40 R.C. \$24.00. Many more, sent postpaid. DONS SALES, P.O. Box 224, Ft.

HIGH VOLUME ELECTRIC FUEL PUMP. This rugged unit is a gear type constant displacement pump. It is corrosion proof and is driven by a circuit breaker protected five pole motor that will operate from 6 to 12 volts D.C. Twelve owners of fuel can be pumped in 13 second at 12V, in 28 second at 9V, and in one minute at 6V. A 6 volt battery will pump in excess of 20 gallons

A heavy duty DPDT center off switch is installed so

A heavy duty DPDT center off switch is installed so that Insling are defueling may be accomplished by reversing polarity of the motor.

This machine is a high quality one that is built to last. Satisfaction is assured, it comes complete with rubber hoses, filters, and wiring, Fully guaranteed for one year. Send \$24.95 to: SALEM ENTERPRISES, Box 38, Goldens Bridge, N.Y. 10526. (914) 232-3280.

RADIO AND SERVOS. 4 reed servos, working. \$20.00. 3 channel World Engines Digit Might radlo. Working good. 3 servos, 27 minz \$150.00. GEORGE HALL, Hist 406. Camitia, His. 31730. Ph. 336-0700.

WANTED: Sales people man calling on hobby shops to sell my plans in the U.S.A. Free catalog and info. SID MORGAN, 13157 Ormond, Belleville, Mich. 48111.

BACK ISSUES—pre-1940 MAN wanted. Will bur out-right or trade set of Air Trails 1936-1942. No single issues bought or traded, J. J. DAVIS Box 948. Appleton,

RON'S HOBBIES—Specializing in Radio Control Supplies at discount prices. MASTER CHARGE IT. For list, include stamp. 43 Mideliff Drive, Columbus, Ohio 43213.

WOOD PLANE EUES FROM THE 40's. Solid, control line. Also plastic kits, military rehicles, cars. Old unbuilt good stuff sensibly priced. BASE DUSTY PLANES, PO Box 110, Glen Ridge, N.J. 07028.

NEW-PROP HUBS, 4 sizes 31 seach. Plans, 2-coupes, Al Nordic, Ricket \$1.50 ca. Free flight Specialties, 6255 II. W. 47th Place, Portland, Orc. 97221.

ANTIQUE KITS: Ministure sirers/t Boeing PT-17 \$35.00. Berkiey's Sea Cat \$13.00. Aristocraft's R/C Kits. Grumman F3F and Curtiss FC-11. \$17.00 each. Postage additional. DENNIS STUFFEN, 110 Southerland Drive, Hampton, Virginia 23368.

QUARTER MIDGET PLANS—GeeBee Model "Y" Sportster, Wittman "Bonzo" (1988), Howard "Mika", Scorlile "Stardust", Keith-Rider "B-1", 33.75 cach. QM-plans, Box 8571A, Fountain Valley, Calif. 93708.

BE A REAL CONTEST WINNER with an aircraf from AEROTEC, all 2" to 1' True Scale. S.P.A.D. 13 Ribs and Formers \$21.00 Full Kit \$59.95

Scale contest wins—WRAMS, RHINEBECK
ALBATROS DV/s Ribs and Formers \$2
Full Kit
Plans \$7 I 7.95 \$21.00 \$79.95

Scale contest wins-WRAMS, MEROKE, WRAMS & RHINEBECK FOKKER EINDECKER E-111

Ribs and Formers Plans FOKKER DR-1 TRIPLANE \$15.95

Ribs and Formers \$1 Plans \$ " to 1' SUPERSCALE!!! \$19.00 BOEING P-26-A 2" Ribs and Formers 192 00

All our parts are Hg Saw Cut, each kit is custom-made to order, no die crunching. ARETEC MODEL ENGINEERING COMPANY, Box 116, Lincolndale, N.Y. 10540.

RADIO EQUIPMENT REPAIRS-kits troubleshot and adjuned by FCC Hoensed personnel. Quality work at realistic prices, free estimates on request NORTHEAST AVIONICS SERVICE, Box 543 Rahway, N.J. 07065.

WANTED: BUILT-UP: Stinson Reliant from Cleveland kit, Holman or Morgan plans; Berkley NAVION, SUPER SUCCANEER, and CUSTOM CAVILIER, Ministure of Vic's 9 ft. TAYLORCRAFT, Sherlock Bould 727. FORD TRI-MOTOR from Cal Smith plans, Span Aero PIPER J-3, GAK BEECH STAGERWING, Avisto or Eureka AIRLINERS and BOMBERS, SCALE, P.O. Bex 142, Gobles, Mich. 48055

WANTED: Complete Berkley Kit of SANDY HOGAN 70 and Mini Hogan 45. G. C. MARKHAM, 370 W. Sterra Madre Blvd., Sterra Madre, Calif. 91024.

STOP ENGINE MOUNTING PROBLEMS. Model Enorur angine Mounting PROBLEMS. Model Engine fasteners designed to withstand the most severs vibration—they stay TIGHT. Eight different sets from \$0.25 to \$1.25. FREE INFORMATION. Dealer/Distributor Discounts. SURE-LOK, 4032 Lawin Avenue, Cypress, Calif. 90680.

U-C FIBERGLASS RACING TOPS A-speed and Rat Race complete kits available, fuel shut offs for Rat and Goodyear \$2.50. Send for complete lists. W-K HOB-BIES, 201 Ashwood Ave., Dayton, Ohio 45405.

CONVERT C/B Talkle to R/C in minutes. Only \$3.60 for parts. Plans \$1.00 G. COGGINS, 621 Masson, San Bruno, Calif. 94066.

RETRACT THAT LANDING GEAR, PMW Hydraulic Power Supply: 2 oz. total alriborne wt. 10 lbs. plus thrust. No more gear handup. No stripped serve gears. No high battery drain. Complete Power System \$38.50, Send self-addressed stamped envelope for brochure. PMW, 128 West 10th Street, Tracy, Calif. 08870.

SPECIALS Monolote 4 rolls or 25 feet \$23.00, transparent il rolls or 25 feet \$25.60, 10 trim/6.30; FOX Superfuel, Dukes \$22.00 (east of Mississippi only); A-Justo-Jig (NEW) \$33.25; SILRON 5/5.00; DEVCON 5/84.80; C/L ENGINES FOX .55 \$12.00, .40 \$13.25, 15X \$7.50, .30XBB \$15.00; COX TD .010-051 \$81, 0.00 \$10.50; RADIO CONTROL Graupher Cirrus \$40.00; .00 \$10.50; RADIO CONTROL Graupner Cirrus \$40.00; Middle Stlk \$22.00; Dumas Evolution \$15.00, MODPOD \$12.00; GOLDBERG Sr. Falcon. Skylans 63 \$27.00, Ranger \$2, Falcon. 58 \$15.75, Skylark \$18.00; VK. Cherokee, Navajo \$28.00, Cherokee Babe \$20.00; STERLING Larner \$20.00, 1-260 \$15.00; DREMEL moto shop complete \$45.00, Tool #271 complete \$45.00, Tool #271 complete \$45.00; ROYAL B-25 \$55.50, Cesans \$106 \$55.50, Cesans \$182 \$40.00; Spirit of St. Louis, Cessha 906 \$36.50; KAAVAN stafter \$20.50; TOP FLITE Mustans, Quik Fli III \$28.00, Contender \$25.50, Headmaster \$12.50; KRAFT servos \$32.00; MRC servos \$28.00 linear, rotary \$25.00; YEGO 30 \$38.30, 50 \$31.50, 18 \$21.00; K&B 40 (front, rear) \$24.50; HP . 51 \$55.50, 46 front \$40.00, 40 rear \$42.00; FOX .78 \$40.00, 30X \$18.80, 40 \$18.25; J&J J-Craft \$32.00, Eyeball \$40.00. POSTPAID. INSURANCE. 30, RANDY'S CORNER, IIIs WEST WASHINGTON, HOOPESTON, Jilinois \$6942.

WOORDUYN "NORSEMAN" plans, 844" wingspanwoorddun "Norseman" plans, 84½" wingspan— ecckpit detail—optionai floata included—plans, 4 large sheets, \$10.00 ppd. PHY "Catalina"—0 ft. wingspan— \$10.00 ppd. Others available. List & sample—25¢, CUSTOM PLANS SERVICE 2331, S. E. Maple, Hills-born Ousern 27192 boro, Oregon 97123.


READERS: An avid modeler in Poland wants to exchange plans and ideas with modelers here in the states. Polish law forbids the sending out of money from the country. Send correspondence to: Krystyna Jahlonska

Krakow Al. Betoryka 9/3, Poland

Krystyna is fluent in English.



a new partner for '72



The KP-2B was a smash hit in 1971. Because of many requests we now offer a single stick version. Either is perfect for gliders, boats, cars, or small powered aircraft.





Our First Place Record Speaks For Itself.
World Champion — 1971 (FAI Pattern)
U.S. National Champion — 1971 (Class C Expert)
World Champion — 1969 (FAI Pattern)
And so it is with MRC-Webra, in competition after
competition, Sunday flight after Sunday flight, MRC-Webra engines
quietly take top honors with their winning ways.



These very same handcrafted MRC-Webra engines, used by the champions, in sizes .048 - .61, are available at your local hobby dealers.